S
625.7
H3mph
1976

MONTANA
PRIMARY HIGHWAYS
1976
SUFFICIENCY RATINGS

PLEASE RETURN

...NTS COLLECTION

MONTANA STATE LIBRARY

Montana State Library
3 0864 1006 6204 1

PREPARED BY THE

STATE OF MONTANA
DEPARTMENT OF HIGHWAYS
PLANNING AND RESEARCH BUREAU

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

MDH Cover Photo US 12, FAP Rte 8, Mile Post 25

December 31, 1976

TABLE OF CONTENTS

	PAGE
Introduction	1
Sufficiency Comparted to Age of Rural Primary System	6
Miles of Rural Federal Aid Primary Highways Year Constructed	7
Location of Deficient Section -- Statewide	8
Miles of Rural Primary Highway by Sufficiency Rating and Financial District	1D
Tabulation of Deficient Mileage by Financial Districts	11
Tabulation of Deficient Mileage by Federal Aid Routes	12
System Map - Interstate and Primary	14
Route Maps Showing Sufficiency Ratings by Section	17
Rural Sufficiency Ratings by Section and Financial District in ascending order	
Financial District Number 1	101
Financial District Number 2	1D5
Financial District Number 3	1D8
Financial District Number 4	111
Financial District Number 5	114
Financial District Number 6	117
Financial District Number 7	12D
Financial District Number 8	123
Financial District Number 9	127
Financial District Number 1D	13D
Financial District Number 11	133
Financial District Number 12	136
Urban Deficiency Ratings by Federal Aid Route and City	141
Rural Sufficiency Ratings by Section -- Statewide in in ascending order	169

INTRODUCTION

* * *

In order to comply with the provisions of the State Financial District Law, the Montana Department of Highways has the responsibility to evaluate the condition of the Federal-aid Primary System throughout the State for the purpose of allocating construction funds to the various financial districts. In 1948, a formula was developed to determine the relative deficiency of each section of highway, which was based largely on a comparison of the existing condition of the highway with the latest design standards. The deficiency ratings thus contained were also converted to priority ratings by the application of a traffic volume factor.

During recent years, other states have developed newer formulas for appraising the sufficiency of highways in those states, and since it was apparent that these formulas provided a better basis for evaluating highway conditions, the various formulas were studied with the objective of developing a new formula for Montana that would improve our rating procedure. This study resulted in a new sufficiency rating procedure, which is used in determining the allocation of construction funds to the financial districts and as a priority-rating guide for programming of new construction projects.

This 1976 report is the fifth to be compiled by fully utilizing the Highway Information System data bank. All items used in the sufficiency formula with the exception of the condition of pavement, foundation and drainage, were extracted from the data bank.

The sufficiency rating procedure applies only to rural sections of the Federal-aid Primary System highways. It is not adaptable to urban sections of highway because of the special traffic capacity

conditions encountered in the cities, and for this reason, the urban sections of highway continue to be rated on the basis of the older formula until such time as a new urban sufficiency rating procedure can be devised.

A total of 5452.3 miles of Primary highways are rated in this report, covering the realigned Federal-aid Primary System, composed of 5265.7 miles of rural and 186.6 miles located within municipal and urban areas.

A completely adequate section of rural highway is assigned 100 points in the sufficiency rating formula. As defined for this study, a section of highway meriting a rating of 100 points must have a thoroughly sound structure, must be free from those hazards that can be eliminated by proper road design and must have adequate capacity to satisfactorily handle existing traffic demands.

The following factors are considered in the sufficiency formula.

A. Structural Adequacy - Total 50 Points

1. Foundation - 10 Points
2. Surface - 30 Points
3. Drainage - 10 Points

B. Safety - Total 20 Points

1. Number of stopping sight distances, shorter than permitted by design speed.
2. Number of horizontal curves, sharper than permitted by design speed.
3. Number of bridges narrower than the width of the traveled-way of approaches.

4. Number of accidents as related to the average traffic volume for the analysis period.

C. Hourly Service Volume (Traffic Capacity) - Total 30 Points

1. Design hour traffic volume for the current year.
2. Pavement and shoulder widths
3. Percent of commercial vehicles
4. Length of no passing zones
5. Design speed.
6. Average highway speed.

Structural adequacy was determined by a field inspection of the entire system. To insure uniformity, this inspection was made by one man who has been schooled in rating techniques. Field measurements of pavement and roadway widths were also made during this inspection, as a check on existing records. The foundation of a section of highway was assigned points in the field between a maximum of 10 if it was considered adequate, and 0 if it was totally inadequate. Surfacing was rated and assigned points between 30 if excellent, and 0 if extremely poor. Drainage was also assigned points between 10 and 0 in the same manner as foundation and surfacing.

Factors affecting the safety rating, such as inadequate stopping sight distances, narrow bridges, and excessive horizontal curves, were obtained from the road plans and straight line diagrams. The number of traffic accidents for the analysis period were obtained from the accident subsystem of Highway Information System data bank.

A maximum of 20 points for safety was assigned to a section of highway if stopping sight distance is adequate, there are no excessive curves or narrow bridges and the number of accidents was below average. Conversely, the safety rating was reduced proportionately from 20 to 0 points by existence of any of these items.

The hourly service volume (traffic capacity) of each section of rural highway has been computed by the approved method for rural highways outlined in the new Highway Capacity Manual. This method takes into consideration such items as width of pavement and shoulders, percent of trucks, length of no passing zones, and design and average highway speeds.

The capacity rating expresses the relationship between the traffic volumes presently using the section of road and the ability of the section to accommodate such traffic. The rating is best described as the relationship between the computed Service Volume (SV) and the Design Hourly Volume (DHV). A capacity rating between 15 and 30 would indicate at least a level of Service B. Ratings less than 15 would indicate that the volumes are exceeding the volume/capacity ratio that permits free flow at the desired speed.

A total basic sufficiency rating of a section is the sum of the following ratings.

Item	Range of Points
Foundation	0 to 10
Surface	0 to 30
Drainage	0 to 10
Safety	0 to 20
Capacity	0 to 30
Total Rating	0 to 100

The adjusted sufficiency rating has been computed to establish priorities for sections of highway falling into the same general sufficiency rating category. The total basic sufficiency rating is adjusted by comparing the average daily traffic carried by a rating section, with the average for the system. This adjustment gives some additional priority to a section of highway carrying above-average traffic volumes.

The curves shown on page 6 were plotted by accumulating the miles of rural primary highway in each adjusted sufficiency category and the miles of highway in each age group. The two curves are quite similar. The sharp break in the sufficency blue curve, at about 40 percent, indicates that approximately 387 miles, or 7 percent, of rural primary highways located in all sections of the State are in a critical category and should probably be constructed immediately, if funds are available. These sections are shown in red on the State map on page 8. There are approximately 2,500 miles of rural primary highway that are 60 percent or less sufficient and 2,113 miles that are rated between 40 and 60 percent. It may be assumed that 2,113 miles, or 40 percent, of our rural primary highways rated between 40 and 60 percent sufficient are approaching obsolescense and probably should be improved within the next five to ten years. The approximate location of this mileage is also shown in blue on the State map on page 8. Mileage rated between 61 and 100 percent sufficient is considered to be in tolerable to excellent condition. This category includes 2,766 miles of rural primary highways or 53 percent of the total Primary System exclusive of Interstate mileage.

ADJUSTED SUFFICIENCY RATINGS AND AGE OF RURAL PRIMARY SYSTEM



MONTANA

MILES OF RURAL PRIMARY FEDERAL AID HIGHWAYS CONSTRUCTED BY YEARS

1934 - 1976





SUFFICIENCY RATINGS
STATE WIDE
RURAL PRIMARY SYSTEM
DECEMBER 31, 1976

The red curve on page 6 which illustrates the age of the rural primary system, indicates that approximately 1,067 miles of highway, that were in use as of December 31, 1975, are at least 40 years old. The same curve shows that 2,240 miles of highway, or about 43 percent of the total rural primary system, are now at least 25 years old.

The chart on page 7 is of historical interest in that it shows the miles of rural Federal-aid Primary highway constructed by years.

The tabulation on the following page shows the miles of rural highway in each financial district by adjusted sufficiency ratings. The tabulation on page 11 summarizes the equivalent deficient mileage by financial districts and also indicates the percentage of deficient mileage that were used to allocate State construction funds to the 12 financial districts for the fiscal year beginning July 1, 1976.

A tabulation of total miles, percent deficient and equivalent deficient miles by rural Federal-aid Primary Routes appears on page 12.

Strip maps of each Federal-aid Route showing the location of each rating section and the rating assigned in all categories of the formula are included in the first section of this report. The beginning of each section has also been tied to our milepost numbering system to aid in locating any particular section. The "year built" and "year improved" have been added to each rating section. The "year built" is the date that the existing section was constructed or fully reconstructed while the "year improved" indicates

MILES OF RURAL HIGHWAY
DISTRIBUTED BY ADJUSTED SUFFICIENCY RATING
IF TEN PERCENT INCREMENTS

PERCENT SUFFICIENT		FINANCIAL DISTRICTS 1	2	3	4	5	6	7	8	9	10	11	12	TOTALS	ACCUM. TOTALS
0-10	MILES							2.0	.2					2.2	2.2
PERCENT	%							.8							
11-20	MILES	6.2	.8						7.1					14.2	16.5
PERCENT	%	1.1	.2						1.3					.3	.3
21-30	MILES	47.6	1.9		3.6		2.3		17.8			2.1	1.3	76.9	93.4
PERCENT	%	8.5	.5		1.0		.6		3.4			.5	.2	1.5	1.8
31-40	MILES	98.0	23.4	2.5	11.7		11.6	8.3	42.1	7.3	12.6	54.9	20.6	293.5	387.0
PERCENT	%	17.6	6.3	.4	3.1		2.7	3.2	7.9	2.4	2.6	12.6	3.9	5.6	7.3
41-50	MILES	129.5	42.9	25.4	42.8	15.7	147.4	41.4	144.5	43.6	61.7	96.5	61.0	853.0	1240.0
PERCENT	%	23.3	11.5	4.4	11.5	3.9	34.0	15.8	27.2	14.5	12.6	22.2	11.6	16.2	23.5
51-60	MILES	80.0	67.8	148.0	63.1	155.0	81.9	98.1	112.2	92.1	133.9	112.4	115.3	1260.4	2500.4
PERCENT	%	14.4	18.1	25.4	17.0	38.9	18.9	37.4	21.1	30.6	27.3	25.8	21.9	23.9	47.5
61-70	MILES	87.2	96.3	139.0	28.9	50.4	51.5	55.6	82.1	44.1	65.4	59.2	100.2	860.5	3360.9
PERCENT	%	15.6	25.7	23.8	7.8	12.7	11.9	21.2	15.5	14.7	13.3	13.6	19.1	16.3	63.8
71-80	MILES	61.2	84.8	167.9	83.2	105.8	67.0	30.3	85.9	40.2	103.3	56.6	116.2	1003.0	4363.9
PERCENT	%	11.0	22.7	28.8	22.3	26.6	15.5	11.6	16.2	13.4	21.0	13.0	22.1	19.0	82.9
81-90	MILES	46.2	32.6	90.8	77.2	48.2	57.3	8.4	29.8	54.2	61.5	31.7	67.4	605.8	4969.7
PERCENT	%	8.3	8.7	15.6	20.7	12.1	13.2	3.2	5.6	18.0	12.5	7.3	12.8	11.5	94.4
91-100	MILES	.8	23.6	9.5	61.6	22.8	14.3	17.4	8.7	19.1	52.6	21.5	43.3	295.9	5265.7
PERCENT	%	.2	6.3	1.6	16.6	5.7	3.3	6.7	1.6	6.4	10.7	5.0	8.3	5.6	100.0
TOTAL	MILES	557.2	374.5	583.3	372.5	398.3	433.7	262.1	530.6	300.9	491.1	435.2	525.7	5265.7	
PERCENT	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

FEOERAL AID PRIMARY SYSTEM
DEFICIENT MILEAGE BY FINANCIAL OISTRICTS ANO PERCENTAGES USEO IN APPORTIONING STATE CONSTRUCTION FUNOS TO FINANCIAL OISTRICTS FOR FISCAL YEAR BEGINNING JULY 1, 1977
BASEO ON SUFFICIENCY RATING OECEMBER 31, 1976

Financial Oistrict	Counties	Total Mileage	Oeficient Mileage			Percent Oeficient	Percentage all Fund Allocation
			Rural	Urban	Total		
1.	Flathead, Lincoln, Lake	575.4	252.2	2.8	255.0	44.3	12.4853
2.	Blaine, Glacier, Hill, Liberty, Toole	382.8	127.3	0.8	128.1	33.4	6.2720
3.	Oaniels, Phillips, Roosevelt, Sheridan, Valley	598.7	204.1	2.1	206.2	34.4	10.0960
4.	Oawson, McCone, Prairie, Richland, Wibaux	385.6	117.7	1.2	118.9	30.8	5.8216
5.	Fergus, Garfield, Petroleum	404.7	150.5	0.8	151.3	37.3	7.4080
6.	Cascade, Judith Basin, Pondera, Teton, Chouteau	456.8	170.3	4.5	174.8	38.2	8.5586
7.	Broadwater, Jefferson, Lewis and Clark	275.7	104.7	1.6	106.3	38.5	5.2047
8.	Granite, Mineral, Missoula, Powell, Ravalli, Sanders	547.4	231.1	3.4	234.5	42.8	11.4816
9.	Beaverhead, Oeer Lodge, Madison, Silver Bow	321.2	111.2	3.9	115.1	35.8	5.6355
10.	Gallatin, Meagher, Park, Sweet Grass, Wheatland	505.5	169.4	2.3	171.7	33.9	8.4068
11.	Big Horn, Carbon, Golden Valley, Musselshell, Stillwater, Treasure, Yellowstone	460.8	178.8	5.3	184.1	39.9	9.0139
12.	Carter, Custer, Fallon, Powder River Rosebud	537.7	192.7	3.7	196.4	36.5	9.6160
	TOTAL	5452.3	2009.8	32.4	2042.4	37.5	100.0000

SUFFICIENCY RATING RURAL PRIMARY SYSTEM
TOTAL BY RURAL PRIMARY ROUTES

ROUTE	TOTAL MILES	PERCENT DEFICIENT	EQUIVALENT DEFICIENT MILES
1	645.5	36.1	232.8
2	89.3	26.6	23.7
3	107.2	45.2	48.5
4	56.3	33.2	18.7
5	175.8	46.9	82.4
6	114.2	44.6	50.9
7	88.1	44.7	39.4
8	99.8	34.9	34.8
9	64.1	41.2	26.4
10	106.8	33.0	35.2
11	53.8	17.1	9.2
12	8.6	36.0	3.1
13	96.4	37.1	35.8
14	263.5	39.6	104.3
16	43.1	35.7	15.4
17	12.1	41.3	5.0
18	81.8	38.0	29.7
19	60.5	37.4	22.6
20	60.0	36.7	22.0
21	3.8	50.0	1.9
22	86.5	32.6	28.2
23	137.1	37.8	51.8
24	140.7	46.1	64.9
25	52.2	55.0	28.7
26	7.5	53.3	4.0
27	77.6	38.7	30.0
28	62.6	41.2	25.8
29	79.0	49.5	39.1
30	23.4	50.0	11.7
31	60.4	28.3	17.1
32	64.9	45.9	29.8
33	66.3	25.6	17.0
34	15.6	32.7	5.1
35	21.4	25.7	5.5
36	46.7	45.0	21.0
37	103.6	35.8	37.1
38	7.9	51.9	4.1
39	51.3	48.7	25.0
40	0.4	0.0	0.0
41	32.5	33.2	10.8
42	75.4	34.9	26.3
43	42.2	33.4	14.1
44	27.3	49.5	13.5
45	43.3	45.3	19.6
46	76.5	28.6	21.8
47	6.0	38.3	2.3
48	30.7	23.1	7.1
49	26.4	37.9	10.0
50	86.8	31.9	27.7
51	70.7	10.2	7.2
52	45.5	61.5	28.0
53	41.0	50.2	20.6
54	29.3	22.2	6.5
55	12.2	43.4	5.3
56	34.7	40.5	14.0
57	319.4	37.9	121.0
58	50.3	47.5	23.8
59	56.4	35.9	20.2
60	87.8	31.8	27.8
61	155.8	37.9	59.0
62	35.4	43.8	15.5
63	38.6	43.0	16.6
64	9.6	61.5	5.8
65	0.3	26.0	0.1
66	50.0	32.0	16.0
67	1.1	52.0	0.5
68	0.4	27.0	0.1
69	36.7	36.8	13.5
70	1.3	49.0	0.6
72	21.5	44.7	9.6
75	1.7	40.0	0.7
76	0.3	24.0	0.1
77	1.8	52.0	0.9
78	46.4	50.9	23.6
79	2.5	26.0	0.7
80	64.4	30.9	19.8
81	41.6	37.5	15.6
82	6.9	39.1	2.7
83	91.1	44.6	40.6
84	29.0	40.0	11.6
85	6.7	41.8	2.8
86	37.3	49.6	18.5
87	22.5	27.7	6.2
93	32.6	41.2	13.4
GRAND TOTAL	5265.7	38.2	2009.8

the date of the last major improvement on a section by maintenance betterment or construction.

Sufficiency ratings have been tabulated on a statewide basis by rating sections in ascending order by adjusted sufficiency ratings. These same tabulations are also included for each of the twelve financial districts along with a map of each district which shows the location of sections rated from 0 to 60 percent.

LEGEND
90
FEDERAL AID INTERSTATE ROUTE
2
FEDERAL AID PRIMARY ROUTE
MONTANA
FEDERAL AID INTERSTATE
AND PRIMARY SYSTEMS

Route Maps
Sufficiency Ratings
By Section



BEGINNING MILE POST	0.0	2.6	6.9	13.9	15.2	16.9	21.5	25.4	29.8	31.8	32.7	33.3	36.7	37.3	37.8	44.2	49.2	56.1	64.8	71.5	78.2	BEGINNING MILE POST
LENGTH	2.6	4.3	6.9	1.3	1.6	4.5	3.9	4.4	2.0	0.8	0.5	3.4	0.5	0.5	6.3	5.0	6.8	8.6	6.7	6.6	2.1	LENGTH
YEAR BUILT	54	49	49	U	37	34	37	38	71	U	71	76	76	76	36	36	35	38	41	37	37	YEAR BUILT
YEAR IMPROVED	55	51	51	R	38	38	70	52	76	R	76	76	76	76	51	65	39	50	43	53	53	YEAR IMPROVED
SURFACE WIDTH	24	22	22	B	20	20	24	24	68	B	68	68	68	44	24	20	20	20	20	22	22	SURFACE WIDTH
ROADWAY WIDTH	30	28	28	A	24	24	26	24	68	A	68	68	68	44	24	24	24	26	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	RMS	PMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	925	1006	1392		1882	1604	1749	1879	3944		5875	3356	1570	1503	1116	538	919	891	857	818	807	ADT
DHV	120	130	180		244	208	227	244	512		705	436	256	195	145	121	119	115	111	106	104	DHV
SERVICE VOLUME	323	336	508		365	182	470	469	1700		1720	2064	1608	222	515	159	228	278	234	243	187	SERVICE VOLUME
FOUNDATION - 10	4	4	0		0	0	0	0	9		9	10	10	10	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	18	14	14		10	12	9	10	30		30	30	30	30	10	11	12	11	13	15	15	SURFACE - 30
DRAINAGE - 10	9	6	8		5	3	4	3	10		10	10	10	10	7	7	4	6	7	5	6	DRAINAGE - 10
SAFETY - 20	17	2	6		7	3	9	1	8		20	5	20	5	4	9	3	6	2	2	9	SAFETY - 20
CAPACITY - 30	24	24	25		20	13	23	22	25		24	27	28	17	26	19	22	24	23	23	22	CAPACITY - 30
SUFFICIENCY RATING	72	52	53		42	31	45	36	82		93	82	98	72	47	46	41	47	45	45	52	SUFFICIENCY RATING
ADJUSTED RATING	72	51	50		37	27	40	31	76		89	76	97	69	46	46	41	47	45	46	53	ADJUSTED RATING
DEFICIENT MILEAGE	.73	2.06	3.27		.95	3.15	2.15	2.83	.36		.03	.61	.01	.14	3.38	2.70	4.05	4.60	3.71	3.65	1.02	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 1 OF 7

BEGINNING MILE POST	80.3	89.5	99.4	103.1	106.4	113.3	119.6	123.2	124.6	128.3	138.3	140.0	142.5	153.2	156.6	157.1	159.5	164.7	166.2	169.0	171.1	177.6	180.5	184.2	197.1
LENGTH	9.1	9.8	3.7	3.2	6.8	6.2	3.6	1.4	3.6	10.0	1.7	2.4	10.7	3.3	0.5	2.3	5.2	1.5	2.8	2.1	6.4	2.8	3.6	12.2	0.6
YEAR BUILT	52	36	47	40	49	49	U	67	40	34	34	29	31	48	65	48	57	57	57	75	66	69	33	67	52
YEAR IMPROVED	52	57	61	63	63	51	R	67	64	51	66	65	34	49	65	49	59	59	59	75	66	69	35	67	70
SURFACE WIDTH	28	24	24	24	24	24	B	44	30	22	24	24	20	24	24	24	26	26	26	32	32	34	18	32	26
ROADWAY WIDTH	28	25	30	24	27	31	A	44	30	24	30	24	24	28	28	28	26	26	26	32	32	34	20	32	26
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	PMS
ADT	883	969	1208	1271	1363	1864		4385	3855	2616	4390	4111	2527	1035	970	921	819	799	799	799	803	816	810	874	941
DHV	114	125	157	165	177	242		613	616	499	838	785	482	197	185	175	156	152	152	152	153	155	154	166	179
SERVICE VOLUME	187	522	331	278	223	481		680	327	716	365	469	415	129	376	154	357	357	384	478	365	456	199	575	324
FOUNDATION - 10	0	0	0	0	0	3		9	2	0	0	3	0	6	7	6	5	6	5	8	6	9	0	6	8
SURFACE - 30	12	10	15	13	12	14		25	13	9	13	14	12	19	21	17	18	17	16	26	19	25	11	19	25
DRAINAGE - 10	7	6	7	8	8	8		10	8	8	8	10	5	7	10	7	8	10	10	10	10	10	3	10	10
SAFETY - 20	5	4	8	6	4	9		6	4	4	9	1	1	3	0	20	12	3	1	20	20	20	0	5	0
CAPACITY - 30	21	26	23	21	18	22		16	2	20	0	5	13	7	23	13	23	24	24	25	24	25	18	26	22
SUFFICIENCY RATING	45	46	53	48	42	56		66	29	41	30	33	31	42	61	63	66	60	56	89	79	89	32	66	65
ADJUSTED RATING	45	46	51	46	39	51		56	20	34	20	23	25	41	61	63	67	61	57	89	79	89	33	66	65
DEFICIENT MILEAGE	5.04	5.31	1.77	1.69	3.99	2.76		.47	2.58	5.93	1.19	1.83	7.40	1.95	.20	.86	1.77	.60	1.24	.23	1.35	.31	2.46	4.16	.21

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 2 OF 7

262.8	263.1	271.0	278.0	278.3	278.8	279.2	280.1	291.7	299.7	BEGINNING MILE POST
0.2	7.4	7.0	0.3	0.3	0.4	0.8	11.6	8.0	7.2	LENGTH
67	65	53	60	60	56	U	54	56	57	YEAR BUILT
67	65	66	60	60	56	R	59	55	62	YEAR IMPROVED
40	32	32	68	68	60	B	32	32	32	SURFACE WIDTH
40	32	32	68	68	60	A	32	32	32	ROADWAY WIDTH
PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	SURFACE TYPE
1222	1232	1340	1343	3558	3558		1209	980	831	ADT
183	184	201	201	498	498		157	127	108	DHV
296	666	503	3400	3400	1700		569	599	569	SERVICE VOLUME
7	10	3	3	3	3		3	3	0	FOUNDATION - 10
22	24	17	14	13	14		18	18	16	SURFACE - 30
10	10	10	10	10	9		10	10	10	DRAINAGE - 10
20	20	14	4	7	20		19	20	20	SAFETY - 20
21	26	24	29	28	26		26	27	27	CAPACITY - 30
80	90	68	60	61	72		76	78	73	SUFFICIENCY RATING
78	85	66	57	52	64		74	78	73	ADJUSTED RATING
.05	.74	2.25	.14	.13	.12		2.79	1.76	1.96	DEFICIENT MILEAGE

197.8	204.3	209.2	210.1	211.3	213.1	218.9	220.4	221.8	222.6	223.4	223.7	224.0	228.7	229.8	231.9	233.1	240.2	246.5	247.0	251.9	254.1	254.3	254.5	254.8	256.0	BEGINNING MILE POST
6.3	4.8	0.8	1.2	1.8	5.7	1.5	1.3	0.7	0.8	1.9	0.1	4.9	1.0	2.1	1.2	7.0	6.2	0.4	4.9	2.1	0.4	0.1	3.2	1.1	6.8	LENGTH
52	63	63	43	39	U	39	45	U	35	32	60	35	57	25	50	25	27	61	27	72	55	U	55	U	67	YEAR BUILT
70	63	63	62	63	N	54	45	R	53	70	60	61	57	63	63	61	60	61	61	72	55	R	55	R	67	YEAR IMPROVED
26	32	32	26	26	O C	26	24	B	24	22	32	22	24	24	24	24	24	32	24	50	42	B	42	B	40	SURFACE WIDTH
26	32	32	30	30	E O	30	24	A	24	24	32	24	32	24	30	24	24	35	24	50	42	A	42	A	40	ROADWAY WIDTH
PMS	PMS	PMS	PMS	PMS	R N	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	N	PMS	SURFACE TYPE
978	1030	1262	1262	1256	S	1314	1438		4316	3233	2241	1437	1357	1351	1312	1164	1209	1286	1413	1753	2285		3062		1534	ADT
186	196	241	241	239	T	250	280		841	623	428	229	217	216	209	186	181	192	211	262	274		367		230	DHV
264	441	428	400	703	R	572	278		379	225	432	324	680	478	530	508	575	731	617	272	817		817		244	SERVICE VOLUME
5	4	6	0	0	U	0	0		3	4	8	0	4	0	6	0	0	5	0	9	6		5		7	FOUNDATION - 10
19	15	19	14	10	C	10	13		16	18	23	12	16	12	17	13	12	14	28	28	16		17		22	SURFACE - 30
10	10	10	9	8	T	7	7		9	9	10	8	10	5	10	7	4	10	7	10	10		10		10	DRAINAGE - 10
3	5	1	1	5	I	6	1		1	2	20	2	20	1	6	3	3	5	2	3	8		20		20	SAFETY - 20
19	23	22	21	25	O	23	15		0	0	15	19	25	23	24	25	25	26	25	16	25		23		16	CAPACITY - 30
56	57	58	45	48	N	46	36		29	33	76	41	75	41	63	48	44	60	71	66	63		75		75	SUFFICIENCY RATING
56	56	56	43	46		43	33		20	25	71	38	73	38	61	46	42	58	68	62	57		68		72	ADJUSTED RATING
2.81	2.10	.36	.66	.97		.85	.88		.63	1.29	.04	2.90	.26	1.25	.44	3.67	3.52	.19	1.43	.72	.14		.05		1.70	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 3 OF 7

BEGINNING MILE POST	307.0	308.0	315.3	321.0	321.7	322.6	326.4	332.6	341.9	347.7	348.2	354.5	363.5	372.1	379.1	380.6	383.7	BEGINNING MILE POST
LENGTH	0.9	7.2	5.7	0.7	3.0	3.7	6.1	9.2	5.8	0.5	6.3	8.9	8.5	7.0	1.5	3.1	7.2	LENGTH
YEAR BUILT	57	47	47	U	U	U	76	71	60	U	60	36	36	60	52	U	46	YEAR BUILT
YEAR IMPROVED	62	60	60	N	R	N	76	71	60	R	60	59	70	60	52	R	54	YEAR IMPROVED
SURFACE WIDTH	32	26	26	0 C	B	0 C	40	40	32	B	32	26	28	32	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	32	26	26	E O	A	E O	40	40	32	A	32	31	32	32	40	A	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	AMS	R N	V	R N	PMS	PMS	PMS	N	PMS	AMS	AMS	PMS	AMS	N	PMS	SURFACE TYPE
ADT	806	830	907	S		S	1006	1285	1293		1094	1133	1351	2303	4489		2905	ADT
DHV	104	107	117	T		T	130	167	168		142	147	175	299	480		377	DHV
SERVICE VOLUME	552	387	438	R		R	234	264	720		672	564	696	696	654		565	SERVICE VOLUME
FOUNDATION - 10	4	4	6	U		U	10	9	8		8	5	7	4	0		6	FOUNDATION - 10
SURFACE - 30	17	16	17	C		C	30	28	23		22	17	18	18	13		18	SURFACE - 30
DRAINAGE - 10	10	10	10	T		T	10	10	10		10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	10	2	3	I		I	20	5	20		14	1	4	11	8		4	SAFETY - 20
CAPACITY - 30	27	26	26	O		O	22	21	27		27	26	26	24	19		20	CAPACITY - 30
SUFFICIENCY RATING	68	58	62	N		N	92	73	88		81	59	65	67	50		58	SUFFICIENCY RATING
ADJUSTED RATING	69	59	62				91	71	87		80	57	62	61	38		50	ADJUSTED RATING
DEFICIENT MILEAGE	.31	3.05	2.19				.49	2.50	.69		1.21	3.67	3.00	2.31	.75		3.02	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 4 OF 7

BEGINNING MILE POST	391.0	393.8	403.5	404.0	408.3	413.4	414.0	421.3	423.9	424.6	424.7	428.5	429.0	435.0	440.0	446.3	453.0	454.5	457.6	466.7	471.6	472.4	481.3	489.0	499.1	500.0	BEGINNING MILE POST
LENGTH	2.8	9.7	0.5	4.2	5.0	0.5	7.3	2.5	0.7	0.1	3.8	0.5	5.2	4.6	6.4	7.3	0.7	3.1	9.0	4.9	0.6	8.9	7.6	9.9	0.9	1.5	LENGTH
YEAR BUILT	46	38	U	44	40	49	56	39	68	U	68	68	36	25	35	73	U	49	63	53	U	67	67	67	U	55	YEAR BUILT
YEAR IMPROVED	54	59	P	56	56	56	73	62	68	R	68	68	62	71	71	73	R	45	63	53	A	67	67	67	A	55	YEAR IMPROVED
SURFACE WIDTH	24	24	B	28	28	32	32	26	40	B	40	40	28	22	24	40	B	24	32	24	B	40	40	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	31	30	A	30	30	32	32	31	40	A	40	40	30	24	24	40	A	26	32	30	A	40	40	40	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	PMS	N	PMS	PMS	PMS	RMS	BST	PMS	N	RMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	SURFACE TYPE
ADT	2277	2232		2173	1949	1882	1806	1789	2061		2524	1319	1146	930	953	998		1127	1120	1446		1505	1181	1124		1334	ADT
DHV	296	290		282	253	244	234	232	267		328	171	148	120	123	129		146	145	187		195	153	151		160	DHV
SERVICE VOLUME	565	663		663	612	629	666	612	281		281	244	453	324	469	281		500	569	554		288	304	234		510	SERVICE VOLUME
FOUNDATION - 10	5	5		6	6	5	9	6	9		9	9	3	2	2	7		3	5	2		9	8	7		0	FOUNDATION - 10
SURFACE - 30	18	17		17	16	16	30	16	27		26	28	13	15	16	25		14	20	17		26	25	22		12	SURFACE - 30
DRAINAGE - 10	10	10		10	10	10	10	10	10		10	10	10	4	6	10		8	10	10		10	10	10		10	DRAINAGE - 10
SAFETY - 20	6	19		11	11	1	20	13	20		10	20	2	1	11	20		3	9	20		20	17	14		20	SAFETY - 20
CAPACITY - 30	22	23		24	24	24	25	24	16		12	19	25	24	26	23		26	26	25		20	22	20		25	CAPACITY - 30
SUFFICIENCY RATING	61	74		68	67	56	94	69	82		67	86	53	46	61	85		54	70	74		83	82	73		67	SUFFICIENCY RATING
ADJUSTED RATING	55	69		62	62	51	92	65	78		60	84	51	46	61	84		52	69	71		83	81	72		65	ADJUSTED RATING
DEFICIENT MILEAGE	1.11	2.52		1.35	1.68	.26	.43	.79	.14		1.25	.07	2.46	2.53	2.51	1.10		1.44	2.70	1.28		1.54	1.38	2.69		.49	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 5 OF 7

BEGINNING MILE POST	501.4	508.0	515.6	521.4	526.5	537.6	540.9	541.0	541.4	542.4	543.8	546.2	554.6	555.1	555.8	>55.9	556.1	564.8	573.0	BEGINNING MILE POST
LENGTH	6.5	7.5	5.7	5.1	11.1	3.3	0.1	0.3	1.0	1.3	2.4	8.4	0.5	0.7	0.1	0.1	8.6	8.1	8.0	LENGTH
YEAR BUILT	55	66	50	50	50	48	U	48	U	62	62	53	56	U	56	U	56	61	58	YEAR BUILT
YEAR IMPROVED	55	66	55	55	55	48	R	48	R	62	62	53	70	R	70	R	70	61	76	YEAR IMPROVED
SURFACE WIDTH	24	40	24	24	24	24	B	24	B	68	36	24	32	B	32	B	32	32	24	SURFACE WIDTH
ROADWAY WIDTH	28	40	27	27	27	26	A	26	A	68	36	30	32	A	32	A	32	32	32	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	RMS	N	PMS	N	PMS	PMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	SURFACE TYPE
ADT	1081	1061	1038	1021	1049	2214		5989		3179	1618	1311	1173		1481		1248	1187	1252	ADT
DHV	145	143	140	137	141	298		808		429	218	176	158		199		168	160	169	DHV
SERVICE VOLUME	435	260	461	413	277	695		638		2160	616	631	544		528		696	720	720	SERVICE VOLUME
FOUNDATION - 10	0	6	5	3	3	0		0		6	5	0	8		9		7	6	4	FOUNDATION - 10
SURFACE - 30	16	23	18	18	16	10		15		21	19	15	26		27		25	21	24	SURFACE - 30
DRAINAGE - 10	9	10	10	10	10	10		8		10	10	10	10		10		10	10	10	DRAINAGE - 10
SAFETY - 20	20	17	12	6	2	6		20		5	3	10	20		20		11	8	20	SAFETY - 20
CAPACITY - 30	25	22	25	25	22	24		11		27	25	26	26		24		26	27	26	CAPACITY - 30
SUFFICIENCY RATING	70	78	70	60	53	50		54		69	62	61	90		90		79	72	84	SUFFICIENCY RATING
ADJUSTED RATING	69	77	69	59	52	44		40		61	58	58	89		88		77	70	83	ADJUSTED RATING
DEFICIENT MILEAGE	1.97	1.67	1.73	2.04	5.22	1.66		.15		.42	.92	3.27	.05		.00		1.82	2.29	1.28	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 6 OF 7



BEGINNING MILE POST	581.0	590.3	591.4	597.2	601.7	611.5	611.9	625.6	626.1	629.4	634.7	639.1	642.5	644.2	645.0	648.0	656.3	661.5	BEGINNING MILE POST
LENGTH	9.3	1.0	5.7	4.5	9.7	0.3	13.6	0.5	3.2	5.3	4.4	3.3	1.7	0.7	3.0	8.2	5.2	5.6	LENGTH
YEAR BUILT	57	U	58	58	60	U	70	U	43	46	52	52	56	U	56	61	55	55	YEAR BUILT
YEAR IMPROVED	61	R	58	58	60	R	70	R	57	50	52	52	61	R	61	61	62	62	YEAR IMPROVED
SURFACE WIDTH	32	B	32	32	32	B	40	B	24	24	24	24	32	B	32	32	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	A	32	32	32	A	40	A	30	32	30	30	32	A	32	32	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	PMS	N	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1299		1935	1471	1536		1365		915	811	780	839	1004		879	768	813	875	ADT
DHV	175		232	176	184		177		118	105	101	109	130		118	103	109	118	DHV
SERVICE VOLUME	616		648	648	680		304		414	302	442	414	428		629	629	536	352	SERVICE VOLUME
FOUNDATION - 10	3		6	6	5		7		0	0	0	0	0		7	5	8	8	FOUNDATION - 10
SURFACE - 30	17		19	18	18		23		17	17	13	12	13		17	15	19	18	SURFACE - 30
DRAINAGE - 10	10		10	10	10		10		10	9	10	10	10		10	10	10	10	DRAINAGE - 10
SAFETY - 20	19		11	18	10		20		3	2	10	11	20		12	20	4	7	SAFETY - 20
CAPACITY - 30	26		25	26	26		21		26	25	27	26	25		27	28	27	25	CAPACITY - 30
SUFFICIENCY RATING	75		71	78	69		81		56	53	60	59	68		73	78	68	68	SUFFICIENCY RATING
ADJUSTED RATING	73		66	75	66		79		56	54	61	60	67		73	79	69	68	ADJUSTED RATING
DEFICIENT MILEAGE	2.32		1.68	1.00	3.02		2.60		1.42	2.52	1.76	1.36	.54		.81	1.82	1.67	1.79	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 7 OF 7



BEGINNING MILE POST	0.0	0.9	4.8	6.1	6.8	13.1	20.9	27.4	34.0	45.8	51.7	57.7	70.1	70.8	82.6	84.0	89.0	BEGINNING MILE POST
LENGTH	0.9	3.9	1.5	0.6	6.3	7.7	6.5	6.2	11.7	5.8	6.0	12.3	0.7	11.7	1.3	5.0	6.4	LENGTH
YEAR BUILT	62	U	50	62	50	70	75	73	65	67	67	58	U	39	U	68	68	YEAR BUILT
YEAR IMPROVED	64	R	50	62	50	70	75	73	65	67	67	72	R	39	R	68	68	YEAR IMPROVED
SUFFACE WIDTH	32	B	20	32	20	34	34	34	40	40	40	32	B	24	B	40	40	SUFFACE WIDTH
ROADWAY WIDTH	32	A	24	32	24	34	34	34	40	40	40	32	A	30	A	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	N	AMS	PMS	AMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	AMS	N	PMS	PMS	SURFACE TYPE
ADT	1075		1245	600	587	523	430	412	370	385	454	516		791		813	505	ADT
DHV	121		161	78	76	67	55	53	48	50	59	67		102		105	65	DHV
SERVICE VOLUME	567		551	302	228	448	425	448	569	406	431	592		518		599	629	SERVICE VOLUME
FOUNDATION - 10	7		3	7	0	8	10	10	6	6	7	8		0		4	4	FOUNDATION - 10
SURFACE - 30	18		15	23	15	26	30	30	18	18	18	27		8		18	18	SURFACE - 30
DRAINAGE - 10	10		10	10	9	10	10	10	10	10	10	10		10		10	10	DRAINAGE - 10
SAFETY - 20	20		2	5	1	1	11	16	11	20	20	12		5		6	13	SAFETY - 20
CAPACITY - 30	27		26	26	25	28	28	28	29	26	28	28		27		27	28	CAPACITY - 30
SUFFICIENCY RATING	82		71	50	73	89	94	74	82	83	85		50		65	73	SUFFICIENCY RATING	
ADJUSTED RATING	81		56	54	53	76	91	95	79	86	86	87		51		66	76	ADJUSTED RATING
DEFICIENT MILEAGE	.16		.67	.19	3.16	2.08	.71	.37	3.05	1.05	1.02	1.85		5.86		1.77	1.73	DEFICIENT MILEAGE

FAP ROUTE NO 2
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.8	8.1	15.3	16.8	18.0	20.1	23.1	24.0	25.5	28.2	40.4	41.9	54.9	59.6	BEGINNING MILE POST
LENGTH	1.4	6.2	7.1	1.4	1.2	2.1	2.9	0.8	1.4	2.6	12.2	1.4	12.9	4.6	8.5	LENGTH
YEAR BUILT	55	36	36	42	62	21	21	U	21	21	40	U	21	32	32	YEAR BUILT
YEAR IMPROVED	71	48	61	42	62	32	32	R	32	32	40	R	61	53	53	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	35	22	20	B	20	20	24	B	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	32	31	31	30	35	22	22	A	22	22	30	A	22	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	BST	BST	BST	N	BST	BST	RMS	N	RMS	RMS	RMS	SURFACE TYPE
AOT	3693	3283	1107	1045	1032	1031	1503		840	760	832		778	533	464	AOT
DHV	480	426	143	135	134	134	195		109	98	108		187	128	111	DHV
SERVICE VOLUME	264	631	469	600	616	420	397		420	429	600		427	390	280	SERVICE VOLUME
FOUNDATION - 10	5	3	0	4	4	0	0		0	0	0		0	0	0	FOUNDATION - 10
SURFACE - 30	17	18	13	17	17	12	13		12	12	16		13	11	9	SURFACE - 30
DRAINAGE - 10	10	8	8	8	10	4	4		3	3	7		5	6	6	DRAINAGE - 10
SAFETY - 20	4	11	6	20	20	8	2		0	20	9		1	2	1	SAFETY - 20
CAPACITY - 30	3	20	25	27	27	25	23		26	27	27		23	25	24	CAPACITY - 30
SUFFICIENCY RATING	39	60	52	76	78	49	42		41	62	59		42	44	40	SUFFICIENCY RATING
ADJUSTED RATING	29	54	51	75	77	48	38		42	63	60		43	48	45	ADJUSTED RATING
DEFICIENT MILEAGE	.85	2.49	3.42	.35	.27	1.07	1.72		.98	1.02	5.04		7.50	2.60	5.15	DEFICIENT MILEAGE

FAP ROUTE NO 3
SHEET 1 OF 2

BEGINNING MILE POST	68.2	75.2	83.6	84.3	89.2	95.0	101.0	103.3	BEGINNING MILE POST
LENGTH	6.9	8.3	0.7	4.8	5.8	5.9	2.1	7.2	LENGTH
YEAR BUILT	32	28	66	66	68	66	51	60	YEAR BUILT
YEAR IMPROVED	32	52	66	66	68	66	51	60	YEAR IMPROVED
SURFACE WIDTH	20	22	34	34	34	34	26	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	34	34	34	34	28	32	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	PMS	PMS	PMS	PMS	RMS	RMS	SUFFACE TYPE
AOT	423	474	470	678	697	701	704	779	ADT
OHV	101	114	113	163	167	168	169	187	OHV
SERVICE VOLUME	445	716	544	640	529	504	654	485	SEPVICE VOLUME
FOUNDATION - 10	0	0	9	9	9	10	5	4	FOUNDATION - 10
SURFACE - 30	8	9	26	28	27	28	17	19	SURFACE - 30
DRAINAGE - 10	4	4	10	10	10	10	10	10	ORAINAGE - 10
SAFETY - 20	1	1	20	8	11	4	2	4	SAFETY - 20
CAPACITY - 30	27	28	27	26	25	25	24	24	CAPACITY - 30
SUFFICIENCY RATING	40	42	92	81	82	77	58	61	SUFFICIENCY RATING
ADJUSTED RATING	45	47	93	82	83	78	60	62	ADJUSTED RATING
DEFICIENT MILEAGE	4.14	4.86	.05	.92	1.05	1.36	.89	2.82	DEFICIENT MILEAGE

FAP ROUTE NO 3
SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.5	13.4	19.2	23.2	24.7	25.6	26.2	32.7	33.1	33.7	42.7	42.9	50.8	52.2	53.8	54.3	54.5
LENGTH	0.5	12.9	5.7	4.0	1.5	0.9	0.6	6.4	0.4	0.5	8.9	0.1	7.9	1.3	1.5	0.4	0.2	0.7
YEAR BUILT	49	56	59	72	72	72	U	23	U	54	68	68	49	49	22	64	64	U
YEAR IMPROVED	49	63	59	72	72	72	R	51	R	54	68	68	65	65	3C	64	64	R
SURFACE WIDTH	24	32	32	32	40	40	B	22	B	24	40	40	24	28	24	68	68	B
ROADWAY WIDTH	30	32	32	32	40	40	A	24	A	32	40	40	32	32	30	68	68	A
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	RMS	PMS	PMS	RMS	RMS	RMS	PMS	PMS	N
AOT	1125	1121	1063	1047	1196	2319		1972		2074	2317	4432	4479	4923	5780	6361	5380	
OHV	146	145	138	136	155	301		256		269	301	576	582	639	751	826	699	
SERVICE VOLUME	648	569	599	448	266	896		486		896	696	432	580	616	652	1408	1408	
FOUNDATION - 10	8	3	0	6	9	9		0		4	8	9	4	4	3	7	8	
SURFACE - 30	21	17	15	25	28	28		13		16	25	27	17	18	15	22	24	
ORAINAGE - 10	10	10	10	10	10	10		6		10	10	10	10	9	7	10	10	
SAFETY - 20	20	10	13	20	20	20		4		20	16	2	13	20	2	9	4	
CAPACITY - 30	27	26	27	25	21	25		22		25	24	10	15	14	13	21	23	
SUFFICIENCY RATING	86	66	65	86	88	92		45		75	83	58	59	65	40	69	69	
ADJUSTED RATING	85	65	64	85	87	90		39		70	79	47	48	54	27	57	58	
DEFICIENT MILEAGE	.07	4.39	2.02	.56	.18	.07		3.52		.14	1.51	.06	3.26	.48	.95	.13	.06	

55.3	57.3	57.9	BEGINNING MILE POST
2.0	0.5	0.2	LENGTH
23	23	64	YEAR BUILT
68	68	64	YEAR IMPROVED
55	55	30	SURFACE WIDTH
55	55	30	ROADWAY WIDTH
RMS	RMS	PMS	SURFACE TYPE
2935	2719	2655	AOT
381	353	345	OHV
506	257	448	SERVICE VOLUME
5	3	10	FOUNDATION - 10
10	16	28	SURFACE - 30
3	8	10	ORAINAGE - 10
4	1	0	SAFETY - 20
23	9	18	CAPACITY - 30
58	37	66	SUFFICIENCY RATING
50	30	59	ADJUSTED RATING
.67	.37	.07	DEFICIENT MILEAGE

FAP ROUTE NO 4
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	4.0	5.5	15.0	18.4	24.3	27.5	30.0	32.6	32.7	33.0	34.9	35.3	41.1	46.1	46.5	47.3	53.3	56.9	57.8	59.0	59.3	61.0	61.6	64.4	67.4	71.3	77.5	79.3	86.3	92.7
LENGTH	0.6	3.0	1.5	9.4	3.4	5.8	3.1	2.5	2.5	0.1	0.3	1.8	0.3	5.7	5.0	0.4	0.7	6.0	3.4	0.8	1.1	0.3	1.6	0.5	2.8	2.9	3.8	6.2	1.8	6.9	6.4	0.7
YEAR BUILT	34	34	48	64	40	55	55	56	56	U	69	56	72	50	66	70	U	70	56	73	58	58	U	66	54	54	54	62	62	32	33	64
YEAR IMPROVED	39	55	54	64	40	60	60	60	60	R	69	60	72	50	66	70	R	70	58	73	58	58	R	66	54	54	70	62	62	52	65	64
SURFACE WIDTH	20	20	24	36	24	32	32	44	32	B	44	32	32	24	40	40	B	40	32	40	32	40	B	40	24	24	30	32	32	22	24	32
ROADWAY WIDTH	28	24	32	36	30	32	32	44	32	A	44	32	32	30	40	40	A	40	32	40	32	40	A	40	32	32	30	32	32	24	24	32
SURFACE TYPE	RNS	RMS	PMS	PMS	RMS	PMS	PMS	PMS	PMS	N	RMS	PMS	PMS	RMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	PMS
ADT	4450	4354	4235	3850	3485	3673	3638	3088	2845		3256	3462	3409	3327	3884	4483		4608	4659	4806	4878	6474		3117	2956	2450	1870	1490	1353	1452	1565	1608
DHV	649	635	618	562	508	536	531	450	415		475	505	497	485	567	654		672	680	701	712	945		420	399	330	252	201	182	196	211	217
SERVICE VOLUME	248	237	220	239	507	580	302	578	544		336	544	432	491	648	848		288	640	308	403	326		326	584	411	469	447	722	341	374	278
FOUNDATION - 10	10	0	0	9	0	6	5	5	4		5	4	7	0	6	8		10	8	7	6	9		9	0	4	6	6	7	0	0	5
SURFACE - 30	30	15	13	28	11	19	17	18	17		18	13	23	15	18	25		27	23	23	18	25		26	12	16	22	20	21	9	10	19
DRAINAGE - 10	10	7	7	10	8	10	10	10	10		10	10	10	8	10	10		10	10	10	10	10		10	10	10	9	10	10	4	4	10
SAFETY - 20	12	1	10	9	5	11	4	3	13		20	9	8	4	17	20		13	10	18	12	20		1	4	12	6	10	9	1	1	15
CAPACITY - 30	0	0	0	0	15	16	4	18	19		9	16	13	15	17	18		0	14	0	3	0		11	20	18	22	23	26	21	22	18
SUFFICIENCY RATING	62	23	30	56	39	62	40	54	63		62	52	61	42	68	81		60	65	58	49	64		57	46	60	65	69	73	35	37	67
ADJUSTED RATING	51	15	21	46	30	52	30	45	55		53	42	52	33	55	74		44	54	46	37	51		48	38	53	60	66	71	32	33	63
DEFICIENT MILEAGE	.23	2.37	1.07	4.17	2.09	2.22	1.88	1.17	.94		.12	.88	.15	3.36	1.60	.07		2.40	1.20	.37	.60	.11		.25	1.54	1.17	1.34	1.92	.49	4.50	4.04	.24

FAP ROUTE 5
SHEET 1 OF 2

BEGINNING MILE POST	93.5	98.6	104.2	109.6	114.8	120.6	125.4	126.9	128.4	134.6	145.6	156.9	159.6	168.2	178.0	179.6	180.9	BEGINNING MILE POST
LENGTH	5.1	5.5	5.3	4.9	5.7	4.7	1.4	1.5	6.2	10.9	11.2	2.6	8.6	9.6	1.5	1.3	6.5	LENGTH
YEAR BUILT	64	63	49	U	57	60	60	U	34	55	55	55	31	33	U	43	50	YEAR BUILT
YEAR IMPROVED	64	63	61	R	60	60	60	R	54	59	60	60	64	51	R	57	50	YEAR IMPROVED
SURFACE WIDTH	32	32	38	B	36	36	36	B	42	24	26	26	24	22	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	38	4	36	36	36	A	23	28	26	26	24	22	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	PMS	PMS	PMS	RMS	RMS	N	RMS	RMS	SURFACE TYPE
AOT	1726	2468	5632		3953	3810	6511		1584	975	654	630	732	1295		1910	427	AOT
DHV	233	333	675		474	457	781		205	126	85	81	95	168		248	55	DHV
SERVICE VOLUME	307	213	383		309	662	937		230	616	319	319	431	396		357	382	SERVICE VOLUME
FOUNDATION - 10	4	5	7		5	4	6		0	3	2	3	0	0		0	0	FOUNDATION - 10
SURFACE - 30	16	19	22		22	17	20		10	15	15	16	15	10		11	15	SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	10		4	10	9	9	4	5		8	9	DRAINAGE - 10
SAFETY - 20	9	3	15		6	12	10		1	8	14	8	1	1		1	4	SAFETY - 20
CAPACITY - 30	19	7	4		7	20	17		17	27	26	26	27	24		20	28	CAPACITY - 30
SUFFICIENCY RATING	58	44	58		50	63	63		32	63	66	62	47	60		40	58	SUFFICIENCY RATING
ADJUSTED RATING	53	37	45		39	53	50		28	63	68	65	49	38		35	61	ADJUSTED RATING
DEFICIENT MILEAGE	2.17	3.10	2.24		2.68	1.77	.55		4.21	4.05	3.62	1.02	4.60	5.79		.82	2.88	DEFICIENT MILEAGE

FAP ROUTE 5
SHEET 2 OF 2

BEGINNING MILE POST	0.0	2.2	4.6	8.2	10.4	11.4	12.3	13.5	14.7	23.3	29.4	37.6	48.2	47.2	49.6	50.4	51.5	56.0	BEGINNING MILE POST
LENGTH	2.2	2.3	3.6	2.1	0.9	0.9	1.2	1.1	8.6	6.0	8.2	8.5	0.9	2.4	0.7	1.0	4.5	1.7	LENGTH
YEAR BUILT	52	63	52	63	52	63	58	63	59	5[illegible]	48	48	58	61	48	U	35	35	YEAR BUILT
YEAR IMPROVED	65	63	64	63	52	63	58	63	64	64	54	54	58	64	54	R	36	49	YEAR IMPROVED
SURFACE WIDTH	24	28	24	28	24	28	32	28	32	32	24	24	32	32	24	B	20	20	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	28	28	32	28	32	32	28	28	32	32	28	A	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	BST	RMS	PMS	PMS	PMS	PMS	BST	PMS	PMS	N	RMS	RMS	SURFACE TYPE
AOT	499	510	532	554	633	639	646	653	691	790	763	710	773	857	1286		1572	1053	AOT
DHV	72	74	77	80	92	93	94	95	100	115	111	103	112	125	187		234	156	DHV
SERVICE VOLUME	356	349	316	415	283	342	264	501	428	616	569	536	510	378	271		255	184	SERVICE VOLUME
FOUNDATION - 10	6	5	5	8	6	8	7	8	6	3	4	0	5	8	6		0	0	FOUNDATION - 10
SURFACE - 30	15	14	17	18	15	19	17	20	22	17	13	13	17	22	18		15	13	SURFACE - 30
DRAINAGE - 10	8	9	9	10	10	10	10	10	10	9	9	9	10	10	5		6	5	DRAINAGE - 10
SAFETY - 20	2	7	4	5	3	5	12	20	7	6	5	7	20	3	16		3	9	SAFETY - 20
CAPACITY - 30	27	27	26	27	25	26	25	27	26	27	27	27	27	25	20		16	17	CAPACITY - 30
SUFFICIENCY RATING	58	62	61	68	59	68	71	85	71	63	58	56	79	68	69		40	44	SUFFICIENCY RATING
ADJUSTED RATING	62	66	65	71	62	70	73	86	73	64	59	58	80	68	67		36	43	ADJUSTED RATING
DEFICIENT MILEAGE	.94	.89	1.41	.69	.39	.30	.35	.17	2.49	2.25	3.45	3.75	.20	.79	.24		2.73	.96	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 1 OF 2



BEGINNING MILE POST	57.8	64.7	68.7	72.5	75.7	76.2	76.6	78.9	85.0	88.7	90.5	94.0	95.6	99.2	102.1	103.0	104.6	105.1	106.1	108.1	115.1	BEGINNING MILE POST
LENGTH	0.8	3.9	3.8	3.1	0.5	0.3	2.2	6.0	3.6	1.8	3.5	1.2	3.6	2.4	0.7	1.7	0.3	1.0	1.9	7.0	0.9	LENGTH
YEAR BUILT	34	39	38	31	U	31	31	31	31	24	69	24	57	24	69	22	69	22	44	27	34	YEAR BUILT
YEAR IMPROVED	49	39	52	36	P	34	34	51	51	38	69	38	76	38	69	57	69	34	44	50	52	YEAR IMPROVED
SURFACE WIDTH	20	26	20	18	B	18	18	20	20	20	32	20	30	20	32	20	32	22	24	20	20	SURFACE WIDTH
ROADWAY WIDTH	26	26	24	24	B	24	24	24	24	24	32	24	30	25	32	24	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	BST	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	BST	RMS	RMS	SURFACE TYPE
ADT	885	864	915	1251		1610	1150	1060	750	729	708	690	727	745	753	758	763	767	773	1056	1143	ADT
DHV	131	128	136	186		239	171	157	111	108	105	102	108	111	112	112	113	114	115	157	170	DHV
SERVICE VOLUME	233	330	233	408		294	270	470	453	356	529	233	488	470	781	325	302	423	608	470	448	SERVICE VOLUME
FOUNDATION - 10	0	2	0	0		0	0	0	0	0	8	0	9	0	7	0	8	0	0	0	0	FOUNDATION - 10
SURFACE - 30	11	15	12	11		11	11	11	11	11	25	15	28	10	24	10	24	9	10	10	9	SURFACE - 30
DRAINAGE - 10	5	6	6	6		3	3	5	4	4	10	3	8	4	10	3	10	3	8	4	8	DRAINAGE - 10
SAFETY - 20	9	2	3	4		8	0	1	1	0	20	1	20	2	20	0	1	1	8	1	1	SAFETY - 20
CAPACITY - 30	22	24	21	23		18	21	25	26	25	27	23	27	26	28	25	24	26	27	25	24	CAPACITY - 30
SUFFICIENCY RATING	47	49	40	44		40	35	42	42	40	90	42	92	42	89	38	67	39	53	40	42	SUFFICIENCY RATING
ADJUSTED RATING	47	49	40	42		36	33	41	43	42	90	44	92	43	89	39	68	40	54	39	40	ADJUSTED RATING
DEFICIENT MILEAGE	3.65	2.03	2.33	1.75		.22	1.48	3.53	2.10	1.12	.35	.74	.29	1.71	.08	1.05	.12	.04	.93	4.25	.54	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	7.5	13.5	16.7	20.4	23.5	26.4	30.4	31.2	43.0	44.5	46.6	48.0	49.7	51.9	59.0	66.7	73.5	74.2	74.8	76.8	82.7	83.3	90.1	BEGINNING MILE POST
LENGTH	0.1	7.4	6.0	3.3	3.5	3.0	2.9	4.0	0.8	11.7	1.5	2.0	1.3	1.7	2.2	7.0	7.7	6.7	0.8	0.5	2.0	6.0	0.6	6.7	5.0	LENGTH
YEAR BUILT	40	40	40	36	37	37	36	36	U	34	49	34	U	40	53	53	56	56	74	74	74	74	68	68	U	YEAR BUILT
YEAR IMPROVED	40	40	40	39	39	39	36	56	R	35	49	56	P	40	53	53	61	61	76	76	76	76	69	68	R	YEAR IMPROVED
SURFACE WIDTH	22	22	24	24	24	24	22	22	B	18	30	22	B	24	24	24	32	32	44	64	38	38	44	68	B	SURFACE WIDTH
ROADWAY WIDTH	22	22	24	24	24	24	25	26	A	24	30	24	A	30	32	32	32	32	44	64	38	38	44	68	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	BST	BST	RMS	RMS	N	RMS	BST	RMS	N	RMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	762	772	802	852	853	855	987	1803		2376	2753	4176		4655	3531	2827	2791	3643	4195	4254	4266	4690	5157	6423		ADT
DHV	99	100	104	110	110	111	128	234		308	357	542		605	459	367	362	473	545	553	554	609	670	834		DHV
SERVICE VOLUME	329	329	289	235	235	220	273	453		414	345	627		780	1016	648	720	720	320	2160	320	344	232	1920		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0		0	4	0		0	0	3	9	9	9	9	10	10	10	10		FOUNDATION - 10
SURFACE - 30	13	13	12	11	13	12	11	10		10	14	8		10	9	13	25	25	28	27	30	30	30	28		SURFACE - 30
DRAINAGE - 10	5	5	6	7	7	7	6	6		6	9	4		4	10	10	10	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	0	1	10	1	3	9	2	2		2	1	3		5	15	7	12	15	20	12	10	11	6	8		SAFETY - 20
CAPACITY - 30	25	25	25	23	23	22	23	22		19	14	17		18	23	22	22	20	4	26	4	3	0	23		CAPACITY - 30
SUFFICIENCY RATING	43	44	53	42	46	50	42	40		37	42	32		37	57	55	78	79	71	84	64	64	56	79		SUFFICIENCY RATING
ADJUSTED RATING	44	45	54	42	47	50	41	35		31	34	22		26	47	47	72	72	62	78	54	53	44	69		ADJUSTED RATING
DEFICIENT MILEAGE	.05	4.16	2.82	1.96	1.91	1.54	1.70	2.40		7.40	.88	1.38		1.09	.96	3.17	1.69	1.42	.19	.09	.73	2.17	.27	1.41		DEFICIENT MILEAGE

FAP ROUTE NO 7
SHEET 1 OF 1



BEGINNING MILE POST	87.7	98.9	107.6	107.8	108.2	108.8
LENGTH	11.2	8.7	0.1	0.3	0.6	0.3
YEAR BUILT	50	52	68	68	52	68
YEAR IMPROVED	51	52	68	68	52	68
SURFACE WIDTH	24	24	40	40	24	44
ROADWAY WIDTH	26	28	40	40	28	44
SURFACE TYPE	RMS	RMS	PMS	PMS	RMS	RMS
ADT	1395	1821	2021	868	868	868
DHV	181	236	262	114	112	112
SERVICE VOLUME	507	427	320	120	599	128
FOUNDATION - 10	4	2	10	10	4	10
SURFACE - 30	16	15	28	28	17	28
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	12	20	20	1	13	1
CAPACITY - 30	25	22	18	17	27	17
SUFFICIENCY RATING	67	69	86	66	71	66
ADJUSTED RATING	64	65	83	66	71	66
DEFICIENT MILEAGE	3.71	2.71	.02	.10	.18	.10

BEGINNING MILE POST	0.0	3.9	11.2	23.2	25.5	27.3	27.6	30.0	34.1	39.6	46.4	48.5	49.8	52.8	54.4	55.9	57.1	65.4	76.9	78.1
LENGTH	3.9	7.3	11.9	2.3	1.6	0.3	2.2	4.1	5.6	7.7	2.0	1.2	2.9	1.6	1.5	1.1	8.3	11.5	1.1	9.8
YEAR BUILT	31	57	33	73	73	U	U	U	33	U	36	U	36	69	69	69	72	50	U	39
YEAR IMPROVED	33	64	58	73	73	N	N	N	33	P	36	R	36	69	69	69	72	65	X	39
SURFACE WIDTH	24	32	22	56	56	OC	OC	OC	20	B	24	R	24	40	40	40	34	32	B	24
ROADWAY WIDTH	24	32	24	56	56	EO	EO	EO	24	A	30	A	30	40	40	40	34	32	A	32
SURFACE TYPE	RMS	PMS	RMS	PMS	PMS	RN	PN	RN	RMS	N	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	N	RMS
ADT	1339	1231	1234	1260	1270	S	S	S	1890		8367		2965	2884	2422	1844	1819	1980		1769
DHV	174	160	160	163	165	T	T	T	245		1004		453	441	370	239	236	257		229
SERVICE VOLUME	468	504	573	2160	2160	R	R	R	299		463		500	344	264	320	504	696		680
FOUNDATION - 10	0	7	0	9	9	U	U	U	0		0		3	8	5	0	7	7		0
SUFFACE - 30	10	22	9	28	28	C	C	C	13		12		15	25	27	27	23	23		11
DRAINAGE - 10	6	10	8	10	10	T	I	T	8		3		7	10	10	10	10	10		10
SAFETY - 20	2	6	3	2	7	I	I	I	2		3		6	20	20	20	17	6		16
CAPACITY - 30	24	25	26	26	29	O	O	O	18		0		16	11	9	19	23	24		25
SUFFICIENCY RATING	42	70	46	78	83	N	N	N	41		18		45	74	75	85	80	70		62
ADJUSTED RATING	39	68	44	76	81				36		8		37	67	70	82	77	65		57
DEFICIENT MILEAGE	2.26	2.20	6.44	.51	.28				3.20		1.71		1.62	.43	.37	.17	1.66	3.46		3.67

FAP ROUTE 8
SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.9	12.4	20.1	20.8	29.3	38.5	43.1	46.0	53.8	60.0	64.0	BEGINNING MILE POST
LENGTH	2.2	10.4	7.7	0.7	8.4	9.0	4.5	2.8	7.8	6.1	4.0	0.7	LENGTH
YEAR BUILT	67	59	63	63	32	32	35	35	35	36	36	U	YEAR BUILT
YEAR IMPROVED	67	59	63	63	36	36	35	35	35	36	36	R	YEAR IMPROVED
SURFACE WIDTH	30	32	32	32	20	20	20	20	20	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	24	24	24	24	24	25	25	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	306	312	240	252	322	362	758	541	371	444	591		ADT
DHV	48	49	38	40	51	57	121	86	59	71	94		DHV
SERVICE VOLUME	697	682	447	365	470	211	364	270	325	286	518		SERVICE VOLUME
FOUNDATION - 10	9	7	4	8	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	27	25	19	19	8	11	13	11	12	12	12		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	8	8	8		DRAINAGE - 10
SAFETY - 20	3	20	8	20	2	1	2	1	1	1	20		SAFETY - 20
CAPACITY - 30	29	28	29	28	28	26	25	25	27	26	27		CAPACITY - 30
SUFFICIENCY RATING	78	84	70	85	45	45	47	45	46	47	67		SUFFICIENCY RATING
ADJUSTED RATING	83	91	78	90	53	52	48	49	55	52	70		ADJUSTED RATING
DEFICIENT MILEAGE	.48	1.25	2.32	.10	4.65	5.00	2.42	1.56	4.08	3.25	1.32		DEFICIENT MILEAGE

FAP ROUTE NO 9
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.5	7.1	9.6	16.2	20.0	29.7	39.5	51.5	52.3	55.1	BEGINNING MILE POST
LENGTH	3.7	3.6	2.4	6.4	3.8	9.7	9.8	12.0	0.6	2.7	8.7	LENGTH
YEAR BUILT	U	40	40	51	62	63	63	75	36	34	34	YEAR BUILT
YEAR IMPROVED	R	71	71	57	63	63	63	75	36	63	55	YEAR IMPROVED
SURFACE WIDTH	B	28	28	30	32	32	32	32	24	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	28	28	30	32	32	32	32	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	RMS	SURFACE TYPE
ADT		2463	2257	2021	1801	1837	2072	1272	1233	1261	1167	ADT
DHV		320	293	262	234	238	269	165	160	163	151	DHV
SERVICE VOLUME		562	666	414	580	580	666	621	335	380	750	SERVICE VOLUME
FOUNDATION - 10		6	8	4	4	5	7	10	0	0	0	FOUNDATION - 10
SURFACE - 30		27	28	20	19	20	25	28	12	10	8	SURFACE - 30
DRAINAGE - 10		9	9	10	10	10	10	10	8	8	8	DRAINAGE - 10
SAFETY - 20		2	20	20	20	15	20	12	0	2	4	SAFETY - 20
CAPACITY - 30		21	23	21	24	24	24	26	23	24	27	CAPACITY - 30
SUFFICIENCY RATING		65	88	75	77	74	86	86	43	44	47	SUFFICIENCY RATING
ADJUSTED RATING		58	85	71	73	70	83	85	41	42	45	ADJUSTED RATING
DEFICIENT MILEAGE		1.27	.29	1.62	.88	2.52	1.37	1.68	.38	1.54	4.64	DEFICIENT MILEAGE



BEGINNING MILE POST	63.9	72.4	79.3	80.0	84.8	86.0	89.9	89.6	90.9	97.0	104.3	109.5
LENGTH	8.4	6.8	0.6	4.7	1.2	3.3	0.1	1.3	6.0	7.3	5.3	1.7
YEAR BUILT	34	34	U	33	70	33	30	70	30	28	67	52
YEAR IMPROVED	51	51	R	63	70	41	70	70	73	41	67	52
SURFACE WIDTH	22	22	B	24	32	20	30	32	22	22	40	32
ROADWAY WIDTH	24	24	A	26	32	24	30	32	26	24	40	32
SURFACE TYPE	PMS	RMS	N	RMS	PMS	BST	RMS	PMS	PMS	RMS	PMS	RMS
ADT	1101	1114		1341	1267	1233	1223	1247	1158	1350	1818	1784
DHV	143	144		174	164	160	158	162	150	175	236	231
SERVICE VOLUME	360	390		526	666	442	668	666	501	476	281	536
FOUNDATION - 10	2	0		0	8	0	7	8	0	0	8	4
SURFACE - 30	15	15		11	26	11	24	27	14	15	23	16
DRAINAGE - 10	8	8		7	10	7	10	10	7	7	10	10
SAFETY - 20	2	4		20	20	10	20	7	10	8	20	12
CAPACITY - 30	24	24		25	26	25	26	26	26	24	17	24
SUFFICIENCY RATING	51	51		63	90	53	87	78	57	54	78	66
ADJUSTED RATING	50	50		60	89	51	86	76	55	51	74	62
DEFICIENT MILEAGE	4.14	3.36		1.77	.12	1.58	.02	.24	2.62	3.38	1.12	.61

FAP ROUTE NO 10
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	11.3	15.5	20.8	26.6	29.3	30.9	40.7	49.9	51.8	55.8	BEGINNING MILE POST
LENGTH	1.0	3.3	4.3	5.1	5.7	2.7	11.6	9.7	9.1	1.8	4.0	2.0	LENGTH
YEAR BUILT	75	75	71	69	69	61	61	61	65	61	U	34	YEAR BUILT
YEAR IMPROVED	75	75	71	69	69	61	61	61	65	61	R	34	YEAR IMPROVED
SURFACE WIDTH	48	34	34	34	32	32	32	32	32	32	B	20	SURFACE WIDTH
ROADWAY WIDTH	48	34	34	34	32	32	32	32	32	32	A	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
ADT	1173	848	855	858	838	827	813	1054	1348	1904		3023	ADT
DHV	252	182	183	184	180	177	174	226	289	409		392	DHV
SERVICE VOLUME	568	774	511	596	546	748	748	748	748	748		610	SERVICE VOLUME
FOUNDATION - 10	10	10	9	9	9	10	9	9	8	8		0	FOUNDATION - 10
SURFACE - 30	30	30	27	27	27	28	27	27	25	25		13	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10		7	DRAINAGE - 10
SAFETY - 20	0	20	17	20	2	20	20	16	6	5		4	SAFETY - 20
CAPACITY - 30	23	26	25	25	25	26	27	25	24	22		20	CAPACITY - 30
SUFFICIENCY RATING	73	96	88	91	73	94	93	87	73	70		44	SUFFICIENCY RATING
ADJUSTED RATING	71	96	88	91	73	94	93	86	71	65		35	ADJUSTED RATING
DEFICIENT MILEAGE	.27	.01	.51	.46	1.55	.16	.81	1.26	2.47	.56		1.16	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	2.2	8.0	8.6
LENGTH	2.2	5.7	0.5	0.6
YEAR BUILT	61	61	30	U
YEAR IMPROVED	61	61	30	R
SURFACE WIDTH	34	34	24	B
ROADWAY WIDTH	34	34	24	A
SURFACE TYPE	PMS	PMS	PMS	N
ADT	1079	1280	1606	
DHV	249	295	370	
SERVICE VOLUME	354	680	739	
FOUNDATION - 10	5	6	0	
SURFACE - 30	18	17	10	
DRAINAGE - 10	13	10	3	
SAFETY - 20	6	12	11	
CAPACITY - 30	19	23	22	
SUFFICIENCY RATING	58	68	46	
ADJUSTED RATING	57	66	42	
DEFICIENT MILEAGE	.95	1.84	.30	

FAP ROUTE NO 11 & 12

SHEET 1 OF 1

BEGINNING MILE POST	0.0	8.6	16.3	21.3	24.3	27.1	37.8	47.1	48.6	49.2	56.5	61.5	65.3	74.8	75.4	75.9	80.7	82.2	83.0	83.9	86.7	93.0	93.3	93.6	94.6	95.7	96.5	97.1	BEGINNING MILE POST
LENGTH	8.5	7.8	4.9	2.9	2.6	10.8	9.2	1.4	0.6	7.2	5.1	3.7	9.5	0.5	0.5	4.8	1.4	0.8	3.9	5.2	4.2	0.2	0.3	1.1	1.1	0.8	0.5	0.2	LENGTH
YEAR BUILT	62	66	69	71	34	34	34	36	U	34	36	34	34	76	76	76	76	50	34	32	32	69	68	49	38	U	50	64	YEAR BUILT
YEAR IMPROVED	76	66	69	71	34	34	34	56	P	34	57	34	34	76	76	76	76	50	52	48	61	68	68	49	38	R	55	69	YEAR IMPROVED
SURFACE WIDTH	32	40	40	40	20	20	20	22	B	20	22	20	20	32	32	32	32	22	22	24	20	40	40	28	24	B	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	40	40	40	24	24	24	25	A	24	24	24	24	32	32	32	32	24	24	30	24	40	40	28	26	A	32	32	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	SURFACE TYPE
ADT	199	472	463	450	440	499	765	1110		790	651	599	441	436	477	373	330	330	354	347	377	379	590	574	542		1401	1359	ADT
DHV	39	94	92	90	88	99	153	222		122	100	92	68	67	73	57	51	51	54	53	49	49	76	74	70		182	181	DHV
SERVICE VOLUME	568	596	568	511	792	762	486	601		400	258	182	220	643	281	470	420	239	277	323	396	56	75	629	399		808	457	SERVICE VOLUME
FOUNDATION - 10	7	9	8	8	0	0	0	0		0	2	3	0	10	10	10	10	0	0	0	0	9	8	3	0		2	9	FOUNDATION - 10
SURFACE - 30	24	27	25	27	10	10	12	12		15	15	15	11	30	30	30	30	13	13	14	10	26	25	16	13		12	28	SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	9	8	9		8	7	8	7	10	10	10	10	8	8	8	7	10	10	10	8		8	10	DRAINAGE - 10
SAFETY - 20	9	13	20	20	7	10	6	7		4	1	1	1	20	5	4	20	2	1	1	2	20	1	20	1		20	20	SAFETY - 20
CAPACITY - 30	29	28	28	27	28	28	25	24		25	24	22	25	28	26	28	28	27	27	28	28	22	15	28	27		27	24	CAPACITY - 30
SUFFICIENCY RATING	79	67	91	92	52	57	51	52		52	49	49	44	98	91	82	98	50	49	51	47	87	59	77	49		69	91	SUFFICIENCY RATING
ADJUSTED RATING	86	89	92	93	57	61	52	51		53	51	52	49	98	84	86	98	57	56	58	53	90	62	79	53		66	90	ADJUSTED RATING
DEFICIENT MILEAGE	1.79	1.01	.44	.23	1.27	4.64	4.52	.71		3.47	2.64	1.89	5.34	.01	.09	.87	.02	.41	.46	2.58	2.25	.03	.13	.25	.56		.17	.01	DEFICIENT MILEAGE

FAP ROUTE NO 13
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.8	2.3	6.4	13.5	23.5	33.4	41.6	42.7	45.1	48.9	55.9	63.1	68.5	73.3	75.1	BEGINNING MILE POST
LENGTH	0.8	1.5	3.9	7.1	9.0	9.9	8.1	0.9	2.4	3.5	6.9	7.2	5.3	4.8	1.7	2.0	LENGTH
YEAR BUILT	U	64	64	37	51	55	33	U	65	65	76	56	37	36	36	34	YEAR BUILT
YEAR IMPROVED	R	64	64	52	51	55	66	R	65	65	76	58	48	52	52	64	YEAR IMPROVED
SURFACE WIDTH	B	32	32	20	20	24	21	B	40	40	36	28	20	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	25	26	27	24	A	40	40	36	28	25	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1285	519	367	359	379	752		645	435	355	351	378	395	407	425	ADT
DHV		192	77	55	53	56	112		96	56	46	45	49	51	52	55	DHV
SERVICE VOLUME		610	548	448	297	297	453		326	255	255	415	290	280	544	748	SERVICE VOLUME
FOUNDATION - 10		4	8	0	0	4	0		8	7	10	3	0	0	0	0	FOUNDATION - 10
SURFACE - 30		25	23	12	14	15	11		22	21	30	17	11	11	12	10	SURFACE - 30
DRAINAGE - 10		10	10	7	5	9	8		10	10	10	10	8	7	7	6	DRAINAGE - 10
SAFETY - 20		6	6	2	3	1	4		10	20	20	15	2	1	6	20	SAFETY - 20
CAPACITY - 30		25	28	28	27	27	26		26	27	27	28	27	27	29	29	CAPACITY - 30
SUFFICIENCY RATING		75	75	49	49	56	49		76	85	97	73	48	46	54	65	SUFFICIENCY RATING
ADJUSTED RATING		73	78	56	56	62	50		78	88	97	78	54	52	60	70	ADJUSTED RATING
DEFICIENT MILEAGE		.37	.99	3.66	5.04	4.39	4.17		.58	.59	.20	1.96	2.77	2.63	.81	.71	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 1 OF 3



BEGINNING MILE POST	77.2	88.0	92.8	95.3	100.3	100.8	108.0	116.4	122.5	124.9	129.5	130.5	133.0	137.0	146.0	BEGINNING MILE POST
LENGTH	10.8	4.7	6.5	0.9	0.5	7.1	8.4	6.1	2.3	4.5	1.0	2.4	3.9	9.1	5.6	LENGTH
YEAR BUILT	34	66	68	U	65	65	53	67	67	56	U	37	37	37	37	YEAR BUILT
YEAR IMPROVED	34	66	68	R	65	65	53	67	67	71	R	37	37	37	37	YEAR IMPROVED
SURFACE WIDTH	20	40	40	B	40	40	24	40	40	28	B	20	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	24	40	40	A	40	40	28	40	40	28	A	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	445	561	732		1446	1036	934	769	719	1036		1252	1205	1119	348	AOT
OHV	57	72	97		187	134	121	99	93	134		162	156	145	45	OHV
SERVICE VOLUME	599	320	320		872	247	486	247	260	486		333	283	515	233	SERVICE VOLUME
FOUNDATION - 10	0	8	8		9	8	4	8	8	3		0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	23	24		25	25	16	24	24	16		11	10	10	13	SURFACE - 30
DRAINAGE - 10	7	10	10		10	10	10	10	10	10		6	6	8	4	DRAINAGE - 10
SAFETY - 20	4	10	20		10	14	10	14	20	7		20	1	6	1	SAFETY - 20
CAPACITY - 30	29	27	25		27	22	26	24	25	26		23	22	26	27	CAPACITY - 30
SUFFICIENCY RATING	49	78	87		81	79	66	80	87	62		60	39	50	45	SUFFICIENCY RATING
ADJUSTED RATING	54	80	87		79	78	66	81	88	61		58	37	49	52	ADJUSTED RATING
DEFICIENT MILEAGE	5.52	1.05	.84		.09	1.49	2.86	1.22	.30	1.72		.99	2.42	4.55	3.09	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 2 OF 3



BEGINNING MILE POST	229.5	242.4	252.3	259.4	265.1	270.5	270.8
LENGTH	12.8	9.9	7.1	5.5	5.3	0.3	0.1
YEAR BUILT	55	50	54	54	57	U	U
YEAR IMPROVED	63	63	54	54	72	R	N
SURFACE WIDTH	20	20	24	24	32	B	O C
ROADWAY WIDTH	20	24	24	24	32	A	E D
SURFACE TYPE	RMS	RMS	RMS	RMS	PMS	N	R N
ADT	271	242	241	227	306		S
OHV	44	38	38	36	48		T
SERVICE VOLUME	290	354	258	450	546		R
FOUNDATION - 10	0	2	3	2	10		U
SURFACE - 30	15	17	16	17	30		C
DRAINAGE - 10	9	9	10	10	10		T
SAFETY - 20	3	13	2	5	3		I
CAPACITY - 30	28	28	28	29	29		O
SUFFICIENCY RATING	55	69	59	63	82		N
ADJUSTED RATING	64	77	68	72	86		
DEFICIENT MILEAGE	5.80	3.08	2.93	2.06	.96		

BEGINNING MILE POST	151.6	155.1	158.0	160.4	167.5	168.5	170.1	182.0	187.6	192.1	195.3	203.7	205.1	207.1	212.4	217.1	224.4	BEGINNING MILE POST
LENGTH	3.4	2.8	2.4	7.0	0.9	1.6	11.8	5.5	4.4	3.2	8.3	1.4	1.9	5.2	4.7	7.2	5.1	LENGTH
YEAR BUILT	37	56	56	36	33	U	39	39	39	39	39	U	46	46	46	48	48	YEAR BUILT
YEAR IMPROVED	37	56	56	50	56	P	39	39	39	39	39	P	63	57	57	63	63	YEAR IMPROVED
SURFACE WIDTH	20	24	24	20	26	B	20	20	20	20	20	B	20	20	20	25	25	SURFACE WIDTH
ROADWAY WIDTH	24	28	28	24	30	A	24	24	24	24	24	A	24	24	24	25	25	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	N	RMS	PMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	348	350	353	485	2872		595	468	455	450	496		420	253	243	246	244	ADT
OHV	45	45	45	63	373		77	60	59	58	64		66	40	38	39	38	OHV
SERVICE VOLUME	233	342	629	635	780		333	210	354	357	354		538	333	203	408	258	SERVICE VOLUME
FOUNDATION - 10	0	0	2	0	0		0	0	0	0	0		0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	13	12	15	10	10		14	12	11	9	12		10	12	11	11	15	SURFACE - 30
DRAINAGE - 10	4	9	10	6	6		10	8	8	8	9		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	10	8	4	1		1	1	2	5	6		20	2	1	20	4	SAFETY - 20
CAPACITY - 30	27	28	29	29	23		27	26	28	28	27		28	28	27	29	28	CAPACITY - 30
SUFFICIENCY RATING	45	59	64	49	40		52	47	49	50	54		68	52	49	70	57	SUFFICIENCY RATING
ADJUSTED RATING	52	66	70	54	32		55	52	54	55	58		73	61	59	78	66	ADJUSTED RATING
DEFICIENT MILEAGE	1.88	1.16	.89	3.60	.58		5.69	2.95	2.28	1.64	3.82		.63	2.53	2.40	2.16	2.20	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 3 OF 3

BEGINNING MILE POST	0.0	4.0	11.8	21.5	23.2	25.1	29.6	38.1	46.2	BEGINNING MILE POST
LENGTH	4.7	7.0	9.6	1.7	1.8	4.5	8.4	8.0	1.8	LENGTH
YEAR BUILT	U	U		34	68	34	34	66	65	37	YEAR BUILT
YEAR IMPROVED	R	N		51	68	58	34	66	65	37	YEAR IMPROVED
SURFACE WIDTH	B	D	C	20	40	22	20	32	32	20	SURFACE WIDTH
ROADWAY WIDTH	A	S	O	24	40	24	24	32	32	24	ROADWAY WIDTH
SURFACE TYPE	N	R	N	RMS	PMS	RMS	PMS	PMS	PMS	RMS	SURFACE TYPE
ADT			S	1256	1220	1238	1238	1218	1379	1919	ADT
DHV			T	163	158	160	160	158	179	249	DHV
SERVICE VOLUME			R	255	403	272	470	548	720	283	SERVICE VOLUME
FOUNDATION - 10			U	0	8	0	0	8	6	0	FOUNDATION - 10
SURFACE - 30			C	11	27	13	9	24	22	13	SURFACE - 30
DRAINAGE - 10			T	5	10	T	6	10	10	8	DRAINAGE - 10
SAFETY - 20			I	1	12	1	1	6	9	1	SAFETY - 20
CAPACITY - 30			O	20	24	21	25	26	26	17	CAPACITY - 30
SUFFICIENCY RATING			N	37	81	42	41	76	73	39	SUFFICIENCY RATING
ADJUSTED RATING				35	80	40	39	74	71	34	ADJUSTED RATING
DEFICIENT MILEAGE				6.08	.33	1.05	2.65	2.03	2.17	1.12	DEFICIENT MILEAGE

FAP ROUTE NO 16

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.5	8.7	10.5	12.0	BEGINNING MILE POST
LENGTH	3.5	5.4	1.7	1.4	1.0	LENGTH
YEAR BUILT	69	38	38	57	U	YEAR BUILT
YEAR IMPROVED	69	03	63	57	F	YEAR IMPROVED
SURFACE WIDTH	24	20	20	24	P	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	28	A	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	PMS	RMS	N	SURFACE TYPE
ADT	535	492	546	537		ADT
DHV	80	74	75	81		DHV
SERVICE VOLUME	365	390	265	415		SERVICE VOLUME
FOUNDATION - 10	4	0	4	7		FOUNDATION - 10
SURFACE - 30	17	15	17	19		SURFACE - 30
DRAINAGE - 10	6	7	8	10		DRAINAGE - 10
SAFETY - 20	4	5	1	20		SAFETY - 20
CAPACITY - 30	27	27	26	27		CAPACITY - 30
SUFFICIENCY RATING	58	54	56	83		SUFFICIENCY RATING
ADJUSTED RATING	62	56	60	85		ADJUSTED RATING
DEFICIENT MILEAGE	1.47	2.44	.78	.24		DEFICIENT MILEAGE

FAP ROUTE NO 17

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.0	2.1	13.0	18.0	20.0	23.9	34.9	38.0	48.4	53.3	58.9	63.3	73.5	BEGINNING MILE POST
LENGTH	0.9	1.1	10.9	5.0	2.0	3.8	10.9	3.1	10.3	4.9	5.4	4.3	10.2	9.3	LENGTH
YEAR BUILT	U	64	64	63	28	28	31	31	31	31	U	76	67	58	YEAR BUILT
YEAR IMPROVED	R	64	64	63	35	35	35	56	53	53	N	76	67	65	YEAR IMPROVED
SURFACE WIDTH	B	32	32	30	20	20	20	20	20	20	O C	30	30	28	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	30	24	24	24	24	24	24	E O	30	30	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	BST	BST	BST	BST	PMS	PMS	P N	PMS	PMS	PMS	SURFACE TYPE
ADT		2077	434	261	248	240	216	191	172	163	S	185	215	264	ADT
DHV		270	56	33	32	31	28	24	22	21	T	24	28	34	DHV
SERVICE VOLUME		504	616	663	655	627	448	422	448	470	R	678	702	472	SERVICE VOLUME
FOUNDATION - 10		6	5	3	0	0	0	0	0	0	U	10	7	6	FOUNDATION - 10
SURFACE - 30		21	16	14	8	7	8	8	6	8	C	30	24	24	SURFACE - 30
DRAINAGE - 10		10	10	10	8	8	7	7	7	5	T	10	10	10	DRAINAGE - 10
SAFETY - 20		8	8	20	20	3	1	2	1	1	I	4	6	7	SAFETY - 20
CAPACITY - 30		22	29	29	29	29	29	29	29	29	O	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		67	68	76	65	47	45	46	43	43	N	83	76	76	SUFFICIENCY RATING
ADJUSTED RATING		64	73	83	74	57	55	57	55	55		89	83	82	ADJUSTED RATING
DEFICIENT MILEAGE		.38	3.48	1.20	.70	2.06	6.02	1.71	5.92	2.79		.74	2.45	2.25	DEFICIENT MILEAGE

FAP ROUTE NO 18
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.8	5.5	7.1	10.1	16.9	22.0	24.3	27.6	30.8	38.5	48.3	57.4	62.5	63.2	63.6	BEGINNING MILE POST
LENGTH	2.8	2.6	1.5	4.7	6.8	5.0	2.2	3.3	3.1	7.7	9.7	9.1	5.0	0.6	0.4	1.3	LENGTH
YEAR BUILT	64	61	61	U	51	51	51	34	34	57	60	31	25	66	66	U	YEAR BUILT
YEAR IMPROVED	64	61	61	R	59	59	59	54	40	76	60	52	52	66	66	R	YEAR IMPROVED
SURFACE WIDTH	76	76	76	B	24	24	32	22	20	32	32	20	20	40	32	B	SURFACE WIDTH
ROADWAY WIDTH	76	76	76	A	28	28	32	24	24	32	32	24	22	40	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
AOT	2449	4294	5371		2815	1443	1091	809	616	666	528	489	682	821	764		AOT
OHV	318	558	698		408	209	158	117	89	96	76	70	98	119	110		OHV
SERVICE VOLUME	2256	2256	2256		454	501	456	197	224	504	428	683	471	240	720		SERVICE VOLUME
FOUNDATION - 10	V	V	10		3	3	0	3	0	10	5	0	0	10	10		FOUNDATION - 10
SURFACE - 30	26	26	26		15	16	16	14	12	28	17	9	9	27	26		SURFACE - 30
DRAINAGE - 10	10	10	10		8	10	8	7	6	10	10	3	3	10	10		DRAINAGE - 10
SAFETY - 20	14	18	15		9	9	15	2	0	10	15	2	1	13	9		SAFETY - 20
CAPACITY - 30	28	26	25		17	24	25	21	24	27	27	29	27	23	28		CAPACITY - 30
SUFFICIENCY RATING	87	84	86		52	62	64	47	42	85	74	42	40	83	83		SUFFICIENCY RATING
ADJUSTED RATING	83	84	80		44	59	63	48	45	86	77	46	42	83	84		ADJUSTED RATING
DEFICIENT MILEAGE	.37	.29	.21		3.27	1.92	.81	1.79	1.81	1.15	2.52	5.29	3.04	.10	.07		DEFICIENT MILEAGE

FAP ROUTE NO 19
SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.7	6.1	13.0	18.5	23.1	28.8	31.4	32.9	42.0	50.0	51.7	52.5	58.6	62.5	63.9
LENGTH	1.7	4.4	6.8	5.6	4.1	5.7	2.5	1.4	9.0	7.9	1.7	0.8	6.0	3.9	1.3	0.3
YEAR BUILT	U	64	67	69	54	54	75	74	34	73	73	U	35	35	U	56
YEAR IMPROVED	R	64	67	69	54	54	75	74	57	73	73	R	35	35	R	56
SURFACE WIDTH	B	40	40	40	28	28	40	40	20	40	83	B	20	20	B	24
ROADWAY WIDTH	A	40	40	40	28	28	40	40	24	40	83	A	24	24	A	32
SURFACE TYPE	N	RMS	PMS	PMS	PMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS	N	RMS	RMS	N	RMS
ADT		1821	988	812	859	991	1125	1197	1296	1799	4112			2330	1622		1544
DHV		236	128	105	111	128	146	155	168	233	534			302	210		200
SERVICE VOLUME		222	643	184	434	301	296	266	377	261	1760			453	302		896
FOUNDATION - 10		0	8	6	0	2	10	10	0	10	9			0	0		8
SURFACE - 30		24	24	24	18	16	30	30	11	27	26			11	11		21
DRAINAGE - 10		10	10	10	10	10	10	10	8	10	10			5	5		10
SAFETY - 20		11	9	9	10	13	17	2	3	14	5			5	2		1
CAPACITY - 30		14	27	21	26	24	23	21	23	18	25			20	20		27
SUFFICIENCY RATING		67	78	70	64	65	60	73	65	76	75			41	38		67
ADJUSTED RATING		63	77	71	64	64	89	71	42	76	67			34	34		64
DEFICIENT MILEAGE		1.44	1.50	1.68	1.50	2.02	.25	.40	4.98	1.67	.43			3.57	2.42		.11

BEGINNING MILE POST	0.0	0.8	3.7	4.9
LENGTH	0.8	2.9	1.2	0.1
YEAR BUILT	73	64	U	63
YEAR IMPROVED	73	64	R	63
SURFACE WIDTH	40	24	B	44
ROADWAY WIDTH	40	26	A	44
SURFACE TYPE	PMS	RMS	N	PMS
ADT	950	1353		1359
DHV	123	176		
SERVICE VOLUME	616	264		289
FOUNDATION - 10	9	0		10
SURFACE - 30	28	11		30
DRAINAGE - 10	10	8		10
SAFETY - 20	2	2		20
CAPACITY - 30	27	20		30
SUFFICIENCY RATING	76	41		100
ADJUSTED RATING	76	38		100
DEFICIENT MILEAGE	.19	1.67		.00

FAP ROUTE NO 20 & 21

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.5	17.9	20.9	29.3	41.1	42.3	43.3	52.6	63.7	63.8	64.0	64.3	71.8	73.8	75.8	75.8	81.3	88.4	BEGINNING MILE POST
LENGTH	0.5	7.0	10.2	3.0	8.4	11.8	1.1	1.0	9.2	11.1	0.1	0.2	0.2	7.5	2.0	1.9	0.1	5.4	7.1	0.1	LENGTH
YEAR BUILT	U	65	35	36	36	37	U	33	33	63	U	63	U	76	76	71	U	71	59	U	YEAR BUILT
YEAR IMPROVED	R	65	36	36	36	62	R	40	40	63	C	63	R	76	76	71	R	71	59	R	YEAR IMPROVED
SURFACE WIDTH	B	32	20	22	22	20	B	20	20	32	B	32	B	32	32	32	B	32	32	B	SURFACE WIDTH
ROADWAY WIDTH	A	32	24	25	25	24	A	24	24	32	A	32	A	32	32	32	A	32	32	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	BST	BST	BST	PMS	N	PMS	PMS	PMS	N	PMS	N	PMS	PMS	PMS	N	PMS	PMS	N	SURFACE TYPE
ADT		608	450	299	386	689		1826	975	754		836		688	559	639		714	768		ADT
OHV		91	67	44	57	103		273	146	113		125		103	83	95		107	115		OHV
SERVICE VOLUME		672	184	249	435	406		526	352	621		828		562	621	532		592	406		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0		0	0	6		7		10	10	10		10	0		FOUNDATION - 10
SURFACE - 30		23	12	12	14	11		14	14	25		23		30	30	25		24	14		SURFACE - 30
DRAINAGE - 10		10	8	8	9	9		10	9	10		10		10	10	10		10	10		DRAINAGE - 10
SAFETY - 20		20	1	2	4	3		7	2	16		20		20	20	10		14	20		SAFETY - 20
CAPACITY - 30		26	25	27	28	26		22	24	27		28		27	28	27		27	26		CAPACITY - 30
SUFFICIENCY RATING		69	46	49	55	49		53	49	84		88		97	98	82		85	70		SUFFICIENCY RATING
ADJUSTED RATING		80	51	57	61	51		46	49	85		88		97	98	83		86	71		ADJUSTED RATING
DEFICIENT MILEAGE		.77	5.54	1.54	3.79	6.04		.48	4.70	1.78		.03		.22	.04	.35		.82	2.14		DEFICIENT MILEAGE

FAP ROUTE NO 22
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.1	2.1	5.4	14.6	27.8	33.1	44.1	47.8	BEGINNING MILE POST
LENGTH	1.7	0.1	3.2	9.1	13.1	5.3	10.9	3.7	2.7	LENGTH
YEAR BUILT	U	20	20	36	62	U	31	32	52	YEAR BUILT
YEAR IMPROVED	R	36	36	36	76	N	47	60	52	YEAR IMPROVED
SURFACE WIDTH	B	25	22	22	28	D C	20	18	22	SURFACE WIDTH
ROADWAY WIDTH	A	25	25	25	28	C O	24	24	28	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	R N	BST	RMS	PMS	SURFACE TYPE
AOT		1436	1166	765	433	S	408	392	383	AOT
OHV		182	151	110	62	T	59	56	55	OHV
SERVICE VOLUME		280	324	285	600	R	530	355	220	SERVICE VOLUME
FOUNDATION - 10		0	0	0	10	U	0	0	0	FOUNDATION - 10
SURFACE - 30		15	11	12	30	C	7	9	11	SURFACE - 30
DRAINAGE - 10		8	8	7	10	T	4	4	10	DRAINAGE - 10
SAFETY - 20		20	1	1	14	I	5	2	3	SAFETY - 20
CAPACITY - 30		20	23	24	28	O	26	28	26	CAPACITY - 30
SUFFICIENCY RATING		63	43	44	92	N	44	43	50	SUFFICIENCY RATING
ADJUSTED RATING		60	41	45	93		50	49	56	ADJUSTED RATING
DEFICIENT MILEAGE		.02	1.87	5.11	1.05		6.13	2.11	1.35	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET OF 2

BEGINNING MILE POST	50.5	55.7	64.5	72.9	76.3	77.8	79.1	79.7	83.0	85.5	95.5	101.5	108.4	119.4	130.3	BEGINNING MILE POST
LENGTH	5.1	8.7	8.3	3.3	1.5	1.3	0.5	3.3	2.4	10.0	6.0	6.8	11.0	10.8	9.5	LENGTH
YEAR BUILT	52	49	29	28	69	28	U	40	31	53	54	54	55	55	65	YEAR BUILT
YEAR IMPROVED	60	55	41	41	69	36	R	40	56	53	54	54	73	55	65	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	28	20	B	24	20	24	24	24	28	28	40	SURFACE WIDTH
ROADWAY WIDTH	28	24	24	24	28	22	A	24	24	26	28	28	28	28	40	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	BST	PMS	BST	N	RMS	RMS	RMS	RMS	RMS	PMS	BST	PMS	SURFACE TYPE
AOT	435	496	491	569	1346	1708		1165	682	723	725	585	604	627	753	AOT
OHV	63	71	71	82	195	247		168	98	104	105	84	87	90	112	OHV
SERVICE VOLUME	378	217	258	221	276	250		297	203	266	732	462	486	510	552	SERVICE VOLUME
FOUNDATION - 10	0	0	0	2	9	0		0	0	0	0	2	0	2	3	FOUNDATION - 10
SURFACE - 30	11	11	14	15	28	13		13	12	12	10	11	13	15	20	SURFACE - 30
DRAINAGE - 10	10	9	10	8	10	4		9	7	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	7	1	3	2	20	1		8	2	3	20	20	17	20	20	SAFETY - 20
CAPACITY - 30	28	25	26	24	19	15		22	23	24	28	27	27	27	27	CAPACITY - 30
SUFFICIENCY RATING	56	46	53	51	86	33		52	44	49	68	70	67	74	80	SUFFICIENCY RATING
ADJUSTED RATING	61	50	58	54	84	29		50	46	51	69	73	70	76	81	ADJUSTED RATING
DEFICIENT MILEAGE	2.27	4.75	3.94	1.65	.21	.87		1.62	1.37	5.10	1.92	2.06	3.63	2.81	1.91	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 2 OF 2

BEGINNING MILE POST	0.0	0.9	1.8	4.9	7.5	12.2	16.0	22.6	26.7	31.8	35.6	43.1	55.6	BEGINNING MILE POST
LENGTH	0.9	0.8	4.0	2.6	4.6	3.8	6.5	4.0	5.1	3.7	7.4	12.5	9.8	LENGTH
YEAR BUILT	74	74	36	68	40	41	68	41	49	54	61	61	61	YEAR BUILT
YEAR IMPROVED	74	74	37	68	42	63	68	59	49	54	61	61	61	YEAR IMPROVED
SURFACE WIDTH	44	44	30	40	20	24	40	25	25	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	44	44	30	40	24	24	40	28	25	30	26	26	26	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	BST	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT	3273	2204	2215	2175	1979	1899	1796	1619	1453	1264	1323	1237	1139	ADT
OHV	540	363	365	358	326	313	296	267	239	208	218	204	187	OHV
SERVICE VOLUME	392	503	299	504	322	179	470	126	492	550	308	333	147	SERVICE VOLUME
FOUNDATION - 10	10	10	3	7	0	0	8	0	0	0	6	6	6	FOUNDATION - 10
SURFACE - 30	28	30	16	24	13	14	23	12	8	10	20	19	19	SURFACE - 30
DRAINAGE - 10	10	10	4	10	5	6	10	7	8	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	2	1	10	2	2	20	1	8	5	5	7	2	SAFETY - 20
CAPACITY - 30	9	19	12	19	15	4	21	0	23	24	19	21	11	CAPACITY - 30
SUFFICIENCY RATING	58	71	36	70	35	26	82	20	47	49	60	63	48	SUFFICIENCY RATING
ADJUSTED RATING	49	66	30	65	30	22	79	17	44	47	57	61	46	ADJUSTED RATING
DEFICIENT MILEAGE	.40	.25	2.58	.78	3.03	2.82	1.18	3.21	2.74	1.93	2.99	4.62	5.09	DEFICIENT MILEAGE

FAP ROUTE NO 24
SHEET 1 OF 2

BEGINNING MILE POST	65.4	72.2	76.1	82.0	86.1	91.2	97.0	100.5	109.0	116.8	127.4	133.2	138.4	BEGINNING MILE POST
LENGTH	6.7	3.8	5.8	4.1	5.0	5.8	3.5	8.5	7.7	10.6	5.7	5.2	1.3	LENGTH
YEAR BUILT	60	60	60	57	57	48	48	52	52	52	59	64	36	YEAR BUILT
YEAR IMPROVED	60	60	60	64	64	70	63	52	52	52	59	64	71	YEAR IMPROVED
SURFACE WIDTH	24	24	24	28	28	24	24	24	24	24	32	32	25	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	30	30	25	25	26	26	26	32	32	31	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	SURFACE TYPE
AOT	1416	1678	1387	1155	1149	1149	1143	880	963	1173	1838	1856	1867	AOT
OHV	233	251	208	173	172	172	171	132	144	175	257	259	261	OHV
SERVICE VOLUME	368	450	295	333	139	240	237	233	277	277	565	653	522	SERVICE VOLUME
FOUNDATION - 10	6	6	7	7	7	2	0	0	0	0	8	5	3	FOUNDATION - 10
SURFACE - 30	23	18	21	18	22	14	15	11	11	15	26	23	16	SURFACE - 30
ORAINAGE - 10	10	10	10	10	10	8	8	8	8	7	10	10	9	ORAINAGE - 10
SAFETY - 20	5	5	2	5	1	3	3	9	2	2	11	9	2	SAFETY - 20
CAPACITY - 30	21	22	19	22	11	19	19	22	22	21	23	24	23	CAPACITY - 30
SUFFICIENCY RATING	65	61	59	62	51	46	45	50	43	45	78	71	53	SUFFICIENCY RATING
ADJUSTED RATING	62	57	56	60	49	44	43	50	43	43	74	67	48	ADJUSTED RATING
DEFICIENT MILEAGE	2.37	1.50	2.41	1.55	2.49	3.14	1.92	4.26	4.43	5.84	1.25	1.52	.62	DEFICIENT MILEAGE

FAP ROUTE NO 24

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	7.7	20.9	28.1	35.5	44.7	46.4	46.9	52.3
LENGTH	0.1	7.6	13.1	7.2	7.4	9.2	1.7	0.4	5.4	0.6
YEAR BUILT	U	36	36	35	40	37	30	30	30	U
YEAR IMPROVED	R	56	55	40	40	37	36	56	56	R
SURFACE WIDTH	B	20	20	20	20	20	20	20	24	B
ROADWAY WIDTH	A	24	25	24	24	25	24	24	24	A
SURFACE TYPE	N	RMS	RMS	RMS	RMS	RMS	BST	RMS	RMS	N
ADT		590	576	600	618	642	802	1030	1140	
OHV		76	74	78	80	83	104	133	148	
SERVICE VOLUME		126	315	392	357	185	126	374	371	
FOUNDATION - 10		0	0	0	0	0	0	0	0	
SURFACE - 30		12	9	10	10	16	13	10	12	
DRAINAGE - 10		8	6	7	7	6	6	10	7	
SAFETY - 20		1	2	4	3	3	1	1	2	
CAPACITY - 30		21	26	27	27	23	18	25	24	
SUFFICIENCY RATING		42	43	48	47	48	38	46	45	
ADJUSTED RATING		45	46	51	50	51	39	45	43	
DEFICIENT MILEAGE		4.40	7.49	3.74	3.92	4.80	1.08	.22	3.01	

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
OHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	6.7
YEAR BUILT	36	33
YEAR IMPROVED	36	55
SURFACE WIDTH	22	20
ROADWAY WIDTH	25	24
SURFACE TYPE	BST	RMS
ADT	1213	450
OHV	157	58
SERVICE VOLUME	420	237
FOUNDATION - 10	0	0
SURFACE - 30	15	15
DRAINAGE - 10	10	5
SAFETY - 20	1	1
CAPACITY - 30	24	26
SUFFICIENCY RATING	50	47
ADJUSTED RATING	48	52
DEFICIENT MILEAGE	.38	3.58

FAP ROUTE NO 25 & 26
SHEET 1 OF 1

BEGINNING MILE POST	10.0	10.3	17.2	12.0	22.5	29.1	34.6	35.7	44.4	54.7	66.0	71.3	73.3	79.1	BEGINNING MILE POST
LENGTH	0.3	6.9	4.8	10.4	6.6	5.5	1.1	8.6	10.2	11.2	5.3	2.0	5.7	1.8	LENGTH
YEAR BUILT	U	50	50	50	48	48	U	57	58	65	65	65	65	U	YEAR BUILT
YEAR IMPROVED	R	50	50	50	48	48	R	60	58	65	65	65	65	R	YEAR IMPROVED
SURFACE WIDTH	B	22	22	22	25	25	B	28	30	28	28	28	28	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	24	25	25	A	28	30	28	28	28	28	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	BST	BST	N	RMS	BST	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		322	294	278	371	644		702	423	348	460	512	533		ADT
DHV		41	38	36	48	83		91	54	45	59	66	69		DHV
SERVICE VOLUME		377	220	220	237	393		289	333	522	504	312	480		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0		0	0	7	8	9	8		FOUNDATION - 10
SURFACE - 30		15	14	11	11	10		13	11	22	24	26	25		SURFACE - 30
DRAINAGE - 10		10	10	10	9	9		10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20		4	1	1	2	2		12	9	10	5	2	8		SAFETY - 20
CAPACITY - 30		28	27	28	27	27		25	28	29	28	27	28		CAPACITY - 30
SUFFICIENCY RATING		57	52	50	49	48		60	58	78	75	74	79		SUFFICIENCY RATING
ADJUSTED RATING		64	60	59	56	51		62	63	83	79	77	81		ADJUSTED RATING
DEFICIENT MILEAGE		2.96	2.31	5.22	3.37	2.86		3.45	4.30	2.47	1.32	.54	1.20		DEFICIENT MILEAGE

FAP ROUTE 27
SHEET 1 OF 1



BEGINNING MILE POST	0.0	8.7
LENGTH	8.7	0.0
YEAR BUILT	36	0
YEAR IMPROVED	72	U
SURFACE WIDTH	22	T
ROADWAY WIDTH	22	
SURFACE TYPE	BST	0
ADT	342	F
DHV	76	
SERVICE VOLUME	253	S
FOUNDATION - 10	4	T
SURFACE - 30	18	A
DRAINAGE - 10	6	T
SAFETY - 20	0	E
CAPACITY - 30	25	
SUFFICIENCY RATING	53	
ADJUSTED RATING	60	
DEFICIENT MILEAGE	4.09	

45.0	47.3	53.7	60.0	64.2	68.3	68.5	68.6	70.3	82.0	90.9	95.3	96.6	101.1	BEGINNING MILE POST
2.3	6.4	6.2	4.2	4.1	0.2	0.1	1.5	11.7	8.9	4.4	1.0	4.6	0.5	LENGTH
65	65	65	69	34	U	34	U	21	36	74	U	74	68	YEAR BUILT
65	65	65	69	57	R	59	R	54	36	74	R	74	68	YEAR IMPROVED
28	28	28	34	22	B	20	B	22	21	40	B	44	40	SURFACE WIDTH
28	28	28	34	22	A	22	A	24	24	40	A	44	40	ROADWAY WIDTH
PMS	PMS	PMS	PMS	PMS	N	PMS	N	PMS	PMS	PMS	N	PMS	PMS	SURFACE TYPE
391	424	472	553	782		1404		1175	1167	1340		1626	1937	ADT
87	95	106	124	175		315		235	233	268		325	387	DHV
408	394	591	522	591		528		544	486	309		344	309	SERVICE VOLUME
8	7	7	8	0		0		0	0	10		9	7	FOUNDATION - 10
21	20	21	25	6		10		11	13	30		28	24	SURFACE - 30
10	10	10	10	8		8		8	8	10		10	10	DRAINAGE - 10
1	0	1	20	1		20		5	4	10		3	12	SAFETY - 20
27	26	27	26	26		21		24	23	17		16	11	CAPACITY - 30
67	63	66	89	41		59		48	48	77		66	64	SUFFICIENCY RATING
72	68	70	90	42		56		46	46	75		62	59	ADJUSTED RATING
.76	2.37	2.13	.46	2.44		.04		6.09	4.64	1.01		1.59	-.21	DEFICIENT MILEAGE

FAP ROUTE NO 28
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.2	5.6	10.7	13.0	14.8	19.9	25.1	33.0	34.1	42.2	43.2	49.9	57.2	58.3	59.8	66.0	67.9	68.8	75.0	77.8	80.1	83.4	BEGINNING MILE POST
LENGTH	0.2	5.4	5.0	2.3	1.7	5.1	5.2	7.9	1.1	8.0	1.0	6.6	7.3	1.1	1.4	5.7	2.0	0.8	6.1	2.8	2.3	3.2	2.9	LENGTH
YEAR BUILT	U	50	51	56	U	45	42	40	U	39	U	39	36	36	36	36	31	51	31	34	28	28	U	YEAR BUILT
YEAR IMPROVED	R	50	51	56	R	45	42	40	P	39	R	39	36	63	63	36	40	51	62	62	60	71	R	YEAR IMPROVED
SURFACE WIDTH	B	24	28	28	B	20	20	20	B	22	B	20	22	22	22	22	24	34	22	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	32	28	A	24	24	24	A	24	A	24	24	24	24	24	31	34	26	30	30	30	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	PMS	N	RMS	RMS	RMS	N	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
AOT		684	550	597		872	865	782		917		1139	1034	332	332	334	386	392	411	522	690	1211		AOT
OHV		143	115	125		183	181	164		192		170	155	49	49	50	50	50	53	67	89	157		OHV
SERVICE VOLUME		420	243	194		315	390	435		518		420	225	390	540	567	248	243	296	302	627	876		SERVICE VOLUME
FOUNDATION - 10		5	5	5		4	0	0		0		0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30		18	18	17		18	13	12		11		12	14	10	10	10	13	13	8	14	14	9		SURFACE - 30
DRAINAGE - 10		7	8	10		5	8	8		8		5	6	4	5	5	10	10	7	7	7	8		DRAINAGE - 10
SAFETY - 20		2	5	20		3	4	7		6		19	1	0	1	1	1	4	2	0	1	1		SAFETY - 20
CAPACITY - 30		25	23	20		21	23	24		24		24	20	28	29	29	27	27	27	27	28	27		CAPACITY - 30
SUFFICIENCY RATING		57	59	72		51	48	51		49		60	41	42	45	45	51	54	44	48	50	45		SUFFICIENCY RATING
ADJUSTED RATING		59	63	74		51	48	52		49		58	40	49	52	52	57	60	50	52	52	43		ADJUSTED RATING
DEFICIENT MILEAGE		2.33	2.06	.65		2.50	2.73	3.88		4.09		2.65	4.33	.66	.81	3.18	.98	.40	3.44	1.46	1.16	1.80		DEFICIENT MILEAGE

FAP ROUTE NO 29
SHEET 1 OF 1

BEGINNING MILE POST	0.0	10.1	20.6	23.3	BEGINNING MILE POST
LENGTH	10.1	10.4	2.7	0.8	LENGTH
YEAR BUILT	38	40	40	U	YEAR BUILT
YEAR IMPROVED	40	40	40	R	YEAR IMPROVED
SURFACE WIDTH	20	20	20	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	SURFACE TYPE
AOT	379	285	404		AOT
OHV	53	39	56		OHV
SERVICE VOLUME	255	255	277		SERVICE VOLUME
FOUNDATION - 10	0	0	0		FOUNDATION - 10
SURFACE - 30	11	14	13		SURFACE - 30
DRAINAGE - 10	7	8	8		DRAINAGE - 10
SAFETY - 20	3	2	1		SAFETY - 20
CAPACITY - 30	27	28	27		CAPACITY - 30
SUFFICIENCY RATING	48	52	49		SUFFICIENCY RATING
ADJUSTED RATING	54	60	55		ADJUSTED RATING
DEFICIENT MILEAGE	5.27	5.03	1.40		DEFICIENT MILEAGE

FAP ROUTE NO 30

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.4	2.0	16.9	25.6	32.4	39.3	50.3	50.8	BEGINNING MILE POST
LENGTH	1.4	0.6	14.8	8.6	6.8	6.8	11.0	0.4	10.0	LENGTH
YEAR BUILT	62	62	65	64	55	54	52	U	57	YEAR BUILT
YEAR IMPROVED	62	62	65	64	55	54	71	R	66	YEAR IMPROVED
SURFACE WIDTH	28	32	32	30	24	24	24	B	28	SURFACE WIDTH
ROADWAY WIDTH	28	32	32	30	24	24	24	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	RMS	M	PMS	SURFACE TYPE
AOT	569	1518	1193	373	365	343	306		75	AOT
OHV	85	229	180	56	55	51	46		11	OHV
SERVICE VOLUME	396	722	662	414	353	301	332		448	SERVICE VOLUME
FOUNDATION - 10	2	T	5	5	6	4	8		7	FOUNDATION - 10
SURFACE - 30	14	23	18	18	17	17	26		21	SURFACE - 30
DRAINAGE - 10	9	10	10	10	9	10	10		8	DRAINAGE - 10
SAFETY - 20	2	20	15	T	14	T	1		10	SAFETY - 20
CAPACITY - 30	27	25	26	28	28	27	28		30	CAPACITY - 30
SUFFICIENCY RATING	54	85	74	68	72	65	73		76	SUFFICIENCY RATING
ADJUSTED RATING	57	83	72	74	77	71	79		89	ADJUSTED RATING
DEFICIENT MILEAGE	.66	.09	3.86	2.77	1.91	2.39	2.99		2.40	DEFICIENT MILEAGE

FAP ROUTE NO 31

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.7	7.5	14.1	23.4	28.1	35.2	39.8	44.4	48.1	50.7	51.7	60.9	BEGINNING MILE POST
LENGTH	3.7	3.7	6.6	9.2	4.7	7.0	4.6	4.5	3.7	2.5	0.9	9.1	4.8	LENGTH
YEAR BUILT	33	33	33	33	33	33	33	33	33	33	U	58	45	YEAR BUILT
YEAR IMPROVED	45	45	45	45	45	45	45	45	45	45	R	68	68	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	20	20	20	20	20	20	B	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	24	24	24	24	24	A	26	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	PMS	RMS	RMS	RMS	RMS	N	PMS	RMS	SURFACE TYPE
ADT	297	396	335	279	242	244	269	295	321	411		176	70	ADT
DHV	41	55	46	39	33	34	37	41	44	57		24	9	DHV
SERVICE VOLUME	584	421	387	220	239	387	201	220	421	220		520	384	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0		8	4	FOUNDATION - 10
SURFACE - 30	9	12	10	17	14	10	13	11	12	12		23	17	SURFACE - 30
DRAINAGE - 10	10	9	9	7	8	7	8	5	8	8		10	10	DRAINAGE - 10
SAFETY - 20	5	3	1	1	1	2	2	1	5	1		2	2	SAFETY - 20
CAPACITY - 30	29	28	28	27	28	29	27	27	28	26		29	30	CAPACITY - 30
SUFFICIENCY RATING	53	52	48	52	51	48	50	44	53	47		72	63	SUFFICIENCY RATING
ADJUSTED RATING	61	58	55	61	61	58	59	52	61	53		82	80	ADJUSTED RATING
DEFICIENT MILEAGE	1.76	1.80	3.44	4.45	2.33	3.66	2.33	2.57	1.74	1.37		2.57	1.80	DEFICIENT MILEAGE

FAP ROUTE NO 32

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	1.2	9.5	14.0	17.6	30.0	42.8	53.8	54.5	64.9
LENGTH	0.6	0.5	8.3	4.4	3.6	12.3	12.7	11.1	0.6	10.3	1.9
YEAR BUILT	U	59	42	67	74	74	74	74	71	71	40
YEAR IMPROVED	R	59	50	67	74	74	74	74	71	71	40
SURFACE WIDTH	B	26	28	34	34	34	34	34	34	34	20
ROADWAY WIDTH	A	37	28	34	34	34	34	34	34	34	24
SURFACE TYPE	N	BST	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS
ADT		3302	1460	832	516	279	160	161	218	449	632
DHV		429	189	108	67	36	20	20	28	58	82
SERVICE VOLUME		391	349	688	365	307	266	243	138	365	448
FOUNDATION - 10		5	2	9	10	10	10	10	10	9	0
SURFACE - 30		16	14	26	28	30	30	30	30	27	9
DRAINAGE - 10		10	8	10	10	10	10	10	10	10	8
SAFETY - 20		1	3	3	2	2	2	1	1	1	20
CAPACITY - 30		14	22	28	27	28	29	29	27	26	27
SUFFICIENCY RATING		46	49	76	77	80	81	80	78	75	64
ADJUSTED RATING		37	46	76	80	85	89	88	85	79	66
DEFICIENT MILEAGE		.30	4.24	1.06	.83	2.47	2.42	2.23	.14	2.59	.71

BEGINNING MILE POST	0.0	7.0
LENGTH	7.0	8.6
YEAR BUILT	51	51
YEAR IMPROVED	60	60
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	PMS
ADT	533	250
DHV	74	35
SERVICE VOLUME	353	353
FOUNDATION - 10	8	8
SUFFACE - 30	21	21
DRAINAGE - 10	9	8
SAFETY - 20	3	1
CAPACITY - 30	27	29
SUFFICIENCY RATING	68	67
ADJUSTED RATING	71	75
DEFICIENT MILEAGE	2.24	2.83

FAP ROUTE NO 33 & 34

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.3	7.6	11.4	12.9	16.0	BEGINNING MILE POST
LENGTH	3.3	4.2	3.8	1.4	3.1	5.3	LENGTH
YEAR BUILT	60	72	65	63	65	68	YEAR BUILT
YEAR IMPROVED	60	72	69	69	69	69	YEAR IMPROVED
SURFACE WIDTH	24	30	30	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	24	30	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	603	492	431	431	434	513	ADT
DHV	99	81	71	71	71	84	DHV
SERVICE VOLUME	338	512	463	488	622	414	SERVICE VOLUME
FOUNDATION - 10	3	8	10	10	10	10	FOUNDATION - 10
SURFACE - 30	15	25	27	28	28	28	SURFACE - 30
DRAINAGE - 10	7	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	2	5	3	3	2	5	SAFETY - 20
CAPACITY - 30	26	28	28	28	28	27	CAPACITY - 30
SUFFICIENCY RATING	53	76	78	79	78	80	SUFFICIENCY RATING
ADJUSTED RATING	56	79	82	82	82	83	ADJUSTED RATING
DEFICIENT MILEAGE	1.58	1.03	.83	.30	.69	1.06	DEFICIENT MILEAGE

FAP ROUTE NO 35

SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.6	7.4	13.8	16.2	18.9	26.1	32.1	31.6	36.1	40.1	BEGINNING MILE POST
LENGTH	3.6	3.8	6.4	2.3	2.7	7.1	4.9	0.5	4.4	4.1	6.5	LENGTH
YEAR BUILT	44	41	34	41	63	63	40	40	40	37	37	YEAR BUILT
YEAR IMPROVED	47	47	47	41	63	63	40	40	51	61	65	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	28	28	20	20	20	24	24	SURFACE WIDTH
ROADWAY WIDTH	28	25	24	26	28	28	25	25	26	26	26	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	PMS	PMS	BST	BST	PMS	PMS	PMS	SURFACE TYPE
AOT	582	520	454	427	652	611	402	419	412	400	456	AOT
DHV	87	18	68	64	97	91	60	62	61	60	68	DHV
SERVICE VOLUME	283	206	115	138	599	680	610	350	353	965	403	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	5	6	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	13	12	12	20	18	9	13	11	10	13	SURFACE - 30
DRAINAGE - 10	7	6	6	6	10	10	7	7	6	7	7	DRAINAGE - 10
SAFETY - 20	4	3	1	8	11	12	5	1	5	20	8	SAFETY - 20
CAPACITY - 30	25	24	21	23	28	28	29	27	27	29	27	CAPACITY - 30
SUFFICIENCY RATING	45	46	40	49	74	74	50	48	49	66	55	SUFFICIENCY RATING
ADJUSTED RATING	48	50	45	55	76	76	56	54	55	71	60	ADJUSTED RATING
DEFICIENT MILEAGE	2.01	2.05	3.84	1.21	.71	1.86	2.49	.26	2.26	1.39	2.93	DEFICIENT MILEAGE

FAP ROUTE 36
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.8	17.2	24.4	27.2	33.0	38.6	39.5	40.7	41.2	42.0	46.5	53.6	62.3	64.3	69.6	79.2	82.4	84.7	95.7	BEGINNING MILE POST
LENGTH	7.8	9.3	7.2	2.7	5.8	5.6	0.8	1.1	0.5	0.8	4.4	7.1	8.6	1.9	5.3	9.6	3.1	2.2	10.9	7.9	LENGTH
YEAR BUILT	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	58	60	YEAR BUILT
YEAR IMPROVED	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	65	69	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	24	40	40	48	56	48	24	24	24	24	24	28	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	40	40	48	56	48	24	24	24	28	28	28	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	866	830	879	1091	1133	1201	1228	1239	1250	1250	1038	825	893	828	677	581	547	534	543	602	ADT
DHV	116	112	118	147	152	162	165	167	168	168	140	111	120	111	91	78	73	72	73	81	DHV
SERVICE VOLUME	393	418	196	593	201	135	150	272	1416	272	237	90	258	435	289	435	252	289	435	368	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	10	10	10	10	10	10	0	3	4	4	0	6	5	5	6	8	FOUNDATION - 10
SURFACE - 30	9	12	12	10	30	30	30	30	30	30	12	15	17	16	15	17	20	20	20	27	SURFACE - 30
DRAINAGE - 10	8	8	8	10	10	10	10	10	10	10	9	8	9	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	5	2	16	7	17	14	9	11	20	20	6	1	3	3	20	11	7	4	20	5	SAFETY - 20
CAPACITY - 30	26	26	21	26	19	12	14	21	28	21	21	12	23	26	25	27	26	26	27	27	CAPACITY - 30
SUFFICIENCY RATING	48	48	57	53	86	76	73	82	98	91	68	39	56	59	70	71	68	65	83	77	SUFFICIENCY RATING
ADJUSTED RATING	48	49	57	52	85	74	71	80	97	90	67	40	56	60	72	74	71	69	85	79	ADJUSTED RATING
DEFICIENT MILEAGE	4.08	4.85	3.13	1.27	.81	1.34	.23	.20	.01	.07	2.32	4.33	3.82	.80	1.59	2.80	1.02	.79	1.86	1.81	DEFICIENT MILEAGE

FAP ROUTE NO 37
SHEET 1 OF 1

BEGINNING MILE POST	0.0	4.1	6.4	7.3	7.7	8.0	8.6
LENGTH	4.1	2.2	0.9	0.3	0.3	0.5	0.2
YEAR BUILT	75	34	U	37	U	37	71
YEAR IMPROVED	75	53	R	55	N	55	71
SURFACE WIDTH	44	24	B	22	D C	22	44
ROADWAY WIDTH	44	24	A	24	E D	24	44
SURFACE TYPE	RMS	RMS	N	RMS	P N	RMS	RMS
ADT	3031	5021		3329	S	3329	3329
DHV	421	702		466	T	466	466
SERVICE VOLUME	191	759		216	R	249	705
FOUNDATION - 10	10	0		0	U	0	7
SURFACE - 30	30	8		11	C	11	18
DRAINAGE - 10	10	8		7	T	6	10
SAFETY - 20	4	2		20	I	6	20
CAPACITY - 30	0	16		0	D	2	20
SUFFICIENCY RATING	54	34		38	N	25	75
ADJUSTED RATING	45	23		29		18	68
DEFICIENT MILEAGE	1.90	1.50		.23		.43	.06

BEGINNING MILE POST	0.0	4.2	13.2	21.4	22.7	26.0	31.7	36.5	42.6	51.1
LENGTH	4.2	9.0	8.1	1.3	3.3	5.6	4.8	5.8	8.7	0.1
YEAR BUILT	64	64	58	49	49	49	49	53	51	67
YEAR IMPROVED	64	64	67	67	67	70	70	67	67	67
SURFACE WIDTH	24	24	24	24	24	24	24	24	24	28
ROADWAY WIDTH	24	24	24	24	24	24	24	24	24	28
SURFACE TYPE	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS
ADT	359	336	380	676	1378	1058	1002	1048	1068	1077
DHV	53	50	57	101	206	158	150	157	160	161
SERVICE VOLUME	431	327	301	218	249	301	275	468	335	318
FOUNDATION - 10	4	0	5	5	5	4	0	0	0	10
SURFACE - 30	17	13	23	17	17	18	13	10	10	26
DRAINAGE - 10	7	6	10	8	8	6	5	8	5	10
SAFETY - 20	0	5	5	1	1	1	1	1	1	20
CAPACITY - 30	28	28	27	23	18	22	22	25	23	22
SUFFICIENCY RATING	56	54	70	54	49	51	41	44	39	88
ADJUSTED RATING	63	61	75	56	46	50	40	43	38	87
DEFICIENT MILEAGE	1.86	4.16	2.43	.61	1.68	2.76	2.84	3.27	5.32	.01

FAP ROUTE 38 & 39

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1	0.1
LENGTH	0.1	0.1	0.2
YEAR BUILT	72	U	72
YEAR IMPROVED	72	R	72
SURFACE WIDTH	40	B	40
ROADWAY WIDTH	40	A	40
SURFACE TYPE	PMS	N	PMS
AOT	1308		1308
OHV			
SERVICE VOLUME	289		528
FOUNDATION - 10	9		9
SURFACE - 30	27		27
DRAINAGE - 10	10		10
SAFETY - 20	20		20
CAPACITY - 30	30		30
SUFFICIENCY RATING	96		96
ADJUSTED RATING	95		95
DEFICIENT MILEAGE	.00		.01

BEGINNING MILE POST	0.0	6.3	11.7	16.8	19.8	27.4	BEGINNING MILE POST
LENGTH	6.3	5.4	5.1	2.9	7.6	5.0	LENGTH
YEAR BUILT	61	62	U	70	65	57	YEAR BUILT
YEAR IMPROVED	61	62	N	70	65	72	YEAR IMPROVED
SURFACE WIDTH	28	28	D C	30	30	24	SURFACE WIDTH
ROADWAY WIDTH	28	28	E O	30	30	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	R N	PMS	BST	PMS	SURFACE TYPE
AOT	245	181	S	158	156	213	AOT
OHV	41	30	T	26	26	35	OHV
SERVICE VOLUME	276	315	R	235	255	237	SERVICE VOLUME
FOUNDATION - 10	0	0	U	5	5	6	FOUNDATION - 10
SURFACE - 30	12	8	C	16	15	20	SURFACE - 30
DRAINAGE - 10	10	10	T	10	10	10	DRAINAGE - 10
SAFETY - 20	4	6	I	2	5	6	SAFETY - 20
CAPACITY - 30	28	29	O	28	28	28	CAPACITY - 30
SUFFICIENCY RATING	54	55	N	61	63	70	SUFFICIENCY RATING
ADJUSTED RATING	64	67		73	75	79	ADJUSTED RATING
DEFICIENT MILEAGE	2.92	2.43		1.15	2.83	1.50	DEFICIENT MILEAGE

FAP ROUTE NO 40 & 41

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.9	8.2	19.7	31.7	37.2	46.0	52.2	56.2	59.1	70.5	73.2	75.4	BEGINNING MILE POST
LENGTH	1.9	6.3	11.4	12.0	5.4	8.7	6.1	4.0	2.8	11.3	2.7	2.1	0.7	LENGTH
YEAR BUILT	60	60	63	62	56	57	57	36	36	34	34	34	U	YEAR BUILT
YEAR IMPROVED	64	64	64	71	64	64	64	66	66	34	34	58	R	YEAR IMPROVED
SURFACE WIDTH	24	24	24	30	24	24	24	28	30	22	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	40	40	42	30	34	32	32	28	36	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	PMS	BST	BST	BST	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
AOT	137	131	116	113	109	102	143	172	256	573	861	1655		AOT
OHV	21	20	18	18	17	16	22	27	40	91	137	264		OHV
SERVICE VOLUME	976	642	705	439	428	705	724	501	688	324	442	367		SERVICE VOLUME
FOUNDATION - 10	0	0	0	4	0	0	0	6	9	0	0	0		FOUNDATION - 10
SURFACE - 30	8	6	6	24	13	10	8	24	27	14	11	13		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	7	9	9		DRAINAGE - 10
SAFETY - 20	20	20	15	16	16	20	10	5	8	1	3	2		SAFETY - 20
CAPACITY - 30	30	30	30	29	29	30	30	29	29	26	25	19		CAPACITY - 30
SUFFICIENCY RATING	68	66	61	83	68	70	56	74	83	48	48	43		SUFFICIENCY RATING
ADJUSTED RATING	80	79	75	91	81	83	71	83	88	51	48	39		ADJUSTED RATING
DEFICIENT MILEAGE	.63	2.14	4.45	2.04	1.74	2.63	2.59	1.05	.49	5.89	1.41	1.23		DEFICIENT MILEAGE

FAP ROUTE NO 42
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	3.0	9.4	14.8	25.2	29.0	35.2	BEGINNING MILE POST
LENGTH	0.6	2.4	6.4	5.3	10.4	3.7	6.2	7.5	LENGTH
YEAR BUILT	U	U	50	50	63	63	63	62	YEAR BUILT
YEAR IMPROVED	R	N	50	50	63	63	63	62	YEAR IMPROVED
SURFACE WIDTH	B	O C	24	24	28	28	28	30	SURFACE WIDTH
ROADWAY WIDTH	A	E O	28	28	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	N	R N	RMS	RMS	PMS	PMS	PMS	PMS	SURFACE TYPE
AOT		S	4246	834	297	260	310	255	AOT
OHV		T	161	108	38	33	40	33	OHV
SERVICE VOLUME		R	371	318	414	442	600	600	SERVICE VOLUME
FOUNDATION - 10		U	0	2	3	5	5	3	FOUNDATION - 10
SURFACE - 30		C	14	14	18	20	16	16	SURFACE - 30
DRAINAGE - 10		T	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		I	4	9	8	20	6	6	SAFETY - 20
CAPACITY - 30		O	23	25	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		N	51	60	68	84	66	64	SUFFICIENCY RATING
ADJUSTED RATING			49	61	75	89	73	73	ADJUSTED RATING
DEFICIENT MILEAGE			3.47	2.13	3.34	.59	2.11	2.72	DEFICIENT MILEAGE

FAP ROUTE NO 43
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.7	13.1	14.2	21.9	27.8	BEGINNING MILE POST
LENGTH	2.7	10.4	1.1	7.6	5.9	0.5	LENGTH
YEAR BUILT	54	54	U	48	48	72	YEAR BUILT
YEAR IMPROVED	54	54	R	48	48	72	YEAR IMPROVED
SURFACE WIDTH	24	24	B	20	20	34	SURFACE WIDTH
ROADWAY WIDTH	24	24	A	20	20	34	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	N	RMS	RMS	PMS	SURFACE TYPE
ADT	325	392		776	671	553	ADT
DHV	46	55		110	95	78	DHV
SERVICE VOLUME	534	530		585	374	720	SERVICE VOLUME
FOUNDATION - 10	0	2		0	0	10	FOUNDATION - 10
SURFACE - 30	14	15		7	6	30	SURFACE - 30
DRAINAGE - 10	7	7		6	6	10	DRAINAGE - 10
SAFETY - 20	20	1		5	3	10	SAFETY - 20
CAPACITY - 30	29	28		27	26	28	CAPACITY - 30
SUFFICIENCY RATING	70	53		45	41	88	SUFFICIENCY RATING
ADJUSTED RATING	76	59		46	43	89	ADJUSTED RATING
DEFICIENT MILEAGE	.82	4.69		4.21	3.48	.06	DEFICIENT MILEAGE

FAP ROUTE NO 44

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.3	8.0	15.7	22.7	23.8	28.2	33.3	37.8	43.8
LENGTH	0.5	6.7	0.6	7.7	7.0	1.0	4.4	5.0	4.5	5.9	0.1
YEAR BUILT	U	35	69	42	48	69	46	46	35	70	U
YEAR IMPROVED	R	56	69	42	48	69	56	55	39	70	P
SURFACE WIDTH	B	22	30	20	24	30	24	24	20	32	B
ROADWAY WIDTH	A	24	30	24	31	30	26	26	24	32	E
SURFACE TYPE	N	RMS	RMS	RMS	BST	RMS	RMS	RMS	RMS	PMS	N
ADT		831	447	407	324	287	271	335	431	434	
DHV		82	58	52	42	37	35	43	56	56	
SERVICE VOLUME		380	549	448	414	329	561	398	431	672	
FOUNDATION - 10		0	8	0	0	10	0	0	0	6	
SURFACE - 30		8	25	9	11	26	9	11	12	23	
DRAINAGE - 10		5	10	4	9	10	9	10	7	10	
SAFETY - 20		3	20	1	1	20	3	4	2	20	
CAPACITY - 30		27	28	28	28	28	29	28	28	25	
SUFFICIENCY RATING		43	91	42	49	94	50	53	49	90	
ADJUSTED RATING		46	92	48	57	96	59	60	54	92	
DEFICIENT MILEAGE		3.86	.06	4.49	3.59	.06	2.21	2.38	2.31	.59	

FAP ROUTE NO 45

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1	1.1	4.1	7.7	16.9	26.3	31.6	36.8	41.8	51.3	51.3	56.9	58.0	58.8	64.9	65.2	73.6	75.0	76.4	77.1
LENGTH	0.1	1.0	2.9	3.6	9.3	9.2	5.2	5.2	4.9	9.3	0.1	5.5	1.0	0.8	6.0	0.3	8.2	1.3	1.4	0.4	0.7
YEAR BUILT	60	0	60	60	60	62	65	65	65	61	61	61	61	61	61	70	61	68	68	34	76
YEAR IMPROVED	63	0	63	63	63	62	65	65	65	61	61	61	61	61	61	70	61	68	68	76	76
SURFACE WIDTH	28	1	28	28	28	30	28	26	26	26	26	26	26	30	26	44	26	34	34	32	34
ROADWAY WIDTH	28		28	28	28	30	28	26	26	26	28	28	28	33	28	44	28	34	34	32	34
SURFACE TYPE	PMS	0	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT	256	F	260	268	278	280	313	281	275	265	221	230	200	205	252	298	376	395	409	425	430
DHV	38		39	40	41	43	46	42	41	39	33	34	30	30	37	44	56	59	61	63	64
SERVICE VOLUME	498	5	154	501	448	655	569	595	440	401	501	413	427	535	371	522	382	515	529	737	381
FOUNDATION - 10	10	1	7	7	9	7	8	8	7	6	7	4	5	6	4	8	3	8	9	5	10
SURFACE - 30	28	4	21	19	26	21	19	20	21	17	18	14	16	18	16	21	14	27	28	17	30
DRAINAGE - 10	10	1	10	10	10	10	10	10	10	9	10	10	10	10	8	10	6	10	10	10	10
SAFETY - 20	0	E	1	20	7	20	4	11	17	2	20	3	2	2	3	1	1	4	2	3	8
CAPACITY - 30	29		26	29	29	29	29	29	29	29	29	29	29	29	29	29	28	28	28	29	27
SUFFICIENCY RATING	77		65	85	81	87	70	78	84	63	84	60	62	65	60	69	52	77	77	64	85
ADJUSTED RATING	83		73	89	86	91	76	84	88	71	89	70	72	75	69	76	58	81	81	69	88
DEFICIENT MILEAGE	.02		1.03	.55	1.78	1.19	1.57	1.16	.79	3.46	.01	2.23	.40	.29	2.42	.12	3.95	.30	.32	.17	.11

BEGINNING MILE POST	0.0
LENGTH	5.9
YEAR BUILT	49
YEAR IMPROVED	49
SURFACE WIDTH	20
ROADWAY WIDTH	26
SURFACE TYPE	PMS
ADT	1399
DHV	195
SERVICE VOLUME	535
FOUNDATION - 10	2
SURFACE - 30	15
DRAINAGE - 10	8
SAFETY - 20	11
CAPACITY - 30	25
SUFFICIENCY RATING	61
ADJUSTED RATING	56
DEFICIENT MILEAGE	2.33

FAP ROUTE NO 46 & 47

SHEET 1 OF 1



BEGINNING MILE POST	0.2	0.0	2.5	1.0	1.3	6.7	11.6	18.3	22.7	26.4	29.5
LENGTH	0.8	0.2	0.1	0.2	5.4	4.8	6.6	4.3	3.6	3.1	0.3
YEAR BUILT	76	71	70	70	41	45	54	63	63	63	74
YEAR IMPROVED	76	71	70	70	63	45	54	63	63	63	74
SURFACE WIDTH	44	40	40	40	21	20	24	28	28	28	34
ROADWAY WIDTH	44	40	40	40	24	24	24	28	28	28	34
SURFACE TYPE	PMS	PMS	PMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT	2784	2734	2745	1852	1331	551	376	375	370	374	389
DHV	361	361	384	259	186	77	52	52	51	52	54
SERVICE VOLUME	937	589	340	134	421	377	494	353	332	579	396
FOUNDATION - 10	10	9	7	7	3	3	4	9	9	10	10
SURFACE - 30	30	28	21	23	17	17	18	27	27	27	30
DRAINAGE - 10	10	10	10	10	8	8	10	10	10	10	10
SAFETY - 20	20	20	20	1	10	20	9	5	20	20	3
CAPACITY - 30	24	21	13	1	23	27	28	28	28	29	28
SUFFICIENCY RATING	94	86	71	42	61	76	69	79	94	96	81
ADJUSTED RATING	92	84	64	37	58	79	74	83	95	97	85
DEFICIENT MILEAGE [1]	.05	.03	.05	.16	2.12	1.16	2.06	.52	.22	.12	.05



BEGINNING MILE POST	0.0	0.1	0.2	3.0	6.8	13.6	16.1	26.8
LENGTH	0.1	0.1	2.4	3.7	6.8	2.4	10.6	0.7
YEAR BUILT	46	U	46	46	59	59	53	U
YEAR IMPROVED	74	R	62	62	59	59	53	R
SURFACE WIDTH	40	B	24	24	24	24	24	B
ROADWAY WIDTH	40	A	26	26	24	24	28	A
SURFACE TYPE	RMS	N	RMS	RMS	PMS	PMS	RMS	N
ADT	1239		1211	1141	1010	1002	1031	
DHV	101		157	148	131	130	134	
SERVICE VOLUME	846		567	319	269	377	629	
FOUNDATION - 10	4		3	0	2	0	2	
SURFACE - 30	17		18	11	17	16	15	
DRAINAGE - 10	6		7	6	10	8	8	
SAFETY - 20	1		4	2	4	20	20	
CAPACITY - 30	27		26	23	22	25	27	
SUFFICIENCY RATING	55		58	44	45	69	72	
ADJUSTED RATING	53		56	42	54	68	71	
DEFICIENT MILEAGE	.04		1.01	2.12	3.09	.77	2.98	

FAP ROUTE NO 48 & 49
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.3	8.3	8.5	10.4	15.0	16.6	31.1	40.1	47.9	60.8	70.1	76.4	80.0	81.9	87.0	BEGINNING MILE POST
LENGTH	0.5	7.1	1.0	0.1	1.9	4.3	1.6	14.5	8.9	7.8	12.9	9.3	6.2	3.5	1.8	5.2	3.5	LENGTH
YEAR BUILT	U	68	64	64	62	63	63	63	60	60	55	67	58	64	64	60	U	YEAR BUILT
YEAR IMPROVED	R	68	64	64	72	63	63	63	60	60	55	67	60	64	64	60	R	YEAR IMPROVED
SURFACE WIDTH	B	40	34	52	32	32	32	32	28	28	28	28	32	32	32	36	B	SURFACE WIDTH
ROADWAY WIDTH	A	40	34	52	32	32	32	32	28	28	28	28	32	32	32	36	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		1565	1398	1121	1007	866	865	865	968	1161	1621	1940	2042	2490	2959	4638		ADT
DHV		344	307	175	158	135	135	135	151	182	254	304	357	473	500	695		DHV
SERVICE VOLUME		266	666	320	220	485	220	648	495	495	348	249	696	720	264	283		SERVICE VOLUME
FOUNDATION - 10		8	8	9	9	7	6	5	7	7	5	9	9	8	8	8		FOUNDATION - 10
SURFACE - 30		25	24	26	25	19	17	16	21	22	19	28	25	26	26	26		SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	10	9	9	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20		20	20	1	1	20	20	20	4	5	2	1	13	18	5	6		SAFETY - 20
CAPACITY - 30		11	23	22	19	26	21	27	25	24	19	12	22	20	2	0		CAPACITY - 30
SUFFICIENCY RATING		74	85	68	64	82	74	78	67	68	54	60	79	82	51	50		SUFFICIENCY RATING
ADJUSTED RATING		71	83	67	63	82	74	78	67	66	50	55	75	78	42	38		ADJUSTED RATING
DEFICIENT MILEAGE		1.85	.15	.04	.70	.78	.42	3.21	2.94	2.50	5.95	3.72	1.31	.64	.90	2.60		DEFICIENT MILEAGE

FAP ROUTE 50
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.3	8.3	9.0	18.7	27.2	27.5	32.5	38.4	49.2	59.9	BEGINNING MILE POST
LENGTH	3.3	5.0	0.7	9.6	8.4	0.3	5.0	5.8	10.7	10.6	11.1	LENGTH
YEAR BUILT	60	60	60	59	59	U	U	U	U	U	U	YEAR BUILT
YEAR IMPROVED	61	61	61	59	59	P	N	N	N	N	N	YEAR IMPROVED
SURFACE WIDTH	30	30	30	28	28	A	D C	D C	D C	D C	D C	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	28	28	A	E O	E O	E O	E O	E O	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	R N	R N	R N	P N	R N	SURFACE TYPE
ADT	366	250	180	182	191		S	S	S	S	S	ADT
DHV	51	35	25	25	26		T	T	T	T	T	DHV
SERVICE VOLUME	655	403	702	371	342		R	R	R	R	R	SERVICE VOLUME
FOUNDATION - 10	7	7	8	3	2		U	U	U	U	U	FOUNDATION - 10
SURFACE - 30	24	22	24	16	17		C	C	C	C	C	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		T	T	T	T	T	DRAINAGE - 10
SAFETY - 20	8	20	20	8	12		1	1	1	1	1	SAFETY - 20
CAPACITY - 30	29	29	29	29	29		0	0	0	0	0	CAPACITY - 30
SUFFICIENCY RATING	76	86	91	66	70		N	N	N	N	N	SUFFICIENCY RATING
ADJUSTED RATING	82	92	95	76	79							ADJUSTED RATING
DEFICIENT MILEAGE	.73	.00	.06	3.28	2.53							DEFICIENT MILEAGE

FAP ROUTE 51
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.1	10.3	18.0	23.6	26.2	28.2	30.2	32.2	33.5	33.9	41.5
LENGTH	7.1	3.2	7.6	5.5	2.6	1.9	2.0	1.9	1.3	0.3	7.6	3.9
YEAR BUILT	40	47	48	37	36	36	36	56	22	35	34	34
YEAR IMPROVED	50	47	65	65	60	59	64	56	49	57	55	55
SURFACE WIDTH	21	24	24	24	24	24	24	24	22	22	22	22
ROADWAY WIDTH	24	24	25	24	25	24	24	28	24	22	24	24
SURFACE TYPE	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS
ADT	2037	1146	1250	1475	1636	1808	1890	2233	2316	2801	1465	1655
OHV	301	169	185	218	242	267	279	330	342	414	216	244
SERVICE VOLUME	184	167	468	301	431	174	187	177	374	132	390	390
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0	0
SURFACE - 30	12	13	14	12	13	13	13	14	12	12	13	13
DRAINAGE - 10	7	6	8	7	6	5	5	10	6	5	4	4
SAFETY - 20	1	1	1	1	9	5	2	3	2	0	1	3
CAPACITY - 30	5	16	24	19	22	7	8	2	16	0	27	21
SUFFICIENCY RATING	25	36	53	39	50	30	28	29	36	17	40	41
ADJUSTED RATING	21	34	51	36	46	26	24	24	30	12	37	37
DEFICIENT MILEAGE	5.35	2.05	3.59	3.40	1.33	1.39	1.44	1.40	.86	.28	4.58	2.34

BEGINNING MILE POST	0.0	4.3	6.3	15.9	23.1	31.5	32.0	34.2	40.5	45.3	46.2	
LENGTH	7.1	2.0	9.5	7.2	8.4	0.4	2.1	6.2	4.8	0.8	0.4	
YEAR BUILT	U	00	48	48	48	U	48	48	56	U	56	
YEAR IMPROVED	R	63	48	48	48	R	48	57	56	P	56	
SURFACE WIDTH	B	32	20	20	20	B	20	22	30	B	30	
ROADWAY WIDTH	A	32	24	24	24	A	24	28	30	A	30	
SURFACE TYPE	N	PMS	RMS	RMS	RMS	N	RMS	RMS	BST	N	BST	
ADT		2951	1249	1061	1069		1045	1034	1042		1029	
OHV		383	162	137	138		135	134	135		133	
SERVICE VOLUME		565	185	372	354		220	258	355		535	
FOUNDATION - 10		4	0	0	0		0	0	0		2	
SURFACE - 30		24	13	13	11		15	14	12		13	
DRAINAGE - 10		10	8	9	7		7	8	10		10	
SAFETY - 20		7	1	12	2		1	1	20		20	
CAPACITY - 30		20	17	24	24		21	22	24		26	
SUFFICIENCY RATING		70	39	58	44		44	45	66		71	
ADJUSTED RATING		63	37	57	43		43	44	65		70	
DEFICIENT MILEAGE		.60	5.84	3.05	4.71		1.21	3.46	1.64		.12	

FAP ROUTE NO 52 & 53
SHEET 1 OF 1

BEGINNING MILE POST	0.0	9.1	17.6	23.7	BEGINNING MILE POST
LENGTH	9.1	8.7	5.9	5.5	LENGTH
YEAR BUILT	59	68	74	76	YEAR BUILT
YEAR IMPROVED	66	68	75	76	YEAR IMPROVED
SURFACE WIDTH	24	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	24	32	30	30	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	SURFACE TYPE
ADT	256	295	319	363	ADT
DHV	33	38	41	47	DHV
SERVICE VOLUME	289	470	469	453	SERVICE VOLUME
FOUNDATION - 10	0	8	10	10	FOUNDATION - 10
SURFACE - 30	11	26	30	30	SURFACE - 30
DRAINAGE - 10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	2	9	15	20	SAFETY - 20
CAPACITY - 30	28	29	29	28	CAPACITY - 30
SUFFICIENCY RATING	51	82	94	98	SUFFICIENCY RATING
ADJUSTED RATING	60	87	95	98	ADJUSTED RATING
DEFICIENT MILEAGE	4.46	1.57	.35	.11	DEFICIENT MILEAGE

FAP ROUTE NO 54
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.1	2.4	12.1	12.9	BEGINNING MILE POST
LENGTH	2.1	0.2	9.7	0.8	0.1	LENGTH
YEAR BUILT	53	53	53	U	66	YEAR BUILT
YEAR IMPROVED	53	53	53	R	66	YEAR IMPROVED
SURFACE WIDTH	24	24	24	B	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	32	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	PMS	SURFACE TYPE
ADT	700	700	1167		2238	ADT
DHV	115	115	192		369	DHV
SERVICE VOLUME	333	312	289		340	SERVICE VOLUME
FOUNDATION - 10	4	4	4		9	FOUNDATION - 10
SURFACE - 30	16	16	15		26	SURFACE - 30
DRAINAGE - 10	8	8	8		10	DRAINAGE - 10
SAFETY - 20	4	20	9		20	SAFETY - 20
CAPACITY - 30	25	24	20		14	CAPACITY - 30
SUFFICIENCY RATING	57	72	56		79	SUFFICIENCY RATING
ADJUSTED RATING	59	73	54		75	ADJUSTED RATING
DEFICIENT MILEAGE	.92	.08	4.27		.01	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	8.1	16.5	22.0	27.8
LENGTH	8.1	8.3	5.4	5.8	6.7
YEAR BUILT	57	63	63	60	56
YEAR IMPROVED	57	63	63	60	56
SURFACE WIDTH	24	28	28	24	24
ROADWAY WIDTH	24	28	28	24	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS
ADT	300	264	253	368	583
DHV	45	39	38	55	88
SERVICE VOLUME	289	280	187	285	249
FOUNDATION - 10	3	7	6	3	5
SURFACE - 30	17	18	19	17	17
DRAINAGE - 10	8	6	8	7	9
SAFETY - 20	1	2	2	2	3
CAPACITY - 30	28	26	27	27	25
SUFFICIENCY RATING	57	63	62	56	59
ADJUSTED RATING	65	71	71	63	62
DEFICIENT MILEAGE	3.51	3.09	2.08	2.57	2.77

FAP ROUTE NO 55 & 56

SHEET NO 1 OF 1

BEGINNING MILE POST	0.0	5.3	7.0	10.4	17.9	21.8	26.5	33.4	36.6	41.8	54.3	56.6	57.8	BEGINNING MILE POST
LENGTH	5.4	1.7	3.3	7.5	3.9	4.6	6.6	3.4	5.1	12.4	2.3	1.1	6.5	LENGTH
YEAR BUILT	60	61	61	64	64	36	36	37	37	36	33	55	71	YEAR BUILT
YEAR IMPROVED	60	61	61	64	64	50	50	37	37	56	71	55	71	YEAR IMPROVED
SURFACE WIDTH	32	32	32	32	32	24	24	24	24	22	22	24	32	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	32	32	25	25	30	30	24	24	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
AOT	1680	1569	1483	1394	1343	1314	1296	1377	1473	1311	1373	1401	1416	AOT
DHV	194	184	176	165	159	156	154	163	175	156	163	166	168	DHV
SERVICE VOLUME	2116	448	448	352	592	469	469	842	518	392	352	503	666	SERVICE VOLUME
FOUNDATION - 10	4	5	6	5	7	0	0	0	0	0	3	4	8	FOUNDATION - 10
SUFFACE - 30	22	21	22	18	21	13	10	9	8	13	17	14	26	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	7	6	9	9	6	7	10	10	DRAINAGE - 10
SAFETY - 20	12	10	10	13	11	16	8	6	11	5	1	8	13	SAFETY - 20
CAPACITY - 30	29	24	24	23	26	25	25	27	25	24	23	25	26	CAPACITY - 30
SUFFICIENCY RATING	77	78	72	69	75	61	49	49	53	48	51	61	83	SUFFICIENCY RATING
ADJUSTED RATING	74	75	69	66	73	58	46	46	50	45	48	58	81	ADJUSTED RATING
DEFICIENT MILEAGE	1.24	.38	.93	2.32	.99	1.83	3.37	1.75	2.42	6.46	1.14	.44	1.10	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 1 OF 4

BEGINNING MILE POST	64.4	64.9	66.9	73.5	76.9	79.2	80.8	83.1	88.2	94.3	103.2	112.9	121.7	123.1	131.0	135.5	136.5	137.6	148.6	156.7	BEGINNING MILE POST
LENGTH	0.5	2.0	6.5	3.3	2.3	1.7	2.1	5.0	6.0	8.9	9.6	8.7	1.4	7.7	4.5	0.8	1.1	11.0	7.9	1.6	LENGTH
YEAR BUILT	71	71	47	47	47	47	U	42	37	37	40	51	20	31	31	U	31	54	51	73	YEAR BUILT
YEAR IMPROVED	71	71	54	54	54	54	R	42	56	57	55	51	58	58	58	R	69	54	51	73	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	24	B	24	24	24	24	24	18	20	20	B	22	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	32	32	31	31	31	31	A	30	30	30	32	24	24	24	24	A	24	24	24	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	N	PMS	PMS	RMS	RMS	BST	RMS	RMS	RMS	N	PMS	RMS	BST	PMS	SURFACE TYPE
AOT	1461	1450	1433	1541	1582	1864		1270	1009	712	725	392	307	282	294		409	358	335	378	AOT
OHV	173	172	170	183	188	216		165	131	92	110	59	46	43	44		62	54	51	57	OHV
SERVICE VOLUME	621	672	565	384	565	780		415	133	367	599	396	414	634	406		476	442	299	648	SERVICE VOLUME
FOUNDATION - 10	10	10	6	6	7	7		4	2	0	0	0	0	0	0		0	0	0	10	FOUNDATION - 10
SURFACE - 30	30	28	20	19	20	17		18	16	15	15	13	9	10	9		11	12	11	30	SURFACE - 30
DRAINAGE - 10	10	10	9	9	9	9		10	8	9	9	9	5	4	7		10	10	8	10	DRAINAGE - 10
SAFETY - 20	10	13	19	3	4	3		8	1	1	3	1	20	4	1		6	15	1	7	SAFETY - 20
CAPACITY - 30	26	26	25	23	25	26		24	15	26	27	28	28	29	28		28	28	27	29	CAPACITY - 30
SUFFICIENCY RATING	86	87	79	60	65	62		64	42	51	54	51	62	47	45		55	65	47	86	SUFFICIENCY RATING
ADJUSTED RATING	84	85	77	56	61	57		62	41	53	56	57	69	56	53		61	71	54	89	ADJUSTED RATING
DEFICIENT MILEAGE	.07	.26	1.37	1.33	.82	.66		1.82	3.49	4.39	4.44	4.27	.55	4.12	2.50		.50	3.85	4.23	.23	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 2 OF 4

BEGINNING MILE POST	158.3	161.5	171.2	180.2	192.2	199.0	206.8	212.1	212.6	213.0	218.0	226.7	238.9	241.4	242.4	BEGINNING MILE POST
LENGTH	3.1	9.5	8.1	11.8	6.8	7.6	5.3	0.2	0.6	4.0	8.6	12.2	2.5	1.0	6.0	LENGTH
YEAR BUILT	73	68	48	73	36	36	36	37	U	37	36	37	38	68	38	YEAR BUILT
YEAR IMPROVED	73	68	52	73	53	53	57	47	F	52	49	54	54	68	54	YEAR IMPROVED
SURFACE WIDTH	30	36	22	32	24	24	22	22	B	24	24	24	24	36	24	SURFACE WIDTH
ROADWAY WIDTH	30	36	24	32	24	24	26	24	A	26	25	24	24	36	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	PMS	RMS	RMS	N	RMS	BST	RMS	RMS	PMS	RMS	SURFACE TYPE
ADT	371	292	297	329	371	339	365	990		384	319	307	326	327	332	ADT
DHV	56	44	45	50	56	51	55	151		58	48	46	49	50	50	DHV
SERVICE VOLUME	648	476	264	448	499	275	240	263		539	301	275	353	239	275	SERVICE VOLUME
FOUNDATION - 10	10	5	0	9	0	0	0	0		0	0	0	0	7	0	FOUNDATION - 10
SURFACE - 30	30	19	13	28	9	11	11	13		12	11	11	12	23	14	SURFACE - 30
DRAINAGE - 10	10	10	7	10	9	9	7	8		8	8	8	9	10	9	DRAINAGE - 10
SAFETY - 20	13	20	1	20	1	1	1	20		3	2	1	2	20	1	SAFETY - 20
CAPACITY - 30	29	29	27	28	28	27	27	21		28	28	27	28	27	27	CAPACITY - 30
SUFFICIENCY RATING	92	83	40	95	47	48	46	62		51	49	47	51	87	51	SUFFICIENCY RATING
ADJUSTED RATING	94	87	56	96	54	55	53	61		57	57	55	58	90	58	ADJUSTED RATING
DEFICIENT MILEAGE	.25	1.63	4.23	.59	3.65	3.98	2.88	.10		2.44	4.43	6.46	1.24	.13	2.98	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 3 OF 4

BEGINNING MILE POST	248.6	256.5	262.3	267.4	278.3	279.7	280.7	287.7	289.8	296.8	306.4	316.7	324.6
LENGTH	7.9	5.8	5.1	10.9	1.3	1.0	6.9	2.1	7.0	9.6	10.2	8.0	4.6
YEAR BUILT	40	40	47	41	U	66	66	64	64	76	67	61	U
YEAR IMPROVED	54	54	47	56	R	66	66	64	64	76	67	61	R
SURFACE WIDTH	24	24	24	24	B	32	32	32	32	32	40	32	B
ROADWAY WIDTH	24	24	24	25	A	32	32	32	32	32	40	32	A
SURFACE TYPE	PMS	PMS	BSI	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N
ADT	332	349	377	464		1510	737	581	588	638	746	974	
DHV	50	53	57	70		231	95	75	76	82	96	126	
SERVICE VOLUME	495	530	556	582		592	546	360	400	585	260	585	
FOUNDATION - 10	0	0	0	0		7	7	6	7	10	7	4	
SURFACE - 30	10	10	10	8		24	23	21	23	30	23	23	
DRAINAGE - 10	9	9	8	10		10	10	10	10	10	10	10	
SAFETY - 20	2	2	4	7		4	20	20	18	5	20	12	
CAPACITY - 30	28	29	28	28		24	27	27	27	28	24	27	
SUFFICIENCY RATING	49	50	50	53		69	87	84	85	83	84	76	
ADJUSTED RATING	56	57	56	58		66	87	86	86	84	85	76	
DEFICIENT MILEAGE	4.08	2.90	2.59	5.14		.31	.90	.34	1.05	1.63	1.63	1.92	

BEGINNING MILE POST	330.6	330.7	330.5	330.1	329.3
LENGTH	0.2	0.1	0.2	0.3	0.8
YEAR BUILT	69	69	48	60	U
YEAR IMPROVED	69	69	50	60	R
SURFACE WIDTH	24	32	24	72	B
ROADWAY WIDTH	24	32	34	88	A
SURFACE TYPE	PMS	PMS	PMS	PMS	N
ADT	4314	4315	4318	4323	
DHV	517	517	518	518	
SERVICE VOLUME	805	432	336	2840	
FOUNDATION - 10	9	6	6	7	
SURFACE - 30	26	26	19	18	
DRAINAGE - 10	10	10	8	10	
SAFETY - 20	20	20	20	20	
CAPACITY - 30	20	12	7	27	
SUFFICIENCY RATING	85	77	60	82	
ADJUSTED RATING	79	69	49	75	
DEFICIENT MILEAGE	.03	.03	.06	.06	

FAP ROUTE NO 57
SHEET 4 OF 4



BEGINNING MILE POST	0.0	3.3	9.7	12.0	17.3	25.5	31.5	35.6	39.8	43.6	44.4	BEGINNING MILE POST
LENGTH	3.3	6.3	2.2	5.2	8.2	6.0	4.2	4.0	3.7	0.8	5.8	LENGTH
YEAR BUILT	35	35	29	28	28	58	64	56	56	61	56	YEAR BUILT
YEAR IMPROVED	51	51	35	40	40	64	64	64	56	61	56	YEAR IMPROVED
SURFACE WIDTH	22	22	20	20	20	44	32	32	24	28	22	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	44	32	32	28	28	22	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	PMS	RMS	RMS	PMS	PMS	PMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1644	962	827	985	1086	1113	1354	1246	1133	745	486	ADT
DHV	320	187	161	192	211	217	264	242	220	145	90	DHV
SERVICE VOLUME	748	386	480	302	302	273	597	630	523	485	420	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	7	7	8	3	6	3	FOUNDATION - 10
SURFACE - 30	10	10	10	12	9	23	23	24	17	19	13	SURFACE - 30
DRAINAGE - 10	8	8	8	6	4	10	10	10	9	10	10	DRAINAGE - 10
SAFETY - 20	7	2	1	0	0	2	5	4	3	9	20	SAFETY - 20
CAPACITY - 30	24	23	25	20	20	18	23	24	24	26	27	CAPACITY - 30
SUFFICIENCY RATING	49	43	44	36	33	60	68	70	56	70	73	SUFFICIENCY RATING
ADJUSTED RATING	45	43	45	35	32	59	65	68	54	71	77	ADJUSTED RATING
DEFICIENT MILEAGE	1.71	3.62	1.25	3.37	5.50	2.40	1.36	1.20	1.66	.25	1.58	DEFICIENT MILEAGE

FAP ROUTE NO 58
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.2	4.5	14.9	15.3	15.3	15.3	20.4	29.6	38.0	40.7	45.3	49.4	BEGINNING MILE POST
LENGTH	1.7	2.2	10.2	0.4	0.1	0.11	5.0	8.9	8.3	2.7	4.6	4.1	8.0	LENGTH
YEAR BUILT	55	41	41	U	38	U	38	73	73	42	36	36	36	YEAR BUILT
YEAR IMPROVED	55	41	41	R	38	R	38	73	73	52	47	47	63	YEAR IMPROVED
SURFACE WIDTH	24	20	20	B	20	B	20	32	32	24	24	24	22	SURFACE WIDTH
ROADWAY WIDTH	36	24	24	A	24	A	24	32	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	RMS	N	RMS	PMS	PMS	RMS	PMS	RMS	RMS	SURFACE TYPE
ADT	1361	1153	827		719		623	396	243	228	219	249	328	ADT
DHV	207	172	124		107		93	59	36	34	32	37	49	DHV
SERVICE VOLUME	536	421	400		582		606	643	643	774	515	469	302	SERVICE VOLUME
FOUNDATION - 10	7	0	0		0		0	8	10	0	0	0	0	FOUNDATION - 10
SURFACE - 30	18	15	13		11		5	26	30	10	10	12	11	SURFACE - 30
DRAINAGE - 10	10	9	9		8		6	10	10	8	6	8	8	DRAINAGE - 10
SAFETY - 20	20	20	5		20		3	9	15	18	5	2	1	SAFETY - 20
CAPACITY - 30	24	24	25		27		28	29	29	29	29	29	28	CAPACITY - 30
SUFFICIENCY RATING	79	66	52		66		48	82	94	65	50	51	48	SUFFICIENCY RATING
ADJUSTED RATING	77	66	53		68		51	85	96	74	60	60	55	ADJUSTED RATING
DEFICIENT MILEAGE	.36	.73	4.91		.02		2.62	1.61	.50	.96	2.30	2.05	4.17	DEFICIENT MILEAGE

FAP ROUTE NO 59

SHEET 1 OF 1



BEGINNING MILE POST	0.0	9.5	17.0	25.3	28.7	35.8	38.9	49.4	53.6	60.3	62.1	71.0	74.5	81.4	87.3	88.3	90.3	BEGINNING MILE POST
LENGTH	9.5	7.3	8.3	3.3	7.2	3.1	10.5	4.2	6.6	1.9	9.1	3.6	6.9	5.8	0.9	2.0	5.3	LENGTH
YEAR BUILT	55	59	59	59	59	U	52	52	40	69	69	55	52	42	39	39	U	YEAR BUILT
YEAR IMPROVED	69	63	63	63	63	R	52	52	40	69	69	55	55	52	71	71	R	YEAR IMPROVED
SURFACE WIDTH	28	26	26	26	26	R	22	22	26	48	40	40	24	26	32	32	R	SURFACE WIDTH
ROADWAY WIDTH	28	26	26	26	26	A	26	26	26	48	40	40	32	31	32	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	BST	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	367	346	319	296	300		537	569	564	529	542	2141	2528	2594	3831	4037		ADT
OHV	55	51	47	44	45		80	85	87	79	81	278	328	337	498	524		OHV
SERVICE VOLUME	554	471	471	622	331		492	441	571	520	568	396	428	384	302	365		SERVICE VOLUME
FOUNDATION - 10	9	8	7	6	7		5	7	0	6	9	2	4	2	3	4		FOUNDATION - 10
SURFACE - 30	27	22	22	19	19		16	19	14	27	27	16	15	14	16	17		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		8	8	9	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	6	6	20	1	1		2	5	5	1	11	6	14	3	2	20		SAFETY - 20
CAPACITY - 30	29	28	29	29	28		28	27	28	28	28	19	19	17	5	8		CAPACITY - 30
SUFFICIENCY RATING	81	74	88	85	85		59	66	56	75	85	53	62	46	36	59		SUFFICIENCY RATING
ADJUSTED RATING	85	79	91	72	72		63	69	59	78	87	47	55	38	26	49		ADJUSTED RATING
DEFICIENT MILEAGE	1.81	1.92	.99	1.16	2.52		4.31	1.43	2.93	.48	1.37	1.69	2.64	3.18	.63	.82		DEFICIENT MILEAGE

FAP ROUTE NO 60

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	7.0	13.0	21.8	26.6	27.7	33.8	38.6	43.5	45.1	54.8	66.6	70.4	83.4	BEGINNING MILE POST
LENGTH	0.6	5.9	6.0	8.8	4.7	1.1	6.0	4.8	4.8	1.5	9.6	11.8	3.8	12.9	4.5	LENGTH
YEAR BUILT	U	50	U	35	63	63	65	52	41	62	62	61	62	59	60	YEAR BUILT
YEAR IMPROVED	R	54	N	65	63	63	65	52	67	62	62	61	62	63	60	YEAR IMPROVED
SURFACE WIDTH	B	24	D C	20	30	30	30	24	24	32	30	30	30	28	28	SURFACE WIDTH
ROADWAY WIDTH	A	30	E O	24	30	30	30	28	30	32	30	30	30	28	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	R N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1060	S	631	420	424	447	492	651	827	284	274	401	307	307	ADT
DHV		137	T	82	54	55	58	63	84	138	47	46	67	51	51	DHV
SERVICE VOLUME		384	R	277	504	333	392	333	333	500	485	510	414	629	745	SERVICE VOLUME
FOUNDATION - 10		0	U	0	7	7	7	3	0	4	0	0	3	0	0	FOUNDATION - 10
SURFACE - 30		13	C	12	21	19	21	14	13	16	12	12	16	11	9	SURFACE - 30
DRAINAGE - 10		10	T	5	10	10	10	10	9	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		6	I	1	12	1	5	5	2	16	6	20	9	18	5	SAFETY - 20
CAPACITY - 30		25	O	26	28	28	28	27	26	26	29	29	28	29	29	CAPACITY - 30
SUFFICIENCY RATING		54	N	44	78	65	71	59	50	72	57	71	66	68	53	SUFFICIENCY RATING
ADJUSTED RATING		53		47	82	70	75	63	52	72	65	78	71	75	61	ADJUSTED RATING
DEFICIENT MILEAGE		2.73		4.93	1.03	.39	1.75	2.00	2.44	.43	4.15	3.43	1.32	4.14	2.15	DEFICIENT MILEAGE

FAP ROUTE NO 61

SHEET 1 OF 2

BEGINNING MILE POST	88.0	93.5	102.3	110.3	118.1	124.4	130.3	136.7	142.0	147.3	155.5	156.9	BEGINNING MILE POST
LENGTH	5.5	8.7	8.0	7.8	6.2	5.9	6.3	5.2	5.2	8.1	1.3	0.6	LENGTH
YEAR BUILT	60	60	57	57	49	47	42	42	42	38	38	U	YEAR BUILT
YEAR IMPROVED	60	60	59	59	49	47	42	42	42	42	42	P	YEAR IMPROVED
SURFACE WIDTH	28	28	24	24	22	25	20	20	20	24	24	E	SURFACE WIDTH
ROADWAY WIDTH	28	28	29	29	22	25	24	24	24	26	26	E	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	RMS	PMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	295	213	193	193	193	194	204	222	241	513	1240		ADT
DHV	49	35	32	32	32	32	34	37	40	86	208		DHV
SERVICE VOLUME	477	902	569	401	277	353	683	711	255	398	467		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	13	10	14	15	13	14	8	10	15	12	14		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	8	8	8	9	8	8		DRAINAGE - 10
SAFETY - 20	9	13	20	8	2	3	10	20	2	0	6		SAFETY - 20
CAPACITY - 30	28	29	29	29	28	29	29	29	28	27	23		CAPACITY - 30
SUFFICIENCY RATING	60	62	73	62	50	54	55	67	54	53	51		SUFFICIENCY RATING
ADJUSTED RATING	68	72	82	73	61	65	66	76	64	57	49		ADJUSTED RATING
DEFICIENT MILEAGE	2.23	3.34	2.17	2.96	3.12	2.72	2.87	1.74	2.42	3.81	.68		DEFICIENT MILEAGE

FAP ROUTE NO 61
SHEET 2 OF 2

BEGINNING MILE POST	0.0	1.5	2.0	3.9	5.5	8.8	12.1	20.2	24.9	29.7	33.3	37.0	BEGINNING MILE POST
LENGTH	0.8	0.4	1.8	1.6	3.2	3.3	8.0	4.6	4.7	3.6	3.6	1.0	LENGTH
YEAR BUILT	U	61	33	34	37	70	40	40	40	38	37	U	YEAR BUILT
YEAR IMPROVED	R	61	57	36	41	70	45	45	49	49	49	R	YEAR IMPROVED
SURFACE WIDTH	B	36	20	20	20	34	24	24	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	36	24	24	24	34	26	26	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
AOT		726	684	654	660	661	648	720	916	1057	2382		AOT
DHV		108	102	98	99	99	97	108	137	158	357		DHV
SERVICE VOLUME		627	338	582	406	403	499	499	308	442	308		SERVICE VOLUME
FOUNDATION - 10		7	0	0	0	8	0	0	2	2	0		FOUNDATION - 10
SURFACE - 30		16	9	8	8	24	10	8	17	17	11		SURFACE - 30
DRAINAGE - 10		10	7	10	7	10	8	8	8	8	9		DRAINAGE - 10
SAFETY - 20		5	1	4	20	11	20	3	3	5	3		SAFETY - 20
CAPACITY - 30		27	25	27	26	26	27	27	23	25	13		CAPACITY - 30
SUFFICIENCY RATING		65	42	49	61	79	65	46	53	57	36		SUFFICIENCY RATING
ADJUSTED RATING		66	44	51	63	80	67	48	53	56	30		ADJUSTED RATING
DEFICIENT MILEAGE		.17	1.07	.84	1.27	.69	2.83	2.51	2.23	1.56	2.34		DEFICIENT MILEAGE

FAP ROUTE NO 62
SHEET 1 OF 1

BEGINNING MILE POST	0.0	4.0	13.5	17.8	18.4	19.2	22.2	22.8	24.8	25.4	26.6	33.4	35.4	36.3	BEGINNING MILE POST
LENGTH	3.7	9.4	4.2	0.6	0.7	3.0	0.6	1.9	0.5	1.2	6.8	2.0	0.8	3.2	LENGTH
YEAR BUILT	49	49	49	U	49	47	47	47	47	47	41	41	46	46	YEAR BUILT
YEAR IMPROVED	54	54	54	R	54	73	73	62	62	57	70	70	59	60	YEAR IMPROVED
SURFACE WIDTH	24	24	24	8	24	24	24	24	24	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	24	24	24	24	24	24	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	PMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	1021	916	857		950	905	845	830	845	871	884	850	850	959	AOT
OHV	132	119	111		123	117	109	107	109	113	114	110	110	124	OHV
SERVICE VOLUME	258	408	479		258	384	450	429	360	237	311	360	450	278	SERVICE VOLUME
FOUNDATION - 10	0	0	0		5	3	3	2	3	2	7	6	2	3	FOUNDATION - 10
SURFACE - 30	12	14	10		16	15	14	13	13	12	21	18	14	13	SURFACE - 30
ORAINAGE - 10	9	10	10		10	10	10	10	10	9	10	10	8	9	ORAINAGE - 10
SAFETY - 20	2	6	4		1	4	7	8	1	20	2	10	18	2	SAFETY - 20
CAPACITY - 30	22	26	27		23	25	26	26	25	23	25	25	26	23	CAPACITY - 30
SUFFICIENCY RATING	45	50	51		55	57	60	59	52	66	65	69	68	50	SUFFICIENCY RATING
ADJUSTED RATING	44	50	51		55	57	61	60	53	66	65	69	68	50	ADJUSTED RATING
DEFICIENT MILEAGE	2.06	4.16	2.10		.32	1.29	.27	.78	.27	.40	2.39	.62	.28	1.61	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	3.0	7.1	
LENGTH	3.0	4.1	2.6	
YEAR BUILT	72	73	73	
YEAR IMPROVED	72	73	73	
SURFACE WIDTH	24	24	24	
ROADWAY WIDTH	24	24	24	
SURFACE TYPE	GRV	GRV	GRV	
AOT	469	420	420	
OHV				
SERVICE VOLUME	535	250	212	
FOUNDATION - 10	0	0	0	
SURFACE - 30	0	0	0	
ORAINAGE - 10	10	5	5	
SAFETY - 20	3	1	1	
CAPACITY - 30	30	30	30	
SUFFICIENCY RATING	43	36	36	
ADJUSTED RATING	48	41	41	
DEFICIENT MILEAGE	1.71	2.07	1.56	

FAP ROUTE NO 63 & 64

SHEET 1 OF 1





BEGINNING MILE POST	0.0
LENGTH	0.3
YEAR BUILT	38
YEAR IMPROVED	38
SURFACE WIDTH	40
ROADWAY WIDTH	40
SURFACE TYPE	RMS
ADT	1570
DHV	317
SERVICE VOLUME	614
FOUNDATION - 10	7
SURFACE - 30	16
DRAINAGE - 10	7
SAFETY - 20	20
CAPACITY - 30	22
SUFFICIENCY RATING	72
ADJUSTED RATING	69
DEFICIENT MILEAGE	.08

BEGINNING MILE POST	0.0	10.6	23.2	37.3	BEGINNING MILE POST
LENGTH	10.6	12.6	14.0	12.7	LENGTH
YEAR BUILT	61	59	59	59	YEAR BUILT
YEAR IMPROVED	61	59	59	59	YEAR IMPROVED
SURFACE WIDTH	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	252	337	420	476	ADT
DHV	40	53	67	76	DHV
SERVICE VOLUME	427	401	401	427	SERVICE VOLUME
FOUNDATION - 10	0	4	5	5	FOUNDATION - 10
SURFACE - 30	13	17	17	18	SURFACE - 30
DRAINAGE - 10	10	9	10	10	DRAINAGE - 10
SAFETY - 20	6	5	10	20	SAFETY - 20
CAPACITY - 30	29	28	27	27	CAPACITY - 30
SUFFICIENCY RATING	58	63	69	80	SUFFICIENCY RATING
ADJUSTED RATING	67	70	74	83	ADJUSTED RATING
DEFICIENT MILEAGE	4.46	4.67	4.35	2.54	DEFICIENT MILEAGE

FAP ROUTE NO 65 & 66

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	1.0
YEAR BUILT	U	28
YEAR IMPROVED	R	52
SURFACE WIDTH	B	20
ROADWAY WIDTH	A	24
SURFACE TYPE	N	RMS
ADT		1320
DHV		171
SERVICE VOLUME		334
FOUNDATION - 10		3
SURFACE - 30		15
DRAINAGE - 10		7
SAFETY - 20		1
CAPACITY - 30		22
SUFFICIENCY RATING		48
ADJUSTED RATING		45
DEFICIENT MILEAGE		.54



BEGINNING MILE POST	0.0	0.1	1.2
LENGTH	0.1	1.0	0.2
YEAR BUILT	33	U	63
YEAR IMPROVED	53	R	63
SURFACE WIDTH	24	B	30
ROADWAY WIDTH	28	A	30
SURFACE TYPE	RMS	N	PMS
ADT	588		1038
DHV	178		155
SERVICE VOLUME	368		772
FOUNDATION - 10	0		9
SURFACE - 30	12		25
DRAINAGE - 10	8		10
SAFETY - 20	0		20
CAPACITY - 30	23		27
SUFFICIENCY RATING	43		91
ADJUSTED RATING	46		90
DEFICIENT MILEAGE	.09		.02

BEGINNING MILE POST	0.0	0.6	2.9	5.0	6.1	10.0	13.6	22.1	28.1	31.0	37.0	38.0
LENGTH	0.6	2.3	2.0	1.0	3.9	3.6	8.4	6.0	2.8	6.0	1.0	0.3
YEAR BUILT	U	33	68	68	70	64	61	57	57	59	U	73
YEAR IMPROVED	R	55	68	68	70	64	61	71	57	59	R	73
SURFACE WIDTH	B	32	30	30	32	28	26	24	24	24	B	40
ROADWAY WIDTH	A	32	30	30	32	28	26	24	24	24	A	40
SURFACE TYPE	N	RMS	PMS	PMS	PMS	PMS	PMS	PMS	BST	BST	N	PMS
ADT		1043	808	641	429	436	450	459	445	784		1084
DHV		156	121	96	64	65	67	68	66	117		162
SERVICE VOLUME		629	367	604	406	275	259	512	266	276		795
FOUNDATION - 10		6	7	4	5	4	4	7	2	2		10
SURFACE - 30		11	27	24	17	18	16	22	15	14		30
DRAINAGE - 10		10	10	8	10	10	9	10	7	7		10
SAFETY - 20		12	2	2	20	3	1	7	3	3		20
CAPACITY - 30		26	25	28	28	26	26	28	26	24		27
SUFFICIENCY RATING		61	71	67	80	61	58	74	53	50		97
ADJUSTED RATING		60	72	69	83	66	63	78	58	51		96
DEFICIENT MILEAGE		.90	.59	.34	.78	1.42	3.56	1.56	1.33	3.00		.00

FAP ROUTE NO 67, 68 & 69

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.2	1.2	1.5	1.5
LENGTH	0.2	1.0	0.2	0.1	1.2
YEAR BUILT		31	U	31	U
YEAR IMPROVED		52	R	52	F
SURFACE WIDTH		22	B	22	B
ROADWAY WIDTH		24	A	24	A
SURFACE TYPE		RMS	N	PMS	N
ADT		124		240	
DHV		16		31	
SERVICE VOLUME		544		716	
FOUNDATION - 10		0		0	
SURFACE - 30		5		5	
DRAINAGE - 10		5		5	
SAFETY - 20		20		20	
CAPACITY - 30		30		29	
SUFFICIENCY RATING		60		59	
ADJUSTED RATING		74		68	
DEFICIENT MILEAGE		.41		.02	

BEGINNING MILE POST	0.0	5.1	5.6	10.3	11.7	14.5
LENGTH	5.1	0.4	4.8	1.1	2.8	6.9
YEAR BUILT	61	70	61	49	49	48
YEAR IMPROVED	61	70	61	49	49	48
SURFACE WIDTH	30	30	30	24	20	24
ROADWAY WIDTH	30	30	30	24	24	24
SURFACE TYPE	PMS	PMS	PMS	BST	RMS	RMS
ADT	560	597	716	871	825	911
DHV	89	95	114	139	132	145
SERVICE VOLUME	469	648	434	724	486	482
FOUNDATION - 10	0	7	6	2	0	3
SURFACE - 30	15	21	17	14	14	17
DRAINAGE - 10	8	10	7	5	4	6
SAFETY - 20	9	10	4	1	3	2
CAPACITY - 30	27	28	26	27	26	25
SUFFICIENCY RATING	59	76	58	49	47	53
ADJUSTED RATING	62	78	60	49	48	53
DEFICIENT MILEAGE	2.12	.11	2.04	.57	1.49	3.28

FAP ROUTE NO 70 & 72

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.6
LENGTH	1.6	1.2
YEAR BUILT	49	U
YEAR IMPROVED	61	R
SURFACE WIDTH	24	B
ROADWAY WIDTH	28	A
SURFACE TYPE	RMS	N
ADT	886	
DHV	105	
SERVICE VOLUME	469	
FOUNDATION - 10	3	
SURFACE - 30	14	
DRAINAGE - 10	8	
SAFETY - 20	8	
CAPACITY - 30	27	
SUFFICIENCY RATING	60	
ADJUSTED RATING	60	
DEFICIENT MILEAGE	.67	

FAP ROUTE NO 75

SHEET 1 OF 1



BEGINNING MILE POST	0.0	6.8
LENGTH	6.8	0.2
YEAR BUILT	U	50
YEAR IMPROVED	R	50
SURFACE WIDTH	B	24
ROADWAY WIDTH	A	36
SURFACE TYPE	N	PMS
ADT		443
DHV		57
SERVICE VOLUME		264
FOUNDATION - 10		3
SURFACE - 30		15
DRAINAGE - 10		8
SAFETY - 20		20
CAPACITY - 30		27
SUFFICIENCY RATING		73
ADJUSTED RATING		77
DEFICIENT MILEAGE		.07

BEGINNING MILE POST	0.0	1.7
LENGTH	1.7	0.2
YEAR BUILT	41	U
YEAR IMPROVED	41	R
SURFACE WIDTH	20	B
ROADWAY WIDTH	26	A
SURFACE TYPE	BST	N
ADT	854	
DHV	128	
SERVICE VOLUME	800	
FOUNDATION - 10	0	
SURFACE - 30	9	
DRAINAGE - 10	6	
SAFETY - 20	5	
CAPACITY - 30	28	
SUFFICIENCY RATING	48	
ADJUSTED RATING	48	
DEFICIENT MILEAGE	.90	

FAP ROUTE NO 76 & 77

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.4	6.0	13.3	19.6	23.9	24.3	25.1	27.4	29.9	45.8	46.6	47.2
LENGTH	0.4	5.5	7.2	6.3	4.2	0.3	0.7	2.3	2.5	15.8	0.5	0.8	0.4
YEAR BUILT	U	52	53	57	60	60	60	60	35	35	57	U	T2
YEAR IMPROVED	R	52	53	57	60	60	60	60	35	45	57	R	T2
SURFACE WIDTH	8	24	24	24	24	24	24	24	20	20	28	R	44
ROADWAY WIDTH	A	24	24	24	24	24	24	24	20	24	28	A	44
SURFACE TYPE	N	RMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	PMS
ADT		533	298	253	315	380	294	271	372	T049	1604		1533
DHV		87	49	41	51	62	48	44	61	173	264		
SERVICE VOLUME		493	278	591	440	394	522	348	391	450	425		795
FOUNDATION - 10		0	0	0	8	9	10	9	0	0	8		9
SURFACE - 30		7	12	13	26	26	28	27	10	8	24		28
DRAINAGE - 10		7	6	6	9	10	10	9	6	5	10		10
SAFETY - 20		1	1	2	4	20	5	1	1	1	0		20
CAPACITY - 30		27	27	29	28	28	29	28	28	24	21		30
SUFFICIENCY RATING		42	46	50	75	93	82	74	45	38	63		97
ADJUSTED RATING		46	54	59	81	94	87	81	51	37	59		96
DEFICIENT MILEAGE		3.23	3.92	3.18	1.05	.02	.14	.60	1.41	9.83	.21		.01

BEGINNING MILE POST	0.0
LENGTH	2.5
YEAR BUILT	64
YEAR IMPROVED	64
SURFACE WIDTH	30
ROADWAY WIDTH	30
SURFACE TYPE	PMS
ADT	746
DHV	
SERVICE VOLUME	664
FOUNDATION - 10	6
SURFACE - 30	24
DRAINAGE - 10	10
SAFETY - 20	4
CAPACITY - 30	30
SUFFICIENCY RATING	74
ADJUSTED RATING	75
DEFICIENT MILEAGE	.65

FAP ROUTE NO 78 & 79

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.5	2.3	4.0	14.6	24.2	28.1	29.1	34.4	35.5	45.6	46.1	49.8	50.8	59.3	66.0	67.0	BEGINNING MILE POST
LENGTH	1.5	0.7	1.6	10.6	9.5	3.9	0.9	5.3	5.0	6.0	0.4	3.7	1.0	8.4	6.7	0.9	0.1	LENGTH
YEAR BUILT	53	U	62	56	62	64	U	64	65	64	62	62	53	53	53	U	27	YEAR BUILT
YEAR IMPROVED	53	R	62	56	62	64	R	64	65	64	62	62	53	53	53	R	27	YEAR IMPROVED
SURFACE WIDTH	24	0	30	25	30	30	0	28	28	28	24	24	24	24	24	0	24	SURFACE WIDTH
ROADWAY WIDTH	24	A	30	25	30	30	A	28	28	28	24	24	24	24	24	A	26	ROADWAY WIDTH
SURFACE TYPE	RMS	N	RMS	BST	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	N	BST	SURFACE TYPE
ADT	586		603	446	331	367		218	160	145	140	146	202	214	313		69P	ADT
DHV	88		91	67	49	55		32	24	21	21	22	30	32	47		105	DHV
SERVICE VOLUME	332		463	280	463	624		643	666	427	561	353	534	592	592		614	SERVICE VOLUME
FOUNDATION - 10	9		7	0	8	7		7	5	3	0	3	6	6	5		2	FOUNDATION - 10
SURFACE - 30	25		24	13	25	25		23	21	17	12	16	17	17	17		12	SURFACE - 30
DRAINAGE - 10	10		10	4	10	10		10	10	10	5	5	9	9	10		3	DRAINAGE - 10
SAFETY - 20	3		2	1	20	20		6	17	9	1	3	20	2	3		20	SAFETY - 20
CAPACITY - 30	26		27	26	28	29		29	29	29	29	29	29	29	29		27	CAPACITY - 30
SUFFICIENCY RATING	73		70	44	91	91		75	82	68	47	56	81	63	64		64	SUFFICIENCY RATING
ADJUSTED RATING	75		72	45	93	93		83	89	80	61	69	88	73	71		66	ADJUSTED RATING
DEFICIENT MILEAGE	.43		.48	5.98	.85	.35		1.32	.91	1.94	.26	1.63	.19	3.11	2.41		.04	DEFICIENT MILEAGE

FAP ROUTE NO 80

SHEET 1 OF 1



BEGINNING MILE POST	0.0	12.9	13.8	26.7	29.5	32.6
LENGTH	12.9	0.8	12.8	2.8	3.0	9.8
YEAR BUILT	56	U	73	73	73	51
YEAR IMPROVED	59	R	73	73	73	51
SURFACE WIDTH	24	8	24	24	24	24
ROADWAY WIDTH	24	A	24	24	24	24
SURFACE TYPE	PMS	N	PMS	PMS	PMS	BST
ADT	415		467	465	465	465
DHV	64		72	72	72	72
SERVICE VOLUME	487		394	469	243	243
FOUNDATION - 10	7		7	5	4	2
SURFACE - 30	22		23	17	14	13
DRAINAGE - 10	10		10	10	8	8
SAFETY - 20	2		1	2	1	1
CAPACITY - 30	28		27	28	26	26
SUFFICIENCY RATING	69		68	62	53	50
ADJUSTED RATING	74		72	67	58	55
DEFICIENT MILEAGE	4.01		4.12	1.07	1.45	4.91



BEGINNING MILE POST	0.0	5.4
LENGTH	5.4	1.4
YEAR BUILT	52	55
YEAR IMPROVED	71	55
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	RMS
ADT	2247	2069
DHV	325	300
SERVICE VOLUME	514	243
FOUNDATION - 10	6	5
SURFACE - 30	23	16
DRAINAGE - 10	8	10
SAFETY - 20	4	10
CAPACITY - 30	21	11
SUFFICIENCY RATING	64	52
ADJUSTED RATING	58	46
DEFICIENT MILEAGE	1.97	.70

FAP ROUTE NO 81 & 82

SHEET 1 OF 1

BEGINNING MILE POST	0.0	14.7	23.1	30.8	41.8
LENGTH	14.7	8.3	7.6	11.0	5.8
YEAR BUILT	52	52	52	59	59
YEAR IMPROVED	52	52	52	59	59
SURFACE WIDTH	24	22	22	24	24
ROADWAY WIDTH	24	26	26	24	24
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS
ADT	773	725	476	468	496
DHV	136	127	83	82	87
SERVICE VOLUME	727	316	459	367	623
FOUNDATION - 10	0	0	0	0	2
SURFACE - 30	13	12	13	12	14
DRAINAGE - 10	7	7	7	6	7
SAFETY - 20	3	3	2	3	4
CAPACITY - 30	27	24	27	27	28
SUFFICIENCY RATING	50	46	49	48	55
ADJUSTED RATING	51	48	54	53	59
DEFICIENT MILEAGE	7.38	4.51	3.92	5.75	2.63

FAP ROUTE NO 83

SHEET 1 OF 2

BEGINNING MILE POST	47.7	54.5	65.1	77.7	82.6	86.2
LENGTH	6.7	10.6	12.6	4.8	3.7	4.7
YEAR BUILT	58	55	58	62	59	59
YEAR IMPROVED	58	55	63	62	59	59
SURFACE WIDTH	24	24	24	30	24	24
ROADWAY WIDTH	24	24	24	30	24	24
SURFACE TYPE	PMS	PMS	RMS	PMS	PMS	PMS
ADT	510	548	730	737	571	936
DHV	80	96	128	129	95	157
SERVICE VOLUME	558	428	496	550	266	442
FOUNDATION - 10	2	2	0	5	6	6
SURFACE - 30	15	14	10	17	18	18
DRAINAGE - 10	6	7	6	10	10	10
SAFETY - 20	20	7	2	20	20	20
CAPACITY - 30	28	27	26	26	25	25
SUFFICIENCY RATING	71	57	44	78	79	79
ADJUSTED RATING	74	61	46	79	81	79
DEFICIENT MILEAGE	1.96	4.57	7.07	1.06	.78	.99

FAP ROUTE NO 83

SHEET 2 OF 2

BEGINNING MILE POST	0.0	6.4	11.4	20.3
LENGTH	6.4	5.0	8.8	8.7
YEAR BUILT	53	52	55	55
YEAR IMPROVED	53	52	55	55
SURFACE WIDTH	24	24	24	24
ROADWAY WIDTH	24	24	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS
ADT	422	371	347	833
DHV	71	63	58	141
SERVICE VOLUME	522	394	307	365
FOUNDATION - 10	6	5	4	6
SURFACE - 30	21	17	17	19
DRAINAGE - 10	9	10	9	8
SAFETY - 20	1	1	1	1
CAPACITY - 30	28	28	27	24
SUFFICIENCY RATING	65	61	58	58
ADJUSTED RATING	70	67	65	59
DEFICIENT MILEAGE	2.24	1.97	3.69	3.67



BEGINNING MILE POST	0.0
LENGTH	6.7
YEAR BUILT	53
YEAR IMPROVED	53
SURFACE WIDTH	24
ROADWAY WIDTH	24
SURFACE TYPE	RMS
ADT	1491
DHV	246
SERVICE VOLUME	534
FOUNDATION - 10	4
SURFACE - 30	15
DRAINAGE - 10	8
SAFETY - 20	9
CAPACITY - 30	23
SUFFICIENCY RATING	59
ADJUSTED RATING	56
DEFICIENT MILEAGE	2.75

FAP ROUTE NO 84 & 85

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.9	3.8	9.5	16.3	18.T	22.3	31.4	BEGINNING MILE POST
LENGTH	0.9	2.8	5.7	6.T	2.4	3.5	9.1	6.7	LENGTH
YEAR BUILT	U	61	61	73	48	45	45	63	YEAR BUILT
YEAR IMPROVED	R	61	61	73	48	45	45	63	YEAR IMPROVED
SURFACE WIDTH	B	30	30	31	20	18	20	28	SURFACE WIDTH
ROADWAY WIDTH	A	30	30	31	20	18	20	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	GPV	GRV	GRV	PMS	SURFACE TYPE
ADT		2685	1668	632	686	134	120	130	ADT
DHV		537	333	126	13T	20	18	19	DHV
SERVICE VOLUME		786	T38	469	345	259	453	534	SERVICE VOLUME
FOUNDATION - 10		3	5	5	0	0	0	5	FOUNDATION - 10
SURFACE - 30		15	17	22	0	0	0	17	SURFACE - 30
DRAINAGE - 10		4	10	10	3	2	3	10	DRAINAGE - 10
SAFETY - 20		2	1	3	3	3	3	8	SAFETY - 20
CAPACITY - 30		20	23	26	24	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		44	56	66	30	34	35	69	SUFFICIENCY RATING
ADJUSTED RATING		36	52	68	32	46	48	81	ADJUSTED RATING
DEFICIENT MILEAGE		1.60	2.53	2.29	1.72	2.37	5.91	2.08	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	1.4	3.0	6.T	10.0	20.2
LENGTH	1.3	1.5	3.T	3.3	10.2	2.1
YEAR BUILT	63	T2	63	67	67	6T
YEAR IMPROVED	63	T2	63	67	67	67
SURFACE WIDTH	30	30	30	30	30	30
ROADWAY WIDTH	30	30	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS
ADT	301	320	391	450	429	454
DHV	65	69	84	9T	92	98
SERVICE VOLUME	441	400	408	235	456	697
FOUNDATION - 10	8	T	7	8	6	T
SURFACE - 30	25	25	26	25	22	23
DRAINAGE - 10	10	10	10	10	10	10
SAFETY - 20	20	1	5	1	6	3
CAPACITY - 30	28	27	27	24	27	28
SUFFICIENCY RATING	91	T0	T5	68	TI	71
ADJUSTED RATING	93	T0	80	T2	T5	75
DEFICIENT MILEAGE	.22	.9T	.93	1.06	2.96	.63

FAP ROUTE NO 86 & 87

SHEET 1 OF 1

BEGINNING MILE POST	0.0	6.8	16.1	21.0
LENGTH	6.8	9.2	4.9	11.4
YEAR BUILT	64	64	64	64
YEAR IMPROVED	64	64	64	64
SURFACE WIDTH	30	30	30	30
ROADWAY WIDTH	30	30	30	30
SURFACE TYPE	PMS	PMS	PMS	PMS
ADT	727	811	925	1228
DHV	116	129	148	196
SERVICE VOLUME	238	549	364	442
FOUNDATION - 10	4	5	4	7
SURFACE - 30	14	15	15	19
DRAINAGE - 10	8	10	9	10
SAFETY - 20	1	3	2	7
CAPACITY - 30	23	26	24	23
SUFFICIENCY RATING	50	59	54	66
ADJUSTED RATING	52	60	54	64
DEFICIENT MILEAGE	3.40	3.80	2.29	3.89

FAP ROUTE NO 93

SHEET 1 OF 1

SUFFICIENCY RATINGS BY FINANCIAL DISTRICTS

SUFFICIENCY RATING BY FINANCIAL DISTRICT I
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	ENC	SUFFICIENCY RATINGS SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1	35	57	.344	22	22	RMS	2801	414	132	0	12	5	0	0	17	12	.3
P038	8+0.078	0.6 E COL FALLS	FLATHEAD	1	37	55	.577	22	24	RMS	3329	466	249	0	11	6	6	2	25	18	.4
P001	138+0.390	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	4390	838	365	0	13	8	9	0	30	20	1.2
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	PMS	3855	616	327	2	13	8	4	2	29	20	2.6
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	BST	2037	301	184	0	12	7	1	5	25	21	5.4
P038	4+0.134	0.3 W FAS 206	FLATHEAD	1	39	53	2.274	24	24	RMS	5021	702	759	0	8	8	2	16	34	23	1.5
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	RMS	4111	785	469	3	14	10	1	5	33	23	1.6
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	1890	279	187	0	13	5	2	8	28	24	1.4
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	RMS	2233	330	177	0	14	10	3	2	29	24	1.4
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.727	20	24	RMS	2527	482	415	0	12	5	1	13	31	25	7.4
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	1808	267	174	0	13	5	5	7	30	26	1.4
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	1604	208	182	0	12	3	3	13	31	27	3.2
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	1584	205	230	0	10	4	1	17	32	28	4.2
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	.372	22	24	RMS	3329	466	216	0	11	7	20	0	38	29	.2
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1	22	49	1.347	24	24	RMS	2316	342	374	0	12	6	2	16	36	30	.9
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	3638	531	302	5	17	10	4	4	40	30	1.9
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	3485	508	507	0	11	8	5	15	39	30	2.1
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	52	4.437	24	24	RMS	1879	244	469	0	10	3	1	22	36	31	2.8
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1452	196	341	0	9	4	1	21	35	32	4.5
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	50	50	5.797	24	30	RMS	3327	485	491	0	15	8	4	15	42	33	3.4
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1565	211	374	0	10	4	1	22	37	33	4.0
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	810	154	199	0	11	3	0	18	32	33	2.5
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2616	499	716	0	9	8	4	20	41	34	5.9
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	BST	1146	169	187	0	13	6	1	16	36	34	2.1
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	1910	248	357	0	11	8	1	20	40	35	.8
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1475	218	301	0	12	7	1	19	39	36	3.4
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1655	244	390	0	13	4	3	21	41	37	2.3
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1469	216	390	0	13	4	1	22	40	37	4.6
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3302	429	397	5	16	10	1	14	46	37	.3
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	4878	712	403	6	18	10	12	3	49	37	.6
P005	98+0.643	5.2 NLFLATHEADCO	FLATHEAD	1	63	63	5.548	32	32	PMS	2468	333	213	5	19	10	3	7	44	37	3.1
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	1882	244	365	0	10	5	7	20	42	37	1.0
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2956	399	584	0	12	10	4	20	46	38	1.5
P005	168+0.284	FORTINE	LINCOLN	1	33	51	9.654	22	22	RMS	1295	168	396	0	10	5	1	24	40	38	5.8
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.799	36	36	PMS	3953	474	309	5	22	10	6	7	50	39	2.9
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1363	177	223	0	12	8	4	18	42	39	4.0
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	1749	227	470	0	9	4	9	23	45	40	2.2
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1143	170	448	0	9	8	1	24	42	40	.5
P001	153+0.269	JCT FAP 65	FLATHEAD	1	48	49	3.364	24	28	PMS	1035	197	129	6	19	7	3	7	42	41	2.0
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	919	119	228	0	12	4	3	22	41	41	4.1
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.843	32	32	PMS	3462	505	544	4	13	10	9	16	52	42	.9
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.550	44	44	PMS	3088	450	578	5	18	10	3	18	54	45	1.2
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	5632	675	383	7	22	10	15	4	58	45	2.2
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	857	111	234	0	13	7	2	23	45	45	3.7
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	883	114	187	0	12	7	5	21	45	45	5.0
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.149	44	44	PMS	3031	421	191	10	30	10	4	0	54	45	1.9
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1636	242	431	0	13	6	9	22	50	46	1.3
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1460	189	349	2	14	8	3	22	49	46	4.2
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	969	125	522	0	10	6	4	26	46	46	5.3
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	818	106	243	0	15	5	2	23	45	46	3.7
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	938	121	159	0	11	7	9	19	46	46	2.7
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1116	145	515	0	10	7	4	26	47	46	3.4
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1271	165	278	0	13	8	6	21	48	46	1.7
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	4806	701	308	7	23	10	18	0	58	46	.4
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	63	12.634	24	24	RMS	730	128	496	0	10	6	2	26	44	46	7.1

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	RT	IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	AOJ	DEFIC MILES
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2069	300	243	5	16	10	10	11	52	46	.7
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	PMS	891	115	278	0	11	6	6	24	47	47	4.6
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	3117	420	326	9	26	10	1	11	57	48	.3
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	4608	672	288	10	27	10	13	0	60	49	2.4
P005	159+0.617	STRYKER	LINCOLN	1	31	64	8.683	24	24	RMS	732	95	431	0	15	4	1	27	47	49	4.6
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	6511	781	937	6	20	10	10	17	63	50	.6
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1392	180	508	0	14	8	6	25	53	50	3.3
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1208	157	331	0	15	7	8	23	53	51	1.8
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	RMS	1864	242	481	3	14	8	9	22	56	51	2.8
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1006	130	338	4	14	8	2	24	52	51	2.1
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	6474	945	326	9	25	10	20	0	64	51	.1
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	65	7.657	24	25	RMS	1250	185	468	0	14	8	7	24	53	51	3.6
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	3409	497	432	7	23	10	8	13	61	52	.2
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	3673	536	580	6	19	10	11	16	62	52	2.2
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	RMS	3256	475	336	5	18	10	20	9	62	53	.1
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	3810	457	662	4	17	10	12	20	63	53	1.8
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2450	330	411	4	16	10	12	18	60	53	1.2
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	1726	233	307	4	16	10	9	19	58	53	2.2
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	807	104	187	0	15	6	9	22	52	53	1.0
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	4659	680	640	8	23	10	10	14	65	54	1.2
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	419	62	350	0	13	7	1	27	48	54	.3
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	PMS	412	61	353	0	11	6	5	27	49	55	2.3
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1	56	60	2.564	32	32	PMS	2845	415	544	4	17	10	13	19	63	55	.9
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	4385	613	680	9	25	10	6	16	66	56	.5
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	799	152	384	5	16	10	1	24	56	57	1.2
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	2247	325	514	8	23	8	4	21	64	58	2.0
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	5.018	40	40	PMS	3884	567	648	6	18	10	17	17	68	59	1.6
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1870	252	469	6	22	9	6	22	65	60	1.3
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	456	68	403	0	13	7	8	27	55	60	2.9
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	427	55	382	0	15	9	4	28	56	61	2.9
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	799	152	357	6	17	10	3	24	60	61	.6
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	970	185	378	7	21	10	0	23	61	61	.2
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	548	96	428	2	14	7	7	27	57	61	4.6
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	583	88	249	5	17	9	3	25	59	62	2.8
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	368	55	289	3	17	7	2	27	56	63	2.6
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	921	175	154	6	17	7	20	13	63	63	.9
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1608	217	278	5	19	10	15	18	67	63	.2
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	975	126	616	3	15	10	8	27	63	63	4.1
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	630	81	319	3	16	9	8	26	62	65	1.0
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	941	179	324	8	25	10	0	22	65	65	.2
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	67	12.259	32	32	PMS	874	166	575	6	19	10	5	26	66	66	4.2
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1490	201	447	6	20	10	10	23	69	66	1.9
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	40	1.975	20	24	RMS	632	82	448	0	9	8	20	27	64	66	.7
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	819	156	357	5	18	8	12	23	66	67	1.8
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	654	85	319	2	15	9	14	26	66	68	3.8
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	3329	466	705	7	18	10	20	20	75	68	.1
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	1503	195	222	10	30	10	5	17	72	69	.1
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.305	40	40	RMS	1570	317	614	7	16	7	20	22	72	69	.1
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1353	182	722	7	21	10	9	26	73	71	.5
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	400	60	965	0	10	7	20	29	66	71	1.4
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	253	38	187	6	19	8	2	27	62	71	2.1
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	925	120	323	4	18	9	17	24	72	72	.7
P005	46+0.161	0.4 S RONAN	LAKE	1	70	70	.411	40	40	PMS	4483	654	848	8	25	10	20	18	81	74	.1
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	510	89	558	2	15	6	20	28	71	74	2.0
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.442	68	68	PMS	3356	436	2064	10	30	10	5	27	82	76	.6

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	3944	512	1700	9	30	10	8	25	82	76	.4
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	832	108	688	9	26	10	3	28	76	76	1.1
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	449	58	365	9	27	10	1	28	75	79	2.6
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	803	153	365	6	19	10	20	24	79	79	1.4
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	737	129	550	5	17	10	20	26	78	79	1.1
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	936	157	442	6	18	10	20	25	79	79	1.0
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	516	67	365	10	28	10	2	27	77	80	.8
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	571	95	266	6	18	10	20	25	79	81	.8
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	218	28	138	10	30	10	1	27	78	85	.1
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	279	36	307	10	30	10	2	28	80	85	2.5
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	161	20	243	10	30	10	1	29	80	88	2.2
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	160	20	266	10	30	10	2	29	81	89	2.4
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	816	155	456	9	25	10	20	25	89	89	.3
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	5875	705	1720	9	30	10	20	24	93	89	
P001	169+0.063	15.3 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	799	152	478	8	26	10	20	25	89	89	.2
P001	36+0.780	4.0 E LIBBY	LINCOLN	1	76	76	.593	68	68	PMS	1970	256	1608	10	30	10	20	28	98	97	
P038	7+0.759	0.3 E COL FALLS	FLATHEAD	1			.303	UNDER CONSTRUCTION													
		DISTRICT TOTAL					557.268													45	252.2



N

SUFFICIENCY RATING BY FINANCIAL DISTRICT 2
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 2

PT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	221+1.600	BROWNING	GLACIER	2	35	53	.888	24	24	RMS	4316	841	379	3	16	9	1	0	29	20	.6
P001	221+2.488	0.8 S BROWNING	GLACIER	2	32	70	1.926	22	24	RMS	3233	623	225	4	18	9	2	0	33	25	1.3
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	26	40	8.213	20	24	RMS	1086	211	302	0	9	4	0	20	33	32	5.5
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1438	280	278	0	13	7	1	15	36	33	.9
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	989	192	302	0	12	4	0	20	36	35	3.4
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1351	216	478	0	12	5	1	23	41	38	1.3
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1437	229	324	0	12	8	2	19	41	38	2.9
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	4489	480	654	0	13	10	6	19	50	38	.8
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.292	24	24	RMS	1209	181	575	0	12	4	3	25	44	42	3.5
P001	218+0.905	2.9 W BROWNING	GLACIER	2	39	54	1.576	26	30	RMS	1314	250	572	0	10	7	6	23	46	43	.9
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1262	241	400	0	14	9	1	21	45	43	.7
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.368	22	24	RMS	962	187	386	0	10	8	2	23	43	43	3.6
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.371	22	24	RMS	1644	320	748	0	10	8	7	24	49	45	1.7
P058	9+0.786	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	827	161	480	0	10	8	1	25	44	45	1.3
P067	0+0.715	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	1320	171	334	3	15	7	1	22	48	45	.5
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1256	239	703	0	10	8	5	25	48	46	1.0
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1164	186	508	0	13	7	3	25	48	46	3.7
P001	435+0.143	5.8 E FAP 66	BLAINE	2	25	71	4.686	22	24	RMS	930	120	324	2	15	4	1	24	46	46	2.5
P001	383+0.799	HAVRE	HILL	2	46	54	7.206	24	30	PMS	2905	377	565	6	18	10	4	20	58	50	3.0
P001	429+0.077	0.6 E FAP 66	BLAINE	2	36	62	5.241	28	30	RMS	1146	148	453	3	13	10	2	25	53	51	2.5
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	1882	244	629	5	16	10	1	24	56	51	.3
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1350	175	476	0	15	7	8	24	54	51	3.4
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3558	498	3400	3	13	10	7	28	61	52	.1
P058	39+0.819	BABB	GLACIER	2	56	56	3.787	24	28	RMS	1133	220	523	3	17	9	3	24	56	54	1.7
P001	391+0.007	BLAINE CO	BLAINE	2	46	54	2.849	24	31	PMS	2277	296	565	5	18	10	6	22	61	55	1.1
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	PMS	1158	150	501	0	14	7	10	26	57	55	2.6
P001	209+0.252	EAST GLACIER	GLACIER	2	63	63	.874	32	32	PMS	1262	241	428	6	19	10	1	22	58	56	.4
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1030	196	441	4	15	10	5	23	57	56	2.1
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	978	186	264	5	19	10	3	19	56	56	2.8
P001	354+0.598	1.0 E GILDFORD	HILL	2	36	59	8.956	26	31	RMS	1133	147	564	5	17	10	1	26	59	57	3.7
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2285	274	817	4	16	10	8	25	63	57	.1
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1343	201	3400	3	14	10	4	29	60	57	.1
P001	246+0.564	11.1 E FAS 444	GLACIER	2	61	61	.492	32	35	RMS	1286	192	731	5	14	10	5	26	60	58	.2
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	830	107	387	4	16	10	2	26	58	59	3.1
P058	25+0.515	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	1113	217	273	7	23	10	2	18	60	59	2.4
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2524	328	281	9	26	10	10	12	67	60	1.3
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	704	169	454	5	17	10	2	24	58	60	.9
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1312	209	530	6	17	10	6	24	63	61	.4
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2303	299	696	4	18	10	11	24	67	61	2.3
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	123	469	2	16	6	11	26	61	61	2.5
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1753	262	272	9	28	10	3	16	66	62	.7
P001	363+0.532	KREMLIN FAS 450	HILL	2	36	70	8.591	28	32	RMS	1351	175	696	7	18	10	4	26	65	62	3.0
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	907	117	438	6	17	10	3	26	62	62	2.2
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1949	253	612	6	16	10	11	24	67	62	1.7
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	2173	282	663	6	17	10	11	24	68	62	1.4
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	779	187	485	4	19	10	4	24	61	62	2.8
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1784	231	536	4	16	10	12	24	66	62	.6
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3558	498	1700	3	14	9	20	26	72	64	.1
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1789	232	612	6	16	10	13	24	69	65	.8
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.280	32	32	PMS	1354	264	597	7	23	10	5	23	68	65	1.4
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1340	201	503	3	17	10	14	24	68	66	2.3
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	61	4.950	24	24	RMS	1413	211	617	9	28	7	2	25	71	68	1.4
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3062	367	817	5	17	10	20	23	75	68	.1
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1246	242	630	8	24	10	4	24	70	68	1.2
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2232	290	663	5	17	10	19	23	74	69	2.5

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNC	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	806	104	552	4	17	10	10	27	68	69	.3
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	337	53	401	4	17	9	5	28	63	70	4.7
P058	43+0.621	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	745	145	485	6	19	10	9	26	70	71	.3
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	2241	428	432	8	23	10	20	15	76	71	
P001	256+0.020	CUT BANK	GLACIER	2	71	71	9.281	40	40	PMS	1285	167	264	9	28	10	5	21	73	71	2.5
P001	228+0.797	BLACKFOOT	GLACIER	2	67	67	6.809	40	40	PMS	1534	230	244	7	22	10	20	16	75	72	1.7
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	57	1.050	24	32	RMS	1357	217	680	4	16	10	20	25	75	73	.3
P001	280+0.100	SHELBY	TOOLE	2	57	62	7.266	32	32	PMS	831	108	569	0	16	10	20	27	73	73	2.0
P010	104+0.366	6.9 S FAP 1	HILL	2	54	59	11.649	32	32	PMS	1209	157	569	3	18	10	19	26	76	74	2.8
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	67	67	5.125	40	40	PMS	1818	236	281	8	23	10	20	17	78	74	1.1
P010	89+0.606	0.2 N HILL CO	HILL	2	59	59	14.057	28	28	PMS	420	67	401	5	17	10	10	27	69	74	4.4
P058	44+0.487	4.7 N BABB	GLACIER	2	70	70	1.319	32	32	PMS	1247	162	666	8	27	10	7	26	78	76	.3
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	56	5.857	22	22	RMS	466	90	420	3	13	10	20	27	73	77	1.6
P001	423+0.924	0.8 W HARLEM	BLAINE	2	56	59	8.023	32	32	PMS	980	127	599	3	18	10	20	27	78	78	1.8
P001	262+0.815	TOOLE CO	TOOLE	2	68	68	.797	40	40	PMS	2061	267	281	9	27	10	20	16	82	78	.1
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	67	67	.272	40	40	PMS	1222	183	296	7	22	10	20	21	80	78	.1
P001	348+0.215	HINGHAM	HILL	2	66	66	5.926	34	34	PMS	701	168	504	10	28	10	4	25	77	78	1.4
P003	89+0.220	GLACIER CO	GLACIER	2	60	60	6.381	32	32	PMS	1094	142	672	8	22	10	14	27	81	80	1.2
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2	68	68	5.858	34	34	PMS	697	167	529	9	27	10	11	25	82	83	1.1
P001	428+0.518	JCT FAP 66	BLAINE	2	59	59	12.714	28	28	PMS	476	76	427	5	18	10	20	27	80	83	2.5
P010	89+0.417	HILL CO	HILL	2	68	68	.553	40	40	PMS	1319	171	244	9	28	10	20	19	86	84	.1
P001	341+0.907	RUDYARD FAS 231	HILL	2	30	70	.189	30	30	RMS	1223	158	648	7	24	10	20	26	87	86	
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	60	60	5.813	32	32	PMS	1293	168	720	8	23	10	20	27	88	87	.7
P001	326+0.441	3.8 E CHESTER	LIBERTY	2	65	65	7.491	32	32	PMS	1232	184	666	10	24	10	20	26	90	89	.7
P001	414+0.015	1.0 E ZURICH	BLAINE	2	76	76	6.154	40	40	PMS	1006	130	234	10	30	10	20	22	92	91	.5
P001	322+0.605	CHESTER	LIBERTY	2	56	73	7.314	32	32	PMS	1806	234	666	9	30	10	20	25	94	92	.4
P001	213+0.183	3.9 E EAST GLAC	GLACIER	2			3.787	UNDER CONSTRUCTION													
P001	321+0.077	0.6 W CHESTER	LIBERTY	2			5.712	UNDER CONSTRUCTION													
				2			.700	UNDER CONSTRUCTION													
		DISTRICT TOTAL					374.591													34	127.3

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 3
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P042	73+0.246	JCT FAP RTE 31	VALLEY	3 34 58	2.174	22	26	RMS	1655	264	367	0	13	9	2	19	43	39	1.2
P001	541+0.099	0.3 W GLASGOW	VALLEY	3 48 48	.328	24	26	RMS	5989	808	638	0	15	8	20	11	54	40	.2
P025	46+0.911	JCT FAP 32	ROOSEVELT	3 30 56	5.474	24	24	RMS	1140	148	371	0	12	7	2	24	45	43	3.0
P001	537+0.631	3.7 W GLASGOW	VALLEY	3 48 48	3.338	24	26	RMS	2214	298	695	0	10	10	6	24	50	44	1.7
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3 33 57	1.859	20	24	RMS	684	102	338	0	9	7	1	25	42	44	1.1
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3 30 56	.412	20	24	RMS	1030	133	374	0	10	10	1	25	46	45	.2
P022	42+0.348	PLENTYWOOD	SHERIDAN	3 33 40	1.033	20	24	RMS	1826	273	526	0	14	10	7	22	53	48	.5
P042	70+0.530	2.7 S FAP RTE 31	VALLEY	3 34 34	2.725	22	26	RMS	861	137	442	0	11	9	3	25	48	48	1.4
P022	43+0.383	JCT FAP 30	SHERIDAN	3 33 40	9.226	20	24	RMS	975	146	352	0	14	9	2	24	49	49	4.7
P061	155+0.524	JCT FAS RTE 363	PHILLIPS	3 38 42	1.399	24	26	RMS	1240	208	467	0	14	8	6	23	51	49	.7
P022	7+0.586	7.1 E SCOBEY	DANIELS	3 35 36	10.261	20	24	BST	450	67	184	0	12	8	1	25	46	51	5.5
P022	29+0.335	ARCHER FAS 374	SHERIDAN	3 37 62	11.850	20	24	RMS	689	103	406	0	11	9	3	26	49	51	6.0
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3 34 34	11.343	22	26	RMS	573	91	324	0	14	7	1	26	48	51	5.9
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3 33 45	4.599	20	24	RMS	295	41	220	0	11	5	1	27	44	52	2.6
P001	454+0.550	ODOSON	PHILLIPS	3 49 49	3.137	24	26	RMS	1127	146	500	3	14	8	3	26	54	52	1.4
P001	526+0.524	14.1 W GLASGOW	VALLEY	3 50 55	11.121	24	27	PMS	1049	141	277	3	16	10	2	22	53	52	5.2
P032	48+0.193	2.6 S SCOBEY	DANIELS	3 33 45	2.587	20	24	RMS	411	57	220	0	12	8	1	26	47	53	1.4
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3 38 40	10.149	20	24	RMS	379	53	255	0	11	7	3	27	48	54	5.3
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3 46 50	5.368	24	32	RMS	811	105	302	0	17	9	2	25	53	54	2.5
P032	7+0.507	3.8 N FAP 1	ROOSEVELT	3 33 45	6.626	20	24	RMS	335	46	387	0	10	9	1	28	48	55	3.4
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3 40 40	2.757	20	24	RMS	404	56	277	0	13	8	1	27	49	55	1.4
P001	626+0.151	BROCKTON	ROOSEVELT	3 43 57	3.243	24	30	RMS	915	118	414	0	17	10	3	26	56	56	1.4
P031	0+0.000	JCT FAP 42	VALLEY	3 62 62	1.443	28	28	PMS	569	85	396	2	14	9	2	27	54	57	.7
P022	17+0.900	SHERIDAN CO	SHERIDAN	3 36 36	3.028	22	25	BST	299	44	249	0	12	8	2	27	49	57	1.5
P061	147+0.379	9.5 S MALTA	PHILLIPS	3 38 42	8.114	24	26	RMS	513	86	398	0	12	8	6	27	53	57	3.8
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3 33 45	7.042	20	24	RMS	244	34	387	0	10	7	2	29	48	58	3.7
P032	3+0.751	JCT FAP RTE 1	ROOSEVELT	3 33 45	3.750	20	24	RMS	396	55	421	0	12	9	3	28	52	58	1.8
P001	543+0.809	JCT FAP 31	VALLEY	3 62 62	2.430	36	36	PMS	1618	218	616	5	19	10	3	25	62	58	.9
P001	546+0.252	2.4 E FAP 31	VALLEY	3 53 53	8.404	24	30	RMS	1311	176	631	0	15	10	10	26	61	58	3.3
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3 38 63	5.422	20	24	RMS	492	74	390	0	15	7	5	27	54	58	2.5
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3 50 55	5.117	24	27	PMS	1021	137	413	3	18	10	4	25	60	59	2.0
P032	35+0.228	DANIELS CO	ROOSEVELT	3 33 45	4.666	20	24	RMS	269	37	201	0	13	8	2	27	50	59	2.3
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3 40 40	10.490	20	24	RMS	285	39	255	0	14	8	2	28	52	60	5.0
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3 52 52	3.338	24	30	RMS	839	109	414	0	12	10	11	26	59	60	1.4
P017	8+0.774	3.1 S NASHUA	VALLEY	3 38 63	1.783	20	24	RMS	546	75	265	4	17	8	1	26	56	60	.8
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3 52 52	4.409	24	30	RMS	780	101	442	0	13	10	10	27	60	61	1.8
P001	542+0.429	GLASGOW	VALLEY	3 62 62	1.386	68	68	PMS	3179	429	2160	6	21	10	5	27	69	61	.4
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3 33 45	4.759	20	24	RMS	242	33	239	0	14	8	1	28	51	61	2.3
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3 33 45	9.277	20	24	RMS	279	39	220	0	17	7	1	27	52	61	4.5
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3 33 45	3.765	20	24	RMS	297	41	584	0	9	10	5	29	53	61	1.8
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3 33 45	3.711	20	24	RMS	321	44	421	0	12	8	5	28	53	61	1.7
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3 36 36	8.441	22	25	BST	386	57	435	0	14	9	4	28	55	61	3.8
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3 49 49	6.252	22	22	BST	193	32	277	0	13	7	2	28	50	61	3.1
P017	0+0.000	JCT FAP RTE 42	VALLEY	3 69 69	3.500	24	24	BST	535	80	365	4	17	6	4	27	58	62	1.5
P061	142+0.098	14.7 S MALTA	PHILLIPS	3 42 42	5.278	20	24	PMS	241	40	255	0	15	9	2	28	54	64	2.4
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3 47 47	5.924	25	25	BST	194	32	353	0	14	8	3	29	54	65	2.7
P001	499+1.054	SACO	PHILLIPS	3 55 55	1.515	24	28	RMS	1334	180	510	0	12	10	20	25	67	65	.5
P001	591+0.423	WOLF POINT	ROOSEVELT	3 58 58	5.798	32	32	PMS	1935	232	648	6	19	10	11	25	71	66	1.7
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3 60 60	9.761	32	32	PMS	1536	184	680	5	18	10	10	26	69	66	3.0
P062	1+0.524	CULBERTSON	ROOSEVELT	3 61 61	.496	36	36	PMS	726	108	627	7	16	10	5	27	65	66	.2
P061	130+0.393	25.0 S FAS RTE 363	PHILLIPS	3 42 42	6.398	20	24	RMS	204	34	683	0	8	8	10	29	55	66	2.9
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3 61 61	10.621	28	28	PMS	252	40	427	0	13	10	6	29	58	67	4.5
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3 56 61	1.712	32	32	PMS	1004	130	428	0	13	10	20	25	68	67	.5
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3 55 62	5.605	32	32	PMS	875	118	352	8	18	10	7	25	68	68	1.8
P061	88+0.067	PHILLIPS CO	PHILLIPS	3 60 60	5.580	28	28	PMS	295	49	477	0	13	10	9	28	60	68	2.2

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	457+0.675	3.1 E DODSON	PHILLIPS	3	63	63	9.025	32	32	PMS	1120	145	569	5	20	10	9	26	70	69	2.7
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	813	109	536	8	19	10	4	27	68	69	1.7
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1081	145	435	0	16	9	20	25	70	69	2.0
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1038	140	461	5	18	10	12	25	70	69	1.7
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	8.184	32	32	PMS	1187	160	720	6	21	10	8	27	72	70	2.3
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1446	187	554	2	17	10	20	25	74	71	1.3
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	768	115	406	0	14	10	20	26	70	71	2.1
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	533	74	353	8	21	9	3	27	68	71	2.2
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	343	51	301	4	17	10	7	27	65	71	2.4
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	1193	180	662	5	18	10	15	26	74	72	3.9
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1124	151	234	7	22	10	14	20	73	72	2.7
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	213	35	902	0	10	10	13	29	62	72	3.3
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	193	32	401	0	15	10	8	29	62	73	3.0
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1299	175	616	3	17	10	19	26	75	73	2.3
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	879	118	629	7	17	10	12	27	73	73	.8
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	373	56	414	5	18	10	7	28	68	74	2.8
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	250	35	353	8	21	8	1	29	67	75	2.8
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1471	176	648	6	18	10	18	26	78	75	1.0
P061	136+0.795	18.9 S FAS 363	PHILLIPS	3	42	42	5.281	20	24	RMS	222	37	711	0	10	8	20	29	67	76	1.7
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1248	168	696	7	25	10	11	26	79	77	1.8
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1061	143	260	6	23	10	17	22	78	77	1.7
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	365	55	353	4	17	9	14	28	72	77	1.9
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	306	46	332	8	26	10	1	28	73	79	3.0
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	768	103	629	5	15	10	20	28	78	79	1.8
P001	611+0.926	POPLAR	ROOSEVELT	3	70	70	13.687	40	40	PMS	1365	177	304	7	23	10	20	21	81	79	2.6
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.885	24	24	RMS	70	9	384	4	17	10	2	30	63	80	1.8
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1181	153	304	8	25	10	17	22	82	81	1.4
P032	51+0.736	SCOBEY	DANIELS	3	58	68	9.191	24	26	PMS	176	24	520	8	23	10	2	29	72	82	2.6
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	193	32	569	0	14	10	20	29	73	82	2.2
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	1518	229	722	7	23	10	20	25	85	83	.1
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	639	95	532	10	25	10	10	27	82	83	.4
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1505	195	288	9	26	10	20	20	85	83	1.3
P001	573+0.032	FRAZER	VALLEY	3	58	76	8.057	24	32	PMS	1252	169	720	4	24	10	20	26	84	83	1.3
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	998	129	281	7	25	10	20	23	85	84	1.1
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	537	81	415	7	19	10	20	27	83	85	.2
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	754	113	621	6	25	10	16	27	84	85	1.8
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	714	107	592	10	24	10	14	27	85	86	.8
P022	63+0.803	JCT FAS 515	SHERIDAN	3	63	63	.265	32	32	PMS	836	125	828	7	23	10	20	28	88	88	
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.893	30	36	RMS	256	40	688	9	27	10	8	29	83	88	.5
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1481	199	528	9	27	10	20	24	90	88	
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1173	158	544	8	26	10	20	26	90	89	.1
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	28	28	PMS	75	11	448	7	21	8	10	30	76	89	2.4
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	608	91	672	8	23	10	20	28	89	90	.8
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	688	103	562	10	30	10	20	27	97	97	.2
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	559	83	621	10	30	10	20	28	98	98	
		DISTRICT TOTAL					583.366														35 204.1



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 4
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	FT	IM	SECTION LENGTH	WIDTH SRF	FOY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS ENO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P062	33+0.331	3.6 N SIDNEY	RICHLAND	4	37	49	3.663	24	26	PMS	2382	357	308	0	11	9	3	13	36	30	2.3
P020	52+0.570	SIDNEY	RICHLAND	4	35	35	6.066	20	24	RMS	2330	302	453	0	11	5	5	20	41	34	3.6
P020	58+0.614	6.1 N SIDNEY	RICHLAND	4	35	35	3.906	20	24	RMS	1622	210	302	0	11	5	2	20	38	34	2.4
P025	44+0.762	1.8 S ROOSEVELT	MCCONE	4	30	36	1.745	20	24	BST	802	104	126	0	13	6	1	18	38	39	1.1
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1296	168	377	0	11	8	3	23	45	42	5.0
P025	0+0.055	CIRCLE	MCCONE	4	36	56	7.600	20	24	RMS	590	76	126	0	12	8	1	21	42	45	4.4
P025	7+0.759	7.6 N CIRCLE	MCCONE	4	36	55	13.141	20	25	RMS	576	74	315	0	9	6	2	26	43	46	7.5
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	36	36	.771	22	25	BST	1213	157	420	0	15	10	1	24	50	48	.4
P062	20+0.286	4.6 N FAS 201	RICHLAND	4	40	49	4.651	24	26	RMS	720	108	499	0	8	8	3	27	46	48	2.5
P057	330+0.553	0.3 W GLENDIVE	DAWSON	4	48	50	.222	24	34	PMS	4318	518	336	6	19	8	20	7	60	49	.1
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	618	80	357	0	10	7	3	27	47	50	3.9
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	600	78	392	0	10	7	4	27	48	51	3.7
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	642	83	185	0	16	6	3	23	48	51	4.8
P062	3+0.986	RICHLAND CO	RICHLAND	4	34	36	1.650	20	24	RMS	654	98	582	0	8	10	4	27	49	51	.8
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4	33	55	6.762	20	24	RMS	450	58	237	0	15	5	1	26	47	52	3.6
P062	24+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	916	137	308	2	17	8	3	23	53	53	2.2
P057	248+0.631	JCT FAP 42	MCCONE	4	40	54	8.010	24	24	RMS	332	50	499	0	10	9	2	28	49	56	4.1
P057	262+0.331	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	377	57	556	0	10	8	4	28	50	56	2.6
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	1057	158	442	2	17	8	5	25	57	56	1.6
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.800	24	24	RMS	349	53	530	0	10	9	2	29	50	57	2.9
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	464	70	582	0	8	10	7	28	53	58	5.1
P062	5+0.586	1.7 S RICHLAND CO	RICHLAND	4	37	41	3.258	20	24	RMS	660	99	406	0	8	7	20	26	61	63	1.3
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1821	236	222	8	24	10	11	14	67	63	1.4
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	859	111	434	0	18	10	10	26	64	64	1.5
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	1544	200	896	8	21	10	1	27	67	64	.1
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	991	128	301	2	16	10	13	24	65	64	2.0
P057	279+0.793	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1510	231	592	7	24	10	4	24	69	66	.3
P062	12+0.176	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.089	24	26	RMS	648	97	499	0	10	8	20	27	65	67	2.8
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	4112	534	1760	9	26	10	5	25	75	67	.4
P057	330+0.775	0.5 W GLENDIVE	DAWSON	4	69	69	.172	32	32	PMS	4315	517	432	9	26	10	20	12	77	69	
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1197	155	266	10	30	10	2	21	73	71	.4
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	812	105	184	6	24	10	9	21	70	71	1.7
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	143	22	724	0	8	10	10	30	58	71	2.6
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	116	18	705	0	6	10	15	30	61	75	4.5
P057	330+0.190	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	4323	518	2840	7	18	10	20	27	82	75	.1
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	974	126	585	4	23	10	12	27	76	76	1.9
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	182	25	371	3	16	10	8	29	66	76	3.3
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	1799	233	281	10	27	10	14	18	79	76	1.7
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	988	128	643	8	24	10	9	27	78	77	1.5
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	512	66	312	9	26	10	2	27	74	77	.5
P027	66+0.022	10.3 N FAS 419	WIBAUX	4	65	65	5.304	28	28	PMS	460	59	504	8	24	10	5	28	75	79	1.3
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	191	26	342	2	17	10	12	29	70	79	2.5
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	131	20	642	0	6	10	20	30	66	79	2.1
P057	330+0.947	0.6 W GLENDIVE	DAWSON	4	69	69	.233	24	24	PMS	4314	517	805	9	26	10	20	20	85	79	
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	661	99	403	8	24	10	11	26	79	80	.7
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	109	17	428	0	13	10	16	29	68	81	1.7
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	533	69	480	8	25	10	8	28	79	81	1.2
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	366	51	655	7	24	10	8	29	78	82	.7
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	102	16	705	0	10	10	20	30	70	83	2.6
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	172	27	501	6	24	10	5	29	74	83	1.1
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	348	45	522	7	22	10	10	29	78	83	2.5
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	638	82	585	10	30	10	5	28	83	84	1.6
P057	306+0.463	2 MI E LINOSAY	DAWSON	4	67	67	10.240	40	40	PMS	746	96	260	7	23	10	20	24	84	85	1.6
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	588	76	400	7	23	10	18	27	85	86	1.1
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	581	75	360	6	21	10	20	27	84	86	.3

FINANCIAL DISTRICT NUMBER 4

RT-a	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	737	95	546	7	23	10	20	27	87	87	.9
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1125	146	296	10	30	10	17	23	90	89	.3
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	113	18	439	4	24	10	16	29	83	91	2.0
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	250	35	463	7	22	10	20	29	88	92	.6
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	180	25	702	8	24	10	20	29	91	95	.1
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1308		289	9	27	10	20	30	96	95	
P040	0+0.150	TERRY	PRAIRIE	4	72	72	.253	40	40	PMS	1308		528	9	27	10	20	30	96	95	
P051	49+0.250	LAMBERT	RICHLAND	4			10.645	UNDER CONSTRUCTION													
P051	27+0.527	RICHEY	DAWSON	4			5.039	UNDER CONSTRUCTION													
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4			11.197	UNDER CONSTRUCTION													
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4			10.761	UNDER CONSTRUCTION													
P051	32+0.582	RICHLAND CO	RICHLAND	4			5.840	UNDER CONSTRUCTION													
		DISTRICT TOTAL					372.556													32	117.7



N

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 5
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS RT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	1009	131	133	2	16	8	1	15	42	41	3.5
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5	50	50	6.474	24	28	RMS	1246	161	371	0	14	10	4	23	51	49	3.2
P063	36+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	959	124	278	3	13	9	2	23	50	50	1.6
P061	38+0.698	6.5 S FAP RTE 57	FERGUS	5	41	67	4.893	24	30	RMS	651	84	333	0	13	9	2	26	50	52	2.4
P057	131+0.060	7.8 E PETROLEUM CO	PETROLEUM	5	31	58	4.553	20	24	RMS	294	44	406	0	9	7	1	28	45	53	2.5
P057	94+0.353	11.1 E LEWISTOWN	FERGUS	5	37	57	8.960	24	30	RMS	712	92	367	0	15	9	1	26	51	53	4.4
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	365	55	240	0	11	7	1	27	46	53	2.9
P057	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	335	51	299	0	11	8	1	27	47	54	4.2
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5	36	53	6.889	24	24	RMS	371	56	499	0	9	9	1	28	47	54	3.7
P057	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	307	46	275	0	11	8	1	27	47	55	6.5
P057	199+0.094	10.5 E EDWARDS	GARFIELD	5	36	53	7.662	24	24	RMS	339	51	275	0	11	9	1	27	48	55	4.0
P018	38+0.093	GARFIELD CO	GARFIELD	5	31	53	10.392	20	24	RMS	172	22	448	0	6	7	1	29	43	55	5.9
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	53	4.900	20	24	RMS	163	21	470	0	8	5	1	29	43	55	2.8
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5	51	51	9.827	24	24	BST	465	72	243	2	13	8	1	26	50	55	4.9
P057	103+0.269	9.6 W FAP 61	FERGUS	5	40	55	9.667	24	32	RMS	725	110	599	0	15	9	3	27	54	56	4.4
P057	123+0.198	PETROLEUM CO	PETROLEUM	5	31	58	7.790	20	24	RMS	282	43	634	0	10	4	4	29	47	56	4.1
P057	73+0.550	8.5 E FAP 63	FERGUS	5	47	54	3.349	24	31	PMS	1541	183	384	6	19	9	3	23	60	56	1.3
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5	48	52	8.146	22	24	RMS	297	45	264	0	13	7	1	27	48	56	4.2
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1864	216	780	7	17	9	3	26	62	57	.7
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	319	48	301	0	11	8	2	28	49	57	4.4
P057	112+0.981	JCT FAP RTE 61	FERGUS	5	51	51	6.723	24	24	BST	392	59	396	0	13	9	1	28	51	57	4.3
P057	213+0.087	JORDAN	GARFIELD	5	37	52	4.996	24	26	RMS	384	58	539	0	12	8	3	28	51	57	2.4
P063	19+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	905	117	384	3	15	10	4	25	57	57	1.3
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	465	72	243	4	14	8	1	26	53	58	1.5
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	332	50	275	0	14	9	1	27	51	58	3.0
P057	238+0.925	JCT FAS 462	GARFIELD	5	38	54	2.537	24	24	RMS	326	49	353	0	12	9	2	28	51	58	1.2
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	61	1.680	24	28	RMS	886	105	469	3	14	8	8	27	60	60	.7
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	PMS	830	107	429	2	13	10	8	26	59	60	.8
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	307	51	749	0	9	10	5	29	53	61	2.2
P057	136+0.507	WINNETT	PETROLEUM	5	31	69	1.123	22	24	PMS	409	62	476	0	11	10	6	28	55	61	.5
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	990	151	263	0	13	8	20	21	62	61	.1
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	1582	188	565	7	20	9	4	25	65	61	.8
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	50	5.334	24	28	RMS	834	108	318	2	14	10	9	25	60	61	2.1
P057	83+0.163	LEWISTOWN	FERGUS	5	42	42	5.079	24	30	PMS	1270	165	415	4	18	10	8	24	64	62	1.8
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	492	63	333	3	14	10	5	27	59	63	2.0
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.657	30	30	PMS	284	47	485	0	12	10	6	29	57	65	4.2
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	884	114	311	7	21	10	2	25	65	65	2.4
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	871	113	237	2	12	9	20	23	66	66	.4
P081	26+0.723	12.8 SE DENTON	FERGUS	5	73	73	2.835	24	24	RMS	465	72	469	5	17	10	2	28	62	67	1.1
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.727	24	24	PMS	146	22	353	3	16	5	3	29	56	69	1.6
P057	121+0.739	8.7 E FAP 61	FERGUS	5	29	58	1.467	18	24	RMS	307	46	414	0	9	5	20	28	62	69	.6
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.119	30	30	PMS	424	55	333	7	19	10	1	28	65	70	.4
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	401	67	414	3	16	10	9	28	66	71	1.3
P057	137+0.026	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	358	54	442	0	12	10	15	28	65	71	3.9
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	827	138	500	4	16	10	16	26	72	72	.4
P081	13+0.840	DENTON	FERGUS	5	73	73	12.883	24	24	PMS	467	72	394	7	23	10	1	27	68	72	4.1
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	255	33	600	3	16	10	6	29	64	73	2.7
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	310	40	600	5	16	10	6	29	66	73	2.1
P081	0+0.000	JCT FAP RTE 81	FERGUS	5	59	59	12.943	24	24	PMS	415	64	487	7	22	10	2	28	69	74	4.0
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	307	51	629	0	11	10	18	29	68	75	4.1
P061	27+0.704	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	447	58	392	7	21	10	5	28	71	75	1.8
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.462	28	30	PMS	297	38	414	3	18	10	8	29	68	75	3.3
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.539	24	31	PMS	1433	170	565	6	20	9	19	25	79	77	1.4
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	274	46	510	0	12	10	20	29	71	78	3.4
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	137	21	976	0	8	10	20	30	68	80	.6

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH POV	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TDT	ADJ	DEFIC MILES
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	264	34	472	6	24	10	7	29	76	82	2.3
P061	21+0.385	PETROLEUM CO	PETROLEUM	5	63	63	4.714	30	30	PMS	420	54	504	7	21	10	12	28	78	82	1.0
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	219	28	702	7	24	10	6	29	76	83	2.5
P057	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	1461	173	621	10	30	10	10	26	86	84	.1
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.017	32	32	PMS	1450	172	672	10	28	10	13	26	87	85	.3
P057	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	292	44	476	5	19	10	20	29	83	87	1.6
P080	49+0.808	3.7 S CHOUTEAU CO	FERGUS	5	53	53	1.042	24	24	PMS	202	30	534	6	17	9	20	29	81	88	.2
P057	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	378	57	648	10	30	10	7	29	86	89	.2
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.738	28	30	PMS	260	33	442	5	20	10	20	29	84	89	.6
P018	58+0.974	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	185	24	678	10	30	10	4	29	83	89	.7
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	PMS	327	50	239	7	23	10	20	27	87	90	.1
P057	158+0.354	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	371	56	648	10	30	10	13	29	92	94	.3
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.648	32	32	PMS	329	50	448	9	28	10	20	28	95	96	.6
P043	0+0.626	LEWISTOWN LIMITS	FERGUS	5			2.400	UNDER CONSTRUCTION													
P018	63+0.398	5.4 S COHAGEN	GARFIELD	5			5.433	UNDER CONSTRUCTION													
		DISTRICT TOTAL					398.313													38	150.5

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 6
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6 39 71	.996	32	32	RMS	3831	498	302	3	16	10	2	5	36	26	.6
P003	0+0.000	I 15 VAUGHN	CASCADE	6 55 71	1.402	28	32	RMS	3693	480	264	5	17	10	4	3	39	29	.9
P003	20+0.191	TETON CO	TETON	6 21 32	2.966	20	22	BST	1503	195	367	0	13	4	2	23	42	38	1.7
P021	0+0.825	3.0 S CONRAD	PONDERA	6 64 64	2.835	24	26	PMS	1355	176	264	0	11	8	2	20	41	38	1.7
P060	81+0.469	7.0 N FAS 331	CASCADE	6 42 52	5.894	26	31	RMS	2594	337	384	2	14	10	3	17	46	38	3.2
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6 36 36	.676	24	24	RMS	1233	160	335	0	12	8	0	23	43	41	.4
P010	52+0.380	LOMA	CHOUTEAU	6 34 63	2.764	22	24	RMS	1261	163	380	0	10	8	2	24	44	42	1.5
P003	23+1.038	FAIRFIELD	TETON	6 21 32	1.492	20	22	BST	840	109	420	0	12	3	0	26	41	42	.9
P003	41+0.952	CHOTEAU	TETON	6 21 61	12.944	20	22	RMS	778	187	427	0	13	5	1	23	42	43	7.5
P044	21+0.954	7.6 E VALIER	PONDERA	6 48 48	5.911	20	20	RMS	671	95	374	0	6	6	3	26	41	43	3.5
P024	116+0.833	CASCADE CO	CASCADE	6 52 52	10.632	24	26	RMS	1173	175	277	0	15	7	2	21	45	43	5.8
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6 36 56	12.442	22	24	RMS	1311	156	392	0	13	6	5	24	48	45	6.5
P003	59+0.625	4.6 N BYNUM	TETON	6 32 53	8.589	20	24	RMS	464	111	280	0	9	6	1	24	40	45	5.2
P003	68+0.264	PONDERA CO	PONDERA	6 32 32	6.905	20	24	BST	423	101	445	0	8	4	1	27	40	45	4.1
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6 34 55	8.767	22	24	RMS	1167	151	750	0	8	8	4	27	47	45	4.6
P057	33+0.205	11.3 E GEYSER	JUDITH BASIN	6 37 37	3.438	24	30	RMS	1377	163	842	0	9	9	4	27	49	46	1.8
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6 36 50	6.610	24	25	RMS	1296	154	469	0	10	6	8	25	49	46	3.4
P044	14+0.299	VALIER	PONDERA	6 48 48	7.655	20	20	RMS	776	110	585	0	7	6	5	27	45	46	4.2
P068	0+0.000	JCT FAP RTE 15	CASCADE	6 33 53	.174	24	28	RMS	588	178	368	0	12	8	0	23	43	46	.1
P060	71+0.018	JCT FAP RTE 57	CASCADE	6 55 55	3.606	40	40	RMS	2141	278	396	2	16	10	6	19	53	47	1.7
P003	75+0.208	DUPUYER	PONDERA	6 28 52	8.382	22	24	RMS	474	114	716	0	9	4	1	28	42	47	4.9
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22	BST	1031	134	420	0	12	4	8	25	49	48	1.1
P003	54+0.948	BYNUM	TETON	6 32 53	4.648	20	24	RMS	533	128	390	0	11	6	2	25	44	48	2.6
P057	54+0.311	MOCCASIN	JUDITH BASIN	6 33 71	2.337	22	24	RMS	1373	163	352	3	17	7	1	23	51	48	1.1
P024	138+0.485	SUN RIVER	CASCADE	6 36 71	1.322	25	31	PMS	1867	261	522	3	16	9	2	23	53	48	.6
P009	43+0.145	TETON CO	TETON	6 35 35	2.846	20	24	RMS	541	86	270	0	11	8	1	25	45	49	1.6
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6 39 71	2.019	32	32	RMS	4037	524	365	4	17	10	20	8	59	49	.8
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6 56 56	10.688	25	25	BST	446	67	280	0	13	4	1	26	44	49	6.0
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 51	6.871	22	24	RMS	1114	144	390	0	15	8	4	24	51	50	3.4
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6 34 51	8.464	22	24	RMS	1101	143	360	2	15	8	2	24	51	50	4.1
P057	36+0.650	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30	RMS	1473	175	518	0	8	9	11	25	53	50	2.4
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1233	160	442	0	11	7	10	25	53	51	1.6
P003	8+0.105	JCT FAP 24	CASCADE	6 36 61	7.139	24	31	RMS	1107	143	469	0	13	8	6	25	52	51	3.4
P003	1+0.866	1.4 W VAUGHN	CASCADE	6 36 48	6.230	24	31	RMS	3283	426	631	3	18	8	11	20	60	51	2.5
P009	53+0.840	7.8 N FAS 408	TETON	6 36 36	6.133	22	25	RMS	444	71	286	0	12	8	1	26	47	52	3.3
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6 47 62	.581	24	24	RMS	845	109	360	3	13	10	1	25	52	53	.3
P060	74+0.514	JCT FAS RTE 331	CASCADE	6 52 55	6.955	24	32	PMS	2528	328	428	4	15	10	14	19	62	55	2.6
P009	46+0.003	JCT FAS 408	TETON	6 35 35	7.848	20	24	RMS	371	59	325	0	12	8	1	27	48	55	4.1
P010	3+0.534	GREAT FALLS	CASCADE	6 40 71	3.633	28	28	PMS	2463	320	562	6	27	9	2	21	65	58	1.3
P057	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6 55 55	1.138	24	32	RMS	1401	166	503	4	14	10	8	25	61	58	.4
P057	21+0.888	GEYSER	JUDITH BASIN	6 36 50	4.693	24	25	RMS	1314	156	469	0	13	7	16	25	61	58	1.8
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6 54 54	10.425	24	24	RMS	392	55	530	2	15	7	1	28	53	59	4.9
P060	53+0.694	4.2 N MONARCH	CASCADE	6 40 40	6.667	26	26	BST	584	87	571	0	14	9	5	28	56	59	2.9
P010	80+0.000	BIG SANDY	CHOUTEAU	6 33 63	4.793	24	26	RMS	1341	174	526	0	11	7	20	25	63	60	1.8
P003	28+0.226	4.2 N FAIRFIELD	TETON	6 40 40	12.297	24	30	RMS	832	108	600	0	16	7	9	27	59	60	5.0
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6 47 73	.678	24	24	PMS	845	109	450	3	14	10	7	26	60	61	.3
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6 62 62	.497	24	24	PMS	140	21	561	0	12	5	1	29	47	61	.3
P060	38+0.998	NEIHART	CASCADE	6 52 52	10.527	22	26	PMS	537	80	492	5	16	8	2	28	59	63	4.3
P003	25+0.541	1.5 N FAIRFIELD	TETON	6 21 32	2.698	20	22	BST	760	98	429	0	12	3	20	27	62	63	1.0
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6 64 64	7.500	32	32	PMS	1394	165	352	5	18	10	13	23	69	66	2.3
P080	67+0.052	STANFORD	JUDITH BASIN	6 27 27	.122	24	26	BST	698	105	614	2	12	3	20	27	64	66	
P024	133+0.232	5.7 E SIMMS	CASCADE	6 64 64	5.275	32	32	PMS	1856	259	653	5	23	10	9	24	71	67	1.5
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6 46 59	.876	24	24	RMS	850	110	450	2	14	8	18	26	68	68	.3
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6 41 70	2.021	24	24	RMS	850	110	360	6	18	10	10	25	69	69	.6
P060	49+0.470	MONARCH	CASCADE	6 52 52	4.234	22	26	PMS	569	85	441	7	19	8	5	27	66	69	1.4

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6	61	61	3.343	32	32	PMS	1483	176	448	6	22	10	10	24	72	69	.9
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1837	238	580	5	20	10	15	24	74	70	2.5
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.014	22	25	RMS	591	94	518	0	12	8	20	27	67	70	1.3
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.490	30	30	PMS	2021	262	414	4	20	10	20	21	75	71	1.6
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	313	47	592	5	17	10	3	29	64	71	2.4
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	603	91	463	7	24	10	2	27	70	72	.5
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	300	45	331	7	19	10	1	28	65	72	2.5
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	214	32	592	6	17	9	2	29	63	73	3.1
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	63	63	3.833	32	32	PMS	1801	234	580	4	19	10	20	24	77	73	.9
P057	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1343	159	592	7	21	10	11	26	75	73	1.0
P057	0+0.000	JCT FAP RTE 60	CASCADE	6	60	60	5.418	32	32	PMS	1680	199	2116	4	22	10	12	29	77	74	1.2
P024	127+0.465	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	1838	257	565	8	26	10	11	23	78	74	1.3
P057	5+0.302	5.3 E FAP 60	CASCADE	6	61	61	1.770	32	32	PMS	1549	184	448	5	21	10	18	24	78	75	.4
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	PMS	1045	135	600	4	17	8	20	27	76	75	.4
P080	0+0.000	JCT FAP 10	CHOUTEAU	6	53	53	1.596	24	24	PMS	586	88	332	9	25	10	3	26	73	75	.4
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	950	123	616	9	28	10	2	27	76	76	.2
P044	0+0.000	JCT FAP 3	PONDERA	6	54	54	2.760	24	24	RMS	325	46	534	0	14	7	20	29	70	76	.8
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	1032	134	616	4	17	10	20	27	78	77	.3
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	52?	79	520	9	27	10	1	28	75	78	.5
P080	39+0.544	1.5 N SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	145	21	427	3	17	10	9	29	68	80	1.9
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	1416	168	666	8	26	10	13	26	83	81	1.1
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	678	163	640	9	28	10	8	26	81	82	.9
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.834	32	32	PMS	2072	269	666	7	25	10	20	24	86	83	1.4
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	218	32	643	7	23	10	6	29	75	83	1.3
P010	7+0.159	3.6 N GREAT FALLS	CASCADE	6	40	71	2.469	28	28	PMS	2257	293	666	8	28	9	20	23	88	85	.3
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	63	63	12.038	32	32	PMS	1272	165	621	10	28	10	12	26	86	85	1.7
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	542	81	568	9	27	10	11	28	85	87	1.4
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	160	24	666	5	21	10	17	29	82	89	.9
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1267	164	666	8	26	10	20	26	90	89	.1
P044	27+0.865	0.5 W JCT 115	PONDERA	6	72	72	.523	34	34	PMS	553	78	720	10	30	10	10	28	88	89	.1
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	1038	155	772	9	25	10	20	27	91	90	
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	331	49	463	8	25	10	20	28	91	93	.9
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	367	55	624	7	25	10	20	29	91	93	.4
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	470	113	544	9	26	10	20	27	92	93	.1
P021	4+0.997	CONRAD	PONDERA	6	63	63	.172	44	44	PMS	1359		289	10	30	10	20	30	100	100	
		DISTRICT TOTAL					433.715													39	170.3

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 7
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	SUF ROY	TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P008	46+0.476	HELENA	LEWIS AND CLARK	7	36	36	2.094	24	30	PMS	8367	1004	463	0	12	3	3	0	18	8	1.7
P008	34+0.187	5.4 W HELENA	LEWIS AND CLARK	7	33	33	5.427	20	24	RMS	1890	245	299	0	13	8	2	18	41	36	3.2
P008	49+0.860	EAST HELENA	LEWIS AND CLARK	7	36	36	2.962	24	30	PMS	2965	453	500	3	15	7	4	16	45	37	1.6
P024	109+0.055	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.786	24	26	RMS	963	144	277	0	11	8	2	22	43	43	4.4
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.505	24	25	RMS	1143	171	237	0	15	8	3	19	45	43	1.9
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	70	5.819	24	25	RMS	1149	172	240	2	14	8	3	19	46	44	3.1
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7	35	35	4.584	20	24	RMS	758	121	364	0	13	7	2	25	47	48	2.4
P024	86+0.129	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.094	28	30	PMS	1149	172	139	7	22	10	1	11	51	49	2.5
P024	100+0.526	JCT FAS RTE 434	LEWIS AND CLARK	7	52	52	8.525	24	26	RMS	880	132	233	0	11	8	9	22	50	50	4.3
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	62	6.155	22	26	RMS	411	53	296	0	8	7	2	27	44	50	3.4
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7	59	59	6.004	24	24	BST	784	117	276	2	14	7	3	24	50	51	3.0
P029	59+0.892	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.791	22	24	RMS	334	50	567	0	10	5	1	29	45	52	3.2
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	36	9.091	20	24	BST	362	57	211	0	11	7	1	26	45	52	5.0
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7	32	36	8.470	20	24	BST	322	51	470	0	8	7	2	28	45	53	4.7
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7	32	61	4.247	20	24	RMS	377	49	396	0	10	7	2	28	47	53	2.3
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7	53	53	9.717	24	24	RMS	1167	192	289	4	15	8	9	20	56	54	4.3
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7	60	60	5.887	24	24	RMS	1387	208	295	7	21	10	2	19	59	56	2.4
P014	6+0.411	4.0 E FAS 284	BROADWATER	7	37	52	7.187	20	25	RMS	367	55	448	0	12	7	2	28	49	56	3.7
P014	13+0.545	11.2 E FAS 284	BROADWATER	7	51	51	9.901	20	26	RMS	359	53	297	0	14	5	3	27	49	56	5.0
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	354	54	277	0	13	8	1	27	49	56	.5
P008	78+0.114	TOWNSEND	BROADWATER	7	39	39	9.673	24	32	RMS	1769	229	680	0	11	10	16	25	62	57	3.7
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1678	251	450	6	18	10	5	22	61	57	1.5
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7	31	40	2.000	24	31	RMS	386	50	248	0	13	10	1	27	51	57	1.0
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	347	53	323	0	14	8	1	28	51	58	2.6
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7	57	57	2.840	24	24	BST	445	66	266	2	15	7	3	26	53	58	1.3
P069	0+0.673	WHITEHALL	JEFFERSON	7	33	55	2.318	32	32	RMS	1043	156	629	2	11	10	12	26	61	60	.9
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	RMS	392	50	243	0	13	10	4	27	54	60	.4
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.104	28	30	PMS	1155	173	333	7	18	10	5	22	62	60	1.6
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7	60	60	6.788	24	24	PMS	1416	233	368	6	23	10	5	21	65	62	2.4
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	590	76	75	8	25	10	1	15	59	62	.1
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7	61	61	8.498	26	26	PMS	450	67	259	4	18	9	1	26	58	63	3.6
P008	97+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1395	181	507	4	16	10	12	25	67	64	3.7
P008	98+0.993	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.748	24	28	RMS	1821	236	427	2	15	10	20	22	69	65	2.7
P008	65+0.436	0.7 S WINSTON	BROADWATER	7	56	65	11.541	32	32	PMS	1980	257	696	7	23	10	6	24	70	65	3.5
P008	107+0.893	JCT FAI 90	BROADWATER	7	68	68	.308	40	40	PMS	868	112	128	10	28	10	1	17	66	66	.1
P008	108+0.855	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	868	112	128	10	28	10	1	17	66	66	.1
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7	64	64	3.662	28	28	PMS	436	65	275	4	18	10	3	26	61	66	1.4
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7	69	69	1.670	40	40	PMS	2884	441	344	8	25	10	20	11	74	67	.4
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7	68	68	1.060	30	30	RMS	641	96	604	4	24	8	3	28	67	69	.3
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.513	40	40	PMS	2422	370	264	9	27	10	20	9	75	70	.4
P008	108+0.202	0.3 S FAI 90	BROADWATER	7	52	52	.653	24	28	RMS	868	112	599	4	17	10	13	27	71	71	.2
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7	68	68	2.055	30	30	PMS	808	121	367	7	27	10	2	25	71	72	.6
P014	0+0.888	TOWNSEND	BROADWATER	7	64	64	1.513	32	32	PMS	1285	192	616	9	25	10	6	25	75	73	.4
P055	12+0.997	WHITEHALL	JEFFERSON	7	66	66	.090	32	32	PMS	2238	369	340	9	26	10	20	14	79	75	
P008	57+0.135	1.1 E BROADWATER	BROADWATER	7	72	72	8.303	34	34	PMS	1819	236	504	7	23	10	17	23	80	77	1.7
P009	12+0.411	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	240	38	447	4	19	10	8	29	70	78	2.3
P014	2+0.398	JCT FAS RTE 284	BROADWATER	7	64	64	3.999	32	32	PMS	519	77	548	8	23	10	6	28	75	78	1.0
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7	57	71	6.000	24	24	PMS	459	68	512	7	22	10	7	28	74	78	1.6
P008	55+0.994	BROADWATER CO	JEFFERSON	7	69	69	1.140	40	40	PMS	1844	239	320	9	27	10	20	19	85	82	.2
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	306	48	697	9	27	10	3	29	78	83	.5
P008	107+0.697	0.2 N FAI 90	BROADWATER	7	68	68	.196	40	40	PMS	2021	262	320	10	28	10	20	18	86	83	
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7	70	70	3.920	32	32	PMS	429	64	406	5	17	10	20	28	80	83	.8
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	252	40	365	8	19	10	20	28	85	90	.1
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	RMS	379	49	96	9	26	10	20	22	87	90	
P009	1+0.950	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	312	49	482	7	23	10	20	28	88	91	1.3

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RCY	SUF TYP	ADT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1084	162	795	10	30	10	20	27	97	96	
P008	27+0.319	0.3 W L & C CO	LEWIS AND CLARK	7			.308	UNDER CONSTRUCTION													
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7			2.262	UNDER CONSTRUCTION													
P008	30+0.034	2.2E LEW & CL CO	LEWIS AND CLARK	7			4.151	UNDER CONSTRUCTION													
		DISTRICT TOTAL					262.142													40	104.7


SANDERS
Thompson Falls
56
9
77
36
6
90
35
70
Superior
MINERAL
MISSOULA
83
5
90
Missoula
24
41
93
Lolo
90
POWELL
Drummond
90
88
8
88
19
19
GRANITE
Deer Lodge
90
Philipsburg
19
Hamilton
Darby
RAVALLI
46
N
Percent Sufficient
0 - 40
41 - 60
61 - 100
Under Construction As Of December 31, 1976
SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 8
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS ENG	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													
P005	0+0.622	0.2 N FAI 90	MISSOULA	8	34	55	3.088	20	24	RMS	4354	635	237	0	15	7	1	0	23	15	.2
P024	22+0.634	6.6 E POTOMAC	MISSOULA	8	41	59	4.023	25	28	RMS	1619	267	126	0	12	7	1	0	20	17	2.4
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	4235	618	220	0	13	7	10	0	30	21	3.2
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8	34	59	2.036	22	24	RMS	4176	542	627	0	8	4	3	17	32	22	1.1
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	1899	313	179	0	14	6	2	4	26	22	1.4
P007	48+0.000	HAMILTON	RAVALLI	8	40	40	1.731	24	30	RMS	4655	605	780	0	10	4	5	18	37	26	2.8
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	1979	326	322	0	13	5	2	15	35	30	1.1
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.039	30	30	RMS	2215	365	299	3	16	4	1	12	36	30	3.0
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	18	24	RMS	2376	308	414	0	10	6	2	19	37	31	2.6
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1150	171	270	0	11	3	0	21	35	33	7.4
P007	43+0.041	3.5 S HAMILTON	RAVALLI	8	49	49	1.525	30	30	BST	2753	357	345	4	14	9	1	14	42	34	1.5
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	1803	234	453	0	10	6	2	22	40	35	.9
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	4.563	20	24	RMS	1572	234	255	0	15	6	3	16	40	36	2.4
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	1610	239	294	0	11	3	8	18	40	36	2.7
P006	108+0.148	DIXON	SANDERS	8	27	50	7.086	20	24	RMS	1056	157	470	0	10	4	1	25	40	39	.2
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	758	112	325	0	10	3	0	25	38	39	4.3
P008	0+0.000	JCT FAI 90	POWELL	8	31	53	3.913	24	24	RMS	1339	174	468	0	10	6	2	24	42	39	1.1
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	915	136	233	0	12	4	3	21	40	40	2.3
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	767	114	423	0	9	3	1	26	39	40	2.3
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	987	128	273	0	11	6	2	23	42	41	.6
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.095	20	24	RMS	1060	157	470	0	11	5	1	25	42	41	1.7
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	852	110	235	0	11	7	1	23	42	42	3.5
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	729	108	356	0	11	4	0	25	40	42	2.0
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1251	186	408	0	11	6	4	23	44	42	1.1
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	682	98	471	0	9	3	1	27	40	42	1.8
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1053	156	184	0	13	5	9	17	44	43	3.0
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	750	111	453	0	11	4	1	26	42	43	1.0
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	745	111	470	0	10	4	2	26	42	43	2.1
P008	11+0.267	AVON	POWELL	8	33	58	11.942	22	24	RMS	1234	160	573	0	9	8	3	26	46	44	1.7
P007	82+0.746	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	5157	670	232	10	30	10	6	0	56	44	6.4
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	762	99	329	0	13	5	0	25	43	44	.3
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	690	102	233	0	15	3	1	23	42	44	.1
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.188	25	25	BST	1453	239	492	0	8	8	8	23	47	44	.7
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	454	68	115	0	12	6	1	21	40	45	2.7
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	772	100	329	0	13	5	1	25	44	45	3.8
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	616	89	224	0	12	6	0	24	42	45	4.2
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	489	70	683	0	9	3	2	28	42	46	1.8
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	64	9.496	36	36	PMS	3850	562	239	9	28	10	9	0	56	46	5.3
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1139	187	147	6	19	10	2	11	48	46	4.2
P024	31+0.869	JCT FAP 83	MISSOULA	8	54	54	3.799	24	30	RMS	1264	208	550	0	10	10	5	24	49	47	5.1
P006	57+0.808	1.7 S FAS 556	SANDERS	8	34	49	6.899	20	24	RMS	885	131	233	0	11	5	9	22	47	47	1.9
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	2827	367	648	3	13	10	7	22	55	47	3.7
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	3531	459	1016	0	9	10	15	23	57	47	3.2
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	853	110	235	0	13	7	3	23	46	47	1.0
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	582	87	283	0	9	7	4	25	45	48	1.9
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	BST	854	128	800	0	9	6	5	28	48	48	2.0
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	725	127	316	0	12	7	3	24	46	48	.9
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	3273	540	392	10	28	10	1	9	58	49	4.5
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39	39	3.997	26	26	BST	864	128	330	2	15	6	2	24	49	49	.4
P007	20+0.475	7.7 N SULA	RAVALLI	8	37	39	3.081	24	24	BST	855	111	220	0	12	7	9	22	50	50	2.0
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	BST	520	78	206	0	13	6	3	24	46	50	1.5
P005	0+0.000	JCT FAI 90	MISSOULA	8	34	39	.622	20	28	RMS	4450	649	248	10	30	10	12	0	62	51	2.1
P083	0+0.000	JCT FAP 24	MISSOULA	8	52	52	14.761	24	24	RMS	773	136	727	0	13	7	3	27	50	51	.2
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8	64	64	6.815	30	30	PMS	727	116	238	4	14	8	1	23	50	52	7.4

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8	59	59	11.071	24	24	PMS	468	82	367	0	12	6	3	27	48	53	5.8
P007	76+0.872	MISSOULA CO	MISSOULA	8	74	76	6.047	36	38	PMS	4690	609	344	10	30	10	11	3	64	53	2.2
P007	74+0.821	FLORENCE	RAVALLI	8	74	76	2.051	38	38	PMS	4266	554	320	10	30	10	10	4	64	54	.7
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	773	115	608	0	10	8	8	27	53	54	.9
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	802	104	289	0	12	6	10	25	53	54	2.8
P093	16+0.115	JCT CO RD	MISSOULA	8	64	64	4.982	30	30	PMS	925	148	364	4	15	9	2	24	54	54	2.3
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8	52	52	7.694	22	26	PMS	476	83	459	0	13	7	2	27	49	54	3.9
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	427	64	138	0	12	6	8	23	49	55	1.2
P036	26+0.128	7.1 N FAP 77	SANDERS	8	40	40	4.999	20	25	BST	402	60	610	0	9	7	5	29	50	56	2.5
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	603	99	338	3	15	7	2	26	53	56	1.6
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1323	218	308	6	20	10	5	19	60	57	3.0
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	710	103	536	0	13	9	7	27	56	58	3.8
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	763	111	569	4	13	9	5	27	58	59	3.5
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	496	87	623	2	14	7	4	28	55	59	2.6
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	64	9.281	30	30	PMS	811	129	549	5	15	10	3	26	59	60	3.8
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1237	204	333	6	19	10	7	21	63	61	4.6
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.667	44	44	PMS	4199	545	320	9	28	10	20	4	71	62	.2
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	494	72	356	6	15	8	2	27	58	62	.9
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	633	92	283	6	15	10	3	25	59	62	.4
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	790	115	616	3	17	10	6	27	63	64	2.3
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	245	41	276	0	12	10	4	28	54	64	2.9
P093	21+0.095	11.4 N FAP RTE 7	MISSOULA	8	64	64	11.466	30	30	PMS	1228	196	442	7	19	10	7	23	66	64	3.9
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	300	45	289	3	17	8	1	28	57	65	3.5
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	2175	358	504	7	24	10	10	19	70	65	.8
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	532	77	316	5	17	9	4	26	61	65	1.4
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	510	74	349	5	14	9	7	27	62	66	.9
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	2204	363	503	10	30	10	2	19	71	66	.3
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	181	30	515	0	8	10	8	29	55	67	2.4
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1286	187	271	6	18	9	16	20	69	67	.2
P008	3+0.914	JCT FAS 407	POWELL	8	57	64	7.362	32	32	PMS	1231	160	504	7	22	10	6	25	70	68	2.2
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	763	113	302	8	24	10	1	24	67	68	.1
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	857	125	378	8	22	10	3	25	68	68	.8
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	240	31	716	0	5	5	20	29	59	68	
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	6423	834	1920	10	28	10	8	23	79	69	1.4
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	639	93	342	8	19	10	5	26	68	70	.3
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.158	28	28	RMS	554	80	415	8	18	10	5	27	68	71	.7
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	262	39	280	7	18	8	2	28	63	71	3.1
P007	59+0.036	VICTOR FAS 370	RAVALLI	8	56	61	7.721	32	32	PMS	2791	362	720	9	25	10	12	22	78	72	1.7
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3643	473	720	9	25	10	15	20	79	72	1.4
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	691	100	428	6	22	10	7	26	71	73	2.5
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	646	94	264	7	17	10	12	25	71	73	.4
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	158	26	235	5	16	10	2	28	61	73	1.2
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	124	16	544	0	5	5	20	30	60	74	.4
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	65	7.654	30	30	BST	156	26	259	5	15	10	5	28	63	75	2.8
P036	16+0.265	JCT FAS RTE 382	SANDERS	8	63	63	2.732	28	28	PMS	652	97	599	5	20	10	11	28	74	76	.7
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	611	91	680	6	18	10	12	28	74	76	1.9
P008	23+0.218	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1260	163	2160	9	28	10	2	29	78	76	.5
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	528	76	428	5	17	10	15	27	74	77	2.5
P007	74+0.242	0.4 S FLORENCE	RAVALLI	8	74	76	.579	64	64	PMS	4254	553	2160	9	27	10	12	26	84	78	.1
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	492	81	512	8	25	10	5	28	76	79	1.0
P024	16+0.029	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1796	296	470	8	23	10	20	21	82	79	1.2
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	213	35	237	6	20	10	6	28	70	79	1.5
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	773	112	510	5	17	10	20	27	79	80	.2
P008	25+0.581	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1270	165	2160	9	28	10	7	29	83	81	.3
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	434	71	622	10	28	10	2	28	78	82	.7

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SPF	OPN	SAF	CAP	TOT	ADJ	DEFIC MILES
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	431	71	463	10	27	10	3	28	78	82	.6
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	431	71	488	10	28	10	3	28	79	82	.3
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	513	84	414	10	28	10	5	27	80	83	1.1
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	256	38	498	10	28	10	0	29	77	83	
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	821	119	240	10	27	10	13	23	83	83	.1
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	764	110	720	10	26	10	9	28	93	84	.1
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	666	96	504	10	28	10	10	27	85	86	1.2
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	653	95	501	8	20	10	20	27	85	86	.2
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	753	112	781	7	24	10	20	28	89	89	.1
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	708	105	529	8	25	10	20	27	90	90	.4
P006	95+0.631	PERMA FAS 382	SANDERS	8	57	76	3.633	30	30	PMS	727	108	488	9	28	8	20	27	92	92	.3
P041	11+0.754	11.7 N FAP 8	POWELL	8			5.121	UNDER CONSTRUCTION													
		DISTRICT TOTAL					530.676													44	231.1

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 9
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER c

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH BDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P029	49+0.920	6.6 N TWIN BRIDGES	MADISON	9 36 36	7.354	22	24	RMS	1034	155	225	0	14	6	1	20	41	40	4.2
P064	7+0.180	MADISON CO LINE	MADISON	9 73 73	2.450	24	24	GRV	420		212	0	0	5	1	30	36	41	1.6
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	c 46 62	3.798	24	26	RMS	1141	148	319	0	11	8	2	23	44	42	2.1
P029	80+0.192	JCT FAS 375	SILVER BOW	9 28 71	3.277	24	30	RMS	1211	157	876	0	9	8	1	27	45	43	1.8
P019	10+0.110	ANACONDA	DEER LODGE	9 51 59	6.813	24	28	PMS	2815	408	454	3	15	8	9	17	52	44	3.3
P029	24+0.300	3.4 E GRANITE CO	DEER LODGE	9 34 54	3.379	22	24	RMS	809	117	197	3	14	7	2	21	47	48	1.8
P029	19+0.904	5.3 N VIRGINIA CTY	MADISON	9 42 42	5.254	20	24	RMS	865	181	390	0	13	8	4	23	48	48	2.7
P029	34+0.188	SHERIDAN	MADISON	9 39 39	8.029	22	24	RMS	917	192	518	0	11	8	6	24	49	49	4.1
P013	57+0.250	JCT FAP 55	MADISON	9 36 63	1.155	22	24	RMS	332	49	390	0	10	4	0	28	42	49	.7
P013	65+0.316	JCT FAP 84	MADISON	9 34 34	9.543	20	24	RMS	441	68	220	0	11	7	1	25	44	49	5.3
P013	56+0.524	MCALLISTER	MADISON	9 36 57	5.182	22	24	RMS	651	100	258	2	15	7	1	24	49	51	2.6
P029	14+0.827	VIRGINIA CITY	MADISON	9 36 58	1.492	22	25	RMS	1110	222	601	0	12	9	7	24	52	51	.7
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9 45 45	5.116	20	24	RMS	872	183	315	4	18	5	3	21	51	51	2.5
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9 40 40	7.930	20	24	RMS	782	164	435	0	12	8	7	24	51	52	3.9
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9 34 62	2.823	24	30	RMS	522	67	302	0	14	7	0	27	48	52	1.5
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9 28 60	2.337	24	30	RMS	690	89	627	0	14	7	1	28	50	52	1.2
P013	37+0.369	CAMERON	MADISON	9 36 63	1.488	22	24	RMS	332	49	540	0	10	5	1	29	45	52	.8
P013	61+0.592	3.7 S NORRIS	MADISON	9 34 34	9.243	20	24	RMS	765	153	486	0	12	8	6	25	51	52	4.5
P013	49+0.247	ENNIS	MADISON	9 34 34	3.713	20	24	RMS	599	92	182	3	15	8	1	22	49	52	1.9
P049	0+0.000	DILLON	BEAVERHEAD	9 34 34	7.247	20	24	RMS	790	122	400	0	15	8	4	25	52	53	3.5
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9 46 74	.102	40	40	RMS	1239	161	896	4	17	6	1	27	55	53	
P049	0+0.244	DILLON	BEAVERHEAD	9 59 59	6.880	24	24	PMS	1010	131	249	2	17	10	4	22	55	54	3.1
P013	24+0.369	13.3 S CAMERON	MADISON	9 46 62	2.421	24	26	RMS	1211	157	567	3	18	7	4	26	58	56	1.0
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9 34 34	2.648	20	24	RMS	440	88	792	0	10	7	7	28	52	57	1.3
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9 61 61	8.231	26	28	PMS	376	56	382	3	14	6	1	28	52	58	4.0
P029	43+0.258	TWIN BRIDGES	MADISON	9 49 49	5.992	20	26	RMS	1399	195	535	2	15	8	11	25	61	58	2.3
P029	0+0.245	ENNIS LIMITS	MADISON	9 39 39	6.634	20	24	RMS	1139	170	420	0	12	5	19	24	60	58	2.7
P055	0+0.000	JCT FAP 29	MADISON	9 50 50	5.436	24	24	RMS	684	143	420	5	18	7	2	25	57	59	2.3
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9 53 53	2.142	24	24	RMS	700	115	333	4	16	8	4	25	57	59	.9
P013	27+0.156	10.8 S CAMERON	MADISON	9 51 59	5.072	24	28	PMS	1443	209	501	3	16	10	9	24	62	59	1.9
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9 34 34	10.807	20	24	RMS	499	99	762	0	10	9	10	28	57	61	4.6
P029	5+0.697	5.5 W ENNIS	MADISON	9 51 59	2.255	32	32	PMS	1091	158	456	0	16	8	15	25	64	63	.8
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9 51 51	5.030	28	32	RMS	550	115	243	5	18	8	5	23	59	63	2.1
P049	13+0.697	MADISON CO LINE	MADISON	9 52 52	5.052	24	24	RMS	371	63	394	5	17	10	1	28	61	67	2.0
P046	76+0.492	0.6 W OLVIDE	SILVER BOW	9 59 59	2.491	24	24	PMS	1002	130	377	0	16	8	20	25	69	68	.8
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9 34 76	.490	32	32	PMS	425	63	737	5	17	10	3	29	64	69	.2
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9 61 61	6.050	26	28	PMS	252	37	371	4	16	8	3	29	60	69	2.4
P084	0+0.000	JCT FAP 13	MADISON	9 61 61	5.577	26	28	PMS	230	34	413	4	14	10	3	29	60	70	2.2
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9 53 53	6.427	24	24	RMS	422	71	522	6	21	9	1	28	65	70	2.2
P049	16+0.192	2.5 E MADISON CO	MADISON	9 61 61	9.356	26	28	PMS	265	39	401	6	17	9	2	29	63	71	3.5
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9 53 53	10.659	24	28	RMS	1031	134	629	2	15	8	20	27	72	71	3.0
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9 61 61	1.055	26	28	PMS	200	30	427	5	16	10	2	29	62	72	.4
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9 60 63	2.945	28	28	PMS	260	39	154	7	21	10	1	26	65	73	1.0
P029	10+0.757	2.3 E VIRGINIA CTY	MADISON	9 53 53	.288	24	24	RMS	700	115	312	4	16	8	20	24	72	73	.1
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9 56 56	2.337	28	28	PMS	597	125	194	5	17	10	20	20	72	74	.7
P046	26+0.350	WISDOM	BEAVERHEAD	9 61 61	.832	30	33	PMS	205	30	535	6	18	10	2	29	65	75	.3
P046	64+0.920	WISE RIVER	BEAVERHEAD	9 65 65	5.256	28	28	PMS	313	46	569	8	19	10	4	29	70	76	1.6
P087	1+0.460	1.3 E FAP 13	MADISON	9 70 70	.398	44	44	PMS	298	44	522	8	21	10	1	29	69	76	.1
P076	6+0.848	BUTTE	SILVER BOW	9 72 72	1.586	30	30	PMS	320	69	400	7	25	10	1	27	70	76	.5
P087	3+0.037	6.7 S FAP 13	MADISON	9 50 50	.292	24	36	PMS	443	57	264	3	15	8	20	27	73	77	.1
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9 63 63	3.728	30	30	PMS	391	84	408	7	26	10	5	27	75	80	.9
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9 61 61	1.543	76	76	PMS	5371	698	2256	10	26	10	15	25	86	80	.2
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9 68 68	1.323	34	34	PMS	395	59	515	8	27	10	4	28	77	81	.3
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9 68 68	1.422	34	34	PMS	409	61	529	9	28	10	2	28	77	81	.3
				9 64 64	2.889	76	76	PMS	2449	318	2256	9	26	10	14	28	87	83	.4

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH PDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DPN	SAF	CAP	TOT	ADJ	DEFIC MILES
P015	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	4294	558	2256	9	26	10	18	26	89	84	.3
P013	75+0.403	HARRISON	MADISON	9	76	76	.512	32	32	PMS	477	73	281	10	30	10	5	26	81	84	.1
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	281	42	595	8	20	10	11	29	78	84	1.2
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	278	41	448	9	26	10	7	29	81	86	1.8
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	32	32	BST	199	39	568	7	24	10	9	29	79	86	1.8
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	4.857	32	32	PMS	373	57	470	10	30	10	4	28	82	86	.9
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	275	41	440	10	30	10	8	27	85	88	.1
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	26	28	PMS	268	40	501	7	21	10	17	29	84	88	.8
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	221	33	501	7	18	10	20	29	84	89	.6
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	472	94	596	9	27	10	13	28	87	89	
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	288	43	655	7	21	10	20	29	87	91	1.0
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	463	92	568	8	25	10	20	28	91	92	1.2
P013	21+0.332	9.3 S FAS 527	MADISON	9	71	71	2.992	40	40	PMS	450	90	511	8	27	10	20	27	92	93	.4
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	301	65	441	8	25	10	20	28	91	93	.2
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	.539	32	32	PMS	436	67	643	10	30	10	20	28	98	98	.1
		DISTRICT TOTAL					300.999														37 111.2

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 10
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Const. As Of Dec. 31, 1976

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	WIDTH BDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10	48	48	2.465	20	20	GRV	686	137	345	0	0	3	3	24	30	32	1.7
P011	55+0.674	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	3023	392	610	0	13	7	4	20	44	35	1.2
P086	0+0.662	BOZEMAN	GALLATIN	10	61	61	2.865	30	30	PMS	2685	537	786	3	15	4	2	20	44	36	1.6
P050	81+0.910	JCT FAP 84 85	GALLATIN	10	60	60	5.208	36	36	PMS	4638	695	283	8	26	10	6	0	50	38	2.6
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10	73	73	4.180	24	24	GRV	420		250	0	0	5	1	30	36	41	2.7
P050	80+0.057	1.9 S FAP 84 85	GALLATIN	10	64	64	1.857	32	32	PMS	2959	500	264	8	26	10	5	2	51	42	.9
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	24	24	RMS	1606	370	739	0	10	3	11	22	46	42	.3
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.756	24	24	PMS	1021	132	258	0	12	9	2	22	45	44	2.1
P086	18+0.793	12.7 S PARK CO	GALLATIN	10	45	45	3.599	18	18	GRV	134	20	259	0	0	2	3	29	34	46	2.4
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	631	82	380	0	8	5	3	27	43	46	3.9
P045	8+0.031	5.3 N FAS 479	SWEET GRASS	10	42	42	7.744	20	24	RMS	407	52	448	0	9	4	1	28	42	48	4.5
P086	22+0.392	9.1 S PARK	GALLATIN	10	45	45	9.100	20	20	GRV	120	18	453	0	0	3	3	29	35	48	5.9
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	72	3.000	34	34	GRV	469		535	0	0	10	3	30	43	48	1.7
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10	55	55	12.950	28	28	PMS	1621	254	348	5	19	9	2	19	54	50	6.0
P014	33+0.493	JCT FAP 59	MEAGHER	10	33	66	8.182	21	24	RMS	752	112	453	0	11	8	4	26	49	50	4.2
P059	15+0.395	CLYDE PARK	PARK	10	38	38	5.039	20	24	RMS	623	93	608	0	9	8	3	28	48	51	2.6
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10	49	54	4.288	24	24	PMS	857	111	479	0	10	10	4	27	51	51	2.1
P086	3+0.827	2.8 N BOZEMAN	GALLATIN	10	61	61	5.755	30	30	PMS	1668	333	738	5	17	10	1	23	56	52	2.5
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10	36	52	4.875	22	24	RMS	395	51	280	0	11	7	1	27	46	52	2.6
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	542	70	399	0	13	8	1	27	49	53	.6
P059	4+0.559	4.1 N FAI 90	PARK	10	41	41	10.238	20	24	RMS	827	124	400	0	13	9	5	25	52	53	4.9
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	431	56	431	0	12	7	2	28	49	54	2.3
P014	63+0.148	18.1 E FAP 60	MEAGHER	10	37	48	5.333	20	25	RMS	378	49	290	0	11	8	2	27	48	54	2.8
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	34	10.825	20	24	BST	445	57	599	0	9	7	4	29	49	54	5.5
P050	60+0.889	14.7 S FAS RTE 345	GALLATIN	10	67	67	9.312	28	28	PMS	1940	304	249	9	28	10	1	12	60	55	3.7
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	328	49	302	0	11	8	1	28	48	55	4.2
P063	18+0.463	JUDITH GAP	WHEATLAND	10	49	54	.733	24	24	PMS	950	123	258	5	16	10	1	23	55	55	.3
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	916	119	408	0	14	10	6	26	56	56	4.2
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10	53	53	6.708	24	24	RMS	1491	246	534	4	15	8	9	23	59	56	2.8
P045	15+0.771	13.0 N FAS 479	SWEET GRASS	10	48	48	7.041	24	31	BST	324	42	414	0	11	9	1	28	49	57	3.6
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1079	249	354	5	18	10	6	19	58	57	1.0
P013	82+0.240	1.4 N GALLATIN CO	GALLATIN	10	50	50	.830	22	24	RMS	330	51	239	0	13	8	2	27	50	57	.4
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	56	4.429	24	26	RMS	271	35	561	0	9	9	3	29	50	59	2.2
P084	20+0.309	ANCENEY	GALLATIN	10	55	55	8.744	24	24	RMS	833	141	365	6	19	8	1	24	58	59	3.7
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	335	43	398	0	11	10	4	28	53	60	2.4
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	249	37	469	0	12	8	2	29	51	60	2.1
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10	36	47	4.600	24	24	RMS	219	32	515	0	10	6	5	29	50	60	2.3
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	342	76	253	4	18	6	0	25	53	60	4.1
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10	36	52	1.779	22	24	RMS	407	52	544	0	12	7	6	29	54	60	.8
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	379	56	297	4	15	9	1	27	56	62	4.4
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	1007	158	220	9	25	10	1	19	64	63	.7
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	1904	409	748	8	25	10	5	22	70	65	.6
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	347	58	307	4	17	9	1	27	58	65	3.7
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	1401	182	808	2	12	8	20	27	69	66	.2
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1280	295	680	6	17	10	12	23	68	66	1.8
P014	108+0.042	7.1 E FAP 45	WHEATLAND	10	53	53	8.427	24	28	RMS	934	121	486	4	16	10	10	26	66	66	2.9
P050	40+0.132	8.9 N PARK BOY	GALLATIN	10	60	60	7.823	28	28	PMS	1161	182	495	7	22	10	5	24	68	66	2.5
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	1153	172	421	0	15	9	20	24	68	66	.7
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	1121	175	320	9	26	10	1	22	68	67	
P050	31+0.181	YELL PARK BOY	GALLATIN	10	60	60	8.921	28	28	PMS	968	151	495	7	21	10	4	25	67	67	2.9
P059	15+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	719	107	582	0	11	8	20	27	66	68	
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	632	126	469	5	22	10	3	26	66	68	2.3
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	425	55	748	0	10	6	20	29	65	70	.7
P011	40+0.712	3.5 N FAS 476	PARK	10	65	65	9.177	32	32	PMS	1348	289	748	8	25	10	6	24	73	71	2.5
P011	0+0.000	YELL PARK BORY	PARK	10	75	75	1.016	48	48	PMS	1173	252	568	10	30	10	0	23	73	71	.3

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS SECTION		WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- ENC	SPF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40 PMS	1565	344	266	8	25	10	20	11	74	71	1.9
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26 PMS	296	44	622	6	19	10	1	29	65	72	1.2
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30 PMS	450	97	235	8	25	10	1	24	68	72	1.1
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24 RMS	228	34	774	0	10	8	18	29	65	74	1.0
P050	15+0.000	6.7 N FAP RTE 87	GALLATIN	10	63	63	1.642	32	32 PMS	865	135	220	6	17	10	20	21	74	74	.4
P050	70+0.197	5.6 S FAS 345	GALLATIN	10	58	60	6.250	32	32 PMS	2042	357	696	9	25	10	13	22	79	75	1.3
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30 PMS	454	98	697	7	23	10	3	28	71	75	.6
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30 PMS	429	92	496	6	22	10	6	27	71	75	3.0
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36 RMS	1381	207	536	7	18	10	20	24	79	77	.4
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32 PMS	865	135	648	5	16	10	20	27	78	78	3.2
P050	76+0.436	0.7 N FAS 345	GALLATIN	10	64	64	3.598	32	32 PMS	2490	473	720	8	26	10	18	20	82	78	.6
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40 PMS	1036	134	247	8	25	10	14	22	79	78	1.5
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.278	28	28 PMS	351	45	415	3	17	10	15	28	73	78	2.0
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40 PMS	645	96	326	8	22	10	10	26	76	78	.6
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40 PMS	1446	187	872	9	25	10	10	27	81	79	.1
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28 RMS	574	74	629	3	16	10	20	28	77	79	.3
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26 PMS	346	51	471	8	22	10	6	28	74	79	1.9
P014	88+0.033	JCT FAS RTE 296	WHEATLAND	10	66	66	4.784	40	40 PMS	561	72	320	8	23	10	10	27	78	80	1.1
P014	116+0.455	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40 PMS	769	99	247	8	24	10	14	24	80	81	1.2
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28 PMS	130	19	534	5	17	10	8	29	69	81	2.1
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	4.378	32	32 PMS	866	135	485	7	19	10	20	26	82	82	.8
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34 PMS	1398	307	666	8	24	10	20	23	85	83	.2
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28 PMS	367	55	554	9	27	10	6	29	81	85	1.8
P059	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	8.993	32	32 PMS	396	59	643	8	26	10	9	29	82	85	1.6
P011	30+0.977	JCT FAS RTE 362	PARK	10	61	61	9.708	32	32 PMS	1054	226	748	9	27	10	16	25	87	86	1.3
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40 PMS	752	97	320	8	24	10	20	25	87	87	.8
P011	1+0.362	1.3 N GARDINER	PARK	10	71	71	4.311	34	34 PMS	855	183	511	9	27	10	17	25	88	88	.5
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32 PMS	1399	181	457	9	28	10	20	24	91	90	
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34 PMS	858	184	596	9	27	10	20	25	91	91	.5
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26 PMS	319	47	471	7	22	10	20	29	88	91	1.0
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32 PMS	434	56	672	8	23	10	20	29	90	92	.6
P045	7+0.339	4.6 N FAS 479	SWEET GRASS	10	69	69	.695	30	30 RMS	447	58	549	8	25	10	20	28	91	92	.1
P011	19+0.339	11.6 S FAS 362	PARK	10	61	61	11.618	32	32 PMS	813	174	748	9	27	10	20	27	93	93	.8
P011	16+0.633	14.3 S FAS 362	PARK	10	61	61	2.712	32	32 PMS	827	177	748	10	28	10	20	26	94	94	.2
P011	1+0.019	GARDINER ND	PARK	10	75	75	.343	34	34 PMS	848	182	774	10	30	10	20	26	96	96	
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30 RMS	287	37	329	10	26	10	20	28	94	96	.1
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32 PMS	243	36	643	10	30	10	15	29	94	96	.5
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.935	36	36 PMS	355	46	255	10	30	10	20	27	97	97	.2
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32 PMS	330	51	420	10	30	10	20	28	98	98	
		DISTRICT TOTAL					491.166												34	169.4



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT II
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUR TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P004	52+0.255	1.4 N YELLOWST CO	YELLOWSTONE	11 22 39	1.598	24	30	RMS	5780	751	652	3	15	7	2	13	40	27	1.0
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11 23 68	.593	55	55	RMS	2719	353	257	3	16	8	1	9	37	30	.4
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11 33 56	.969	26	30	RMS	2672	373	780	0	10	6	1	23	40	32	.6
P016	46+0.202	KLEIN	MUSSELSHELL	11 37 37	1.838	20	24	RMS	1919	249	283	0	13	8	1	17	39	34	1.1
P016	11+0.879	7.0 N BILLINGS	YELLOWSTONE	11 34 51	9.659	20	24	RMS	1256	163	255	0	11	5	1	20	37	35	6.1
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11 37 37	3.979	20	24	RMS	1205	156	283	0	10	6	1	22	39	37	2.4
P048	1+0.060	JCT FAI 90	BIG HORN	11 70 70	.284	40	40	RMS	1652	259	134	7	23	10	1	1	42	37	.2
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11 48 48	9.590	20	24	RMS	1249	162	185	0	13	8	1	17	39	37	5.8
P078	29+0.991	3.0 S ABSAROKEE	STILLWATER	11 35 45	15.864	20	24	RMS	1049	173	450	0	8	5	1	24	38	37	9.8
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11 34 34	4.505	20	24	RMS	1238	160	470	0	9	6	1	25	41	39	2.7
P004	26+0.285	BRIDGER	CARBON	11 23 51	6.413	22	24	RMS	1972	256	486	0	13	6	4	22	45	39	3.5
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11 34 58	1.815	22	24	RMS	1238	160	272	0	13	7	1	21	42	40	1.1
P028	64+0.237	4.5 S REO LODGE	CARBON	11 34 57	4.147	22	22	RMS	782	175	591	0	6	8	1	26	41	42	2.4
P053	32+0.044	BROADVIEW	YELLOWSTONE	11 48 48	2.172	20	24	RMS	1045	135	220	0	15	7	1	21	44	43	1.2
P053	23+0.140	COMANCHE	YELLOWSTONE	11 48 48	8.421	20	24	RMS	1069	138	354	0	11	7	2	24	44	43	4.7
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11 48 57	6.295	22	28	RMS	1034	134	258	0	14	8	1	22	45	44	3.5
P028	70+0.311	REO LODGE	CARBON	11 21 54	11.712	22	24	RMS	1175	235	544	0	11	8	5	24	48	46	6.1
P028	82+0.066	ROBERTS	CARBON	11 36 36	8.931	21	24	RMS	1167	233	486	0	13	8	4	23	48	46	4.6
P078	0+0.472	REO LODGE	CARBON	11 52 52	5.580	24	24	RMS	533	87	493	0	7	7	1	27	42	46	3.2
P061	13+0.090	12.0 N ROUNDUP	MUSSELSHELL	11 35 65	8.811	20	24	RMS	631	82	277	0	12	5	1	26	44	47	4.9
P004	42+0.765	JCT FAP 28	CARBON	11 68 68	.159	40	40	PMS	4432	576	432	9	27	10	2	10	58	47	.1
P004	42+0.924	0.2 N FAP 28	CARBON	11 49 65	7.960	24	32	RMS	4479	582	580	4	17	10	13	15	59	48	3.3
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11 54 54	7.865	24	24	PMS	866	116	393	0	9	8	5	26	48	48	4.1
P072	11+0.754	0.5 N BELFRY	CARBON	11 49 49	2.812	20	24	RMS	825	132	486	0	14	4	3	26	47	48	1.5
P072	10+0.384	BELFRY	CARBON	11 49 49	1.126	24	24	BST	871	139	724	2	14	5	1	27	49	49	.6
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11 54 54	9.343	24	24	PMS	830	112	418	0	12	8	2	26	48	49	4.9
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11 37 37	9.103	20	24	RMS	1119	145	515	0	10	8	6	26	50	49	4.6
P004	55+0.309	LAUREL	YELLOWSTONE	11 23 68	2.084	55	55	RMS	2935	381	806	5	18	8	4	23	58	50	.9
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11 35 35	2.579	20	20	RMS	372	61	391	0	10	6	1	28	45	51	1.4
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11 37 37	3.424	20	24	RMS	348	45	233	0	13	4	1	27	45	52	1.9
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11 39 39	5.562	20	24	RMS	468	60	210	0	12	8	1	26	47	52	3.0
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11 37 37	5.631	20	24	RMS	348	45	233	0	13	4	1	27	45	52	3.1
P037	24+0.493	BUSBY	BIG HORN	11 54 54	2.712	24	24	PMS	1091	147	593	0	10	10	7	26	53	52	1.3
P061	1+0.020	ROUNDUP	MUSSELSHELL	11 50 54	5.953	24	30	PMS	1060	137	384	0	13	10	6	25	54	53	2.7
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11 48 48	6.987	24	24	RMS	911	145	482	3	17	6	2	25	53	53	3.3
P078	6+0.052	5.5 W RED LODGE	CARBON	11 53 53	7.264	24	24	RMS	298	49	278	0	12	6	1	27	46	54	3.9
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11 39 39	4.478	20	24	RMS	455	59	354	0	11	8	2	28	49	54	2.3
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11 36 50	7.063	20	24	RMS	485	63	655	0	10	6	4	29	49	54	3.6
P004	50+0.813	YELLOWSTONE CO	YELLOWSTONE	11 49 65	1.390	28	32	RMS	4923	639	616	4	18	9	20	14	65	54	.5
P014	170+0.161	ROUNDUP	MUSSELSHELL	11 39 39	11.871	20	24	RMS	595	77	333	0	14	10	1	27	52	55	5.7
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11 39 39	3.283	20	24	RMS	450	58	357	0	9	8	5	28	50	55	1.6
P028	68+0.573	REO LODGE	CARBON	11 34 59	.120	20	22	RMS	1404	315	528	0	10	8	20	21	59	56	
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.296	24	24	PMS	879	118	196	0	12	8	16	21	57	57	3.1
P053	15+0.901	ACTON	YELLOWSTONE	11 48 48	7.281	20	24	RMS	1061	137	372	0	13	9	12	24	58	57	3.1
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11 64 64	.432	68	68	PMS	6361	826	1408	7	22	10	9	21	69	57	.1
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11 64 64	.224	68	68	PMS	5380	699	1408	8	24	10	4	23	69	58	.1
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11 39 39	8.309	20	24	RMS	496	64	354	0	12	9	6	27	54	58	3.8
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11 37 37	2.478	20	24	RMS	1252	162	333	0	11	6	20	23	60	58	1.0
P048	1+0.344	0.8 N HARDIN	BIG HORN	11 41 63	5.459	21	24	RMS	1331	186	421	3	17	8	10	23	61	58	2.1
P028	101+0.121	0.6 S FAP 4	CARBON	11 68 68	.587	40	40	PMS	1937	387	309	7	24	10	12	11	64	59	.2
P004	57+0.986	2.7 E LAUREL	YELLOWSTONE	11 64 64	.213	30	30	PMS	2655	345	448	10	28	10	0	18	66	59	.1
P078	13+0.316	12.8 W REO LODGE	CARBON	11 57 57	6.370	24	24	PMS	253	41	591	0	13	6	2	29	50	59	3.2
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11 57 57	.591	28	28	RMS	1604	264	425	8	24	10	0	21	63	59	.2
P072	5+0.604	4.8 S BELFRY	CARBON	11 61 61	4.864	30	30	PMS	716	114	434	4	17	7	4	26	58	60	2.0
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11 56 71	4.540	28	28	PMS	1036	134	486	3	16	10	7	26	62	61	1.7

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS ENO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1626	325	344	9	28	10	3	16	66	62	1.6
P072	0+0.000	MONT-WYOMING LINE	CARBON	11	61	61	5.184	30	30	PMS	560	89	469	0	15	8	9	27	59	62	2.1
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	2951	383	565	9	24	10	7	20	70	63	.6
P048	0+2.507	HARDIN	BIG HORN	11	70	70	.192	40	40	PMS	2745	384	340	7	21	10	20	13	71	64	.1
P004	13+0.436	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	1063	138	599	0	15	10	13	27	65	64	2.0
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	1121	145	569	3	17	10	10	26	66	65	4.4
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.843	30	30	BST	1042	135	355	0	12	10	20	24	66	65	1.6
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	350	45	342	0	12	9	10	28	59	66	1.2
P028	47+0.309	2.3 N WYO BDRY	CARBON	11	65	65	6.415	28	28	PMS	424	95	394	7	20	10	0	26	63	68	2.4
P028	53+0.726	8.7 N WYO BDRY	CARBON	11	65	65	6.274	28	28	PMS	472	106	591	7	21	10	1	27	66	70	2.1
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.417	30	30	BST	1029	133	535	2	13	10	20	26	71	70	.1
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	353	45	629	2	15	10	8	29	64	70	.9
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	PMS	2074	269	896	4	16	10	20	25	75	70	.1
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1379	179	720	6	22	10	9	26	73	71	2.2
P028	45+0.000	MONT WYO BDRY	CARBON	11	65	65	2.331	28	28	PMS	391	87	408	8	21	10	1	27	67	72	.8
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	420	66	538	0	10	10	20	28	68	73	.6
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1218	158	548	8	24	10	8	26	76	74	2.0
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11	74	74	5.621	40	40	PMS	1201	162	135	10	30	10	14	12	76	74	1.3
P048	11+0.644	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	376	52	494	4	18	10	9	28	69	74	2.1
P048	0+1.916	HARDIN	BIG HORN	11	76	76	.555	48	48	PMS	1413	197	806	10	30	10	1	26	77	75	.1
P028	90+0.985	BOYD	CARBON	11	74	74	4.433	40	40	PMS	1340	268	309	10	30	10	10	17	77	75	1.0
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	2.514	30	30	PMS	746		664	6	24	10	4	30	74	75	.7
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	597	95	648	7	21	10	10	28	76	78	.1
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	RMS	551	77	377	3	17	9	20	27	76	79	1.2
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	8.920	40	40	PMS	2317	301	696	8	25	10	16	24	83	79	1.5
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1220	158	403	8	27	10	12	24	81	80	.3
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	271	44	348	9	27	9	1	28	74	81	.6
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	315	51	440	8	26	9	4	28	75	81	1.1
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	375	52	353	9	27	10	5	28	79	83	.9
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	2784	361	589	9	28	10	20	21	88	84	
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	389	54	399	10	30	10	3	28	81	85	.1
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	24	24	PMS	1133	152	201	10	30	10	17	19	86	85	.8
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	1125	146	648	8	21	10	20	27	86	85	.1
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	32	32	PMS	1047	136	448	6	25	10	20	25	86	85	.6
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1196	155	266	9	28	10	20	21	88	87	.2
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	294	48	522	10	28	10	5	29	82	87	.1
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	719	93	260	8	24	10	20	25	87	88	.3
P004	24+0.736	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2319	301	896	9	28	10	20	25	92	90	.1
P028	60+0.000	8.7 S REO LODGE	CARBON	11	69	69	4.227	34	34	PMS	553	124	522	8	25	10	20	26	89	90	.5
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	76	76	.897	44	44	PMS	2784	361	937	10	30	10	20	24	94	92	.1
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	380	62	394	9	26	10	20	28	93	94	
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	370	51	332	9	27	10	20	28	94	95	.2
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1533		795	9	28	10	20	30	97	96	
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	374	52	579	10	27	10	20	29	96	97	.1
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11			6.000	UNDER CONSTRUCTION													
P016	4+0.656	BILLINGS	YELLOWSTONE	11			7.049	UNDER CONSTRUCTION													
DISTRICT TOTAL							435.207														41 178.8



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 12
RURAL PRIMARY SYSTEM

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1976

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	WIDTH POV	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12	28	36	1.305	20	22	BST	1708	247	250	D	13	4	1	15	33	29	.9
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12	51	67	8.725	24	24	RMS	1068	160	335	0	10	5	1	23	39	38	5.3
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	825	111	90	3	15	8	1	12	39	40	4.3
P039	31+0.745	9.0 NO COLSTRIP	ROSEBUD	12	49	70	4.830	24	24	RMS	1002	150	275	D	13	5	1	22	41	40	2.8
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	22	25	RMS	1166	151	324	0	11	8	1	23	43	41	1.9
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12	53	67	5.855	24	24	RMS	1048	157	468	0	10	8	1	25	44	43	3.3
P023	5+0.439	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	765	110	285	D	12	7	1	24	44	45	5.1
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12	31	56	2.448	20	24	RMS	682	98	203	0	12	7	2	23	44	46	1.4
P039	22+0.746	COLSTRIP	ROSEBUD	12	49	67	3.309	24	24	RMS	1378	206	249	5	17	8	1	18	49	46	1.7
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12	54	54	4.469	24	24	PMS	1038	140	237	0	12	9	6	21	48	47	2.3
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12	32	60	3.713	18	24	RMS	392	56	355	0	9	4	2	28	43	49	2.1
P023	33+0.182	17.2 N POWDER R CO	CUSTER	12	31	47	10.962	20	24	BST	408	59	530	D	7	4	5	28	44	50	6.1
P023	79+0.733	BROADUS	POWDER RIVER	12	40	40	3.380	24	24	RMS	1165	168	297	D	13	9	8	22	52	50	1.6
P023	55+0.758	COALWOOD	POWDER RIVER	12	49	55	8.797	24	24	RMS	496	71	217	0	11	9	1	25	46	50	4.8
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12	49	70	5.691	24	24	RMS	1058	158	301	4	18	6	1	22	51	50	2.8
P027	29+0.146	JCT FAS RTE 322	FALLON	12	48	48	5.510	25	25	BST	644	83	393	0	10	9	2	27	48	51	2.9
P023	85+0.568	2.4 S JCT FAP 54	POWDER RIVER	12	53	53	10.017	24	28	RMS	723	104	266	0	12	10	3	24	49	51	5.1
P002	70+0.897	PLEVNA	FALLON	12	39	39	11.725	24	30	RMS	791	102	518	0	8	10	5	27	50	51	5.9
P002	6+0.886	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	587	76	228	0	15	9	1	25	50	53	3.2
P002	4+0.822	MILES CITY	CUSTER	12	50	50	1.527	20	24	RMS	1245	161	551	3	15	10	2	26	56	54	.7
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.380	24	24	BST	569	82	221	2	15	8	2	24	51	54	1.7
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	BST	216	28	448	0	8	7	1	29	45	55	6.0
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.704	22	28	PMS	383	55	220	0	11	10	3	26	50	56	1.4
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	BST	371	48	237	0	11	9	2	27	49	56	3.4
P039	21+0.410	1.3 SO COLSTRIP	ROSEBUD	12	49	67	1.335	24	24	RMS	676	101	218	5	17	8	1	23	54	56	.6
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12	54	54	8.693	24	24	PMS	893	120	258	4	17	9	3	23	56	56	3.8
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	240	31	627	0	7	8	3	29	47	57	2.1
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12	31	56	3.183	20	24	BST	191	24	422	0	8	7	2	29	46	57	1.7
P023	64+0.575	8.8 S COALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	491	71	258	0	14	10	3	26	53	58	3.9
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	243	38	203	0	11	10	1	27	49	59	2.4
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	PMS	278	36	220	0	11	10	1	28	50	59	5.2
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	294	38	220	0	14	10	1	27	52	60	2.3
P037	62+0.527	ASHLAND	ROSEBUD	12	57	57	1.966	24	28	PMS	828	111	435	4	16	10	3	26	59	60	.8
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	256	33	289	0	11	10	2	28	51	60	4.5
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	RMS	1406	182	280	0	15	8	20	20	63	60	
P023	50+0.581	POWDER RIVER CO	POWDER RIVER	12	52	60	5.178	24	28	RMS	435	63	378	0	11	10	7	28	56	61	2.3
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	253	40	333	0	12	10	2	28	52	61	2.5
P039	4+0.230	NO CHEYENNE IND R	ROSEBUD	12	64	64	9.049	24	24	PMS	336	50	327	0	13	8	5	28	54	61	4.2
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	702	91	289	0	13	10	12	25	60	62	3.5
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	64	64	1.171	32	32	PMS	2077	270	504	6	21	10	8	22	67	62	.4
P027	44+0.455	8.6 N BAKER	FALLON	12	58	58	10.261	30	30	BST	423	54	333	0	11	10	9	28	58	63	4.3
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12	64	64	4.230	24	24	PMS	359	53	431	4	17	7	0	28	56	63	1.9
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	322	41	377	0	15	10	4	28	57	64	3.0
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	277	44	290	0	15	9	3	28	55	64	5.8
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	244	38	258	0	15	10	4	28	57	66	2.2
P002	94+0.000	BAKER	FALLON	12	68	68	5.058	40	40	PMS	813	105	599	4	18	10	6	27	65	66	1.8
P014	252+0.337	VANADA	ROSEBUD	12	54	54	7.161	24	24	RMS	241	38	258	3	16	10	2	28	59	68	2.9
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	725	105	732	0	10	10	20	28	68	69	1.9
P037	82+0.471	CUSTER FOR BORY	POWDER RIVER	12	67	67	2.271	28	28	PMS	534	72	289	5	20	10	4	26	65	69	.8
P023	108+0.475	HAMMOND	CARTER	12	55	73	11.000	28	28	PMS	604	87	486	0	13	10	17	27	67	70	3.6
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1228	165	150	10	30	10	9	14	73	71	.2
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	547	73	252	5	20	10	7	26	68	71	1.0
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	677	91	289	0	15	10	20	25	70	72	1.6
P014	259+0.489	7.2 E VANADA	ROSEBUD	12	54	54	5.580	24	24	RMS	227	36	450	2	17	10	5	29	63	72	2.1
P018	2+0.159	JCT FAS RTE 489	CUSTER	12	64	64	10.901	32	32	PMS	434	56	616	5	16	10	8	29	68	73	3.5

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNC	SRF	ORN	SAF	CAP	TOT	ADJ	OEFIC MILES
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	585	84	462	2	11	10	20	27	70	73	2.1
P002	6+0.197	I 94 E MILES CITY	CUSTER	12	62	62	.689	32	32	PMS	600	78	302	7	23	10	5	26	71	73	.2
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	248	32	655	0	8	8	20	29	65	74	.7
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12	67	67	9.659	28	28	PMS	581	78	435	6	17	10	11	27	71	74	2.8
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	67	8.131	24	24	PMS	380	57	301	5	23	10	5	27	70	75	2.4
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	55	10.845	28	28	BST	627	90	510	2	15	10	20	27	74	76	2.8
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	523	67	448	8	26	10	1	28	73	76	2.1
P002	89+0.045	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	505	65	629	4	18	10	13	28	73	76	1.7
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	242	38	354	2	17	9	13	28	69	77	3.1
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12	48	63	7.269	25	25	RMS	246	39	408	0	11	10	20	29	70	78	2.2
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	370	48	569	6	18	10	11	29	74	79	3.1
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.908	28	28	PMS	602	81	368	8	27	10	5	27	77	79	1.8
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1239	167	272	10	30	10	11	21	82	80	.2
P002	0+0.000	I94 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	1075	121	567	7	18	10	20	27	82	81	.2
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	65	9.551	40	40	PMS	753	112	552	3	20	10	20	27	80	81	1.9
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12	63	63	5.000	30	30	PMS	261	33	663	3	14	10	20	29	76	83	1.2
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1346	195	276	9	28	10	20	19	86	84	.2
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.979	28	28	PMS	543	73	435	6	20	10	20	27	83	85	1.9
P014	265+0.115	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	306	48	546	10	30	10	3	29	82	86	1.0
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	454	59	431	7	18	10	20	28	83	86	1.0
P002	45+0.880	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	385	50	406	6	18	10	20	28	82	86	1.1
P002	57+0.771	JCT. FAS RTE. 320	FALLON	12	58	72	12.363	32	32	PMS	516	67	592	8	27	10	12	28	85	87	1.9
P039	51+0.155	0.1 SO JCT I 94	ROSEBUD	12	67	67	.157	28	28	PMS	1077	161	318	10	26	10	20	22	88	87	
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	295	38	470	8	26	10	9	29	82	87	1.6
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1250	168	272	10	30	10	20	21	91	90	.1
P002	20+0.911	10.6 W LOCATE	CUSTER	12	75	75	6.533	34	34	PMS	430	55	425	10	30	10	11	28	89	91	.7
P023	14+0.654	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	433	62	600	10	30	10	14	28	92	93	1.1
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.280	34	34	PMS	412	53	448	10	30	10	16	28	94	95	.4
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	319	41	469	10	30	10	15	29	94	95	.4
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1250	168	1416	10	30	10	20	28	98	97	
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	363	47	453	10	30	10	20	28	98	98	.1
P023	27+0.819	22.7 N POWDER R CO	CUSTER	12			5.366	UNDER CONSTRUCTION													
P014	270+0.817	FORSYTH	ROSEBUD	12			.070	UNDER CONSTRUCTION													
		DISTRICT TOTAL					525.736														37 192.7
		SYSTEM TOTAL					5265.735														382009.8

Urban Deficiency Ratings by Federal Aid Route And City

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	13 + 947	1	TROY	1.33	2	24	30	3	6	2875	24	44	3	12	0	0	0	133	200	32	36.5	0.48
1	31 889	1	LIBBY	0.29	4	68	68	3	12	7812	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32 180	1	LIBBY	0.13	4	68	68	3	12	9230	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32 313	1	LIBBY	0.43	4	68	68	3	12	11098	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	119 622	1	KALISPELL	0.57	4	48	48	3	12	3080	48	68	3	12	0	0	0	0	0	29	2.9	0.01
1	120 185	1	KALISPELL	0.21	4	80	80	3	12	9388	80	80	3	12	0	0	0	0	0	0	0.0	0.00
1	120 397	1	KALISPELL	0.51	4	45	61	3	12	13200	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	120 903	1	KALISPELL	0.64	4	45	61	3	12	13387	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	121 631	1	KALISPELL	0.18	4	52	52	3	12	17316	52	68	3	12	0	0	0	0	0	24	2.4	0.00
1	121 813	1	KALISPELL	0.70	4	66	66	3	12	17237	66	68	3	12	0	0	0	0	0	3	0.3	0.00
1	122 354	1	KALISPELL	0.56	4	64	64	3	12	16269	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	122 916	1	KALISPELL	0.30	2	44	44	3	12	8580	48	68	3	12	0	0	0	25	0	35	6.0	0.01
1	221 881	2	BROWNING	0.48	4	64	64	3	12	9730	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	221 1362	2	BROWNING	0.24	4	68	68	3	12	9551	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	254 524	2	CUT BANK	0.05	3	42	42	3	10	2364	42	56	3	12	0	100	93	50	50	25	31.8	0.01
1	254 807	2	CUT BANK	0.28	2	60	60	3	10	3617	60	60	3	12	0	0	0	50	50	0	10.0	0.02
1	255 134	2	CUT BANK	0.61	2	50	50	3	10	5434	50	68	3	12	0	0	0	50	50	26	12.6	0.07
1	255 741	2	CUT BANK	0.29	2	48	48	3	12	5593	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	279 228	2	SHELBY	0.21	2	57	60	3	12	4787	57	68	3	12	0	0	0	50	0	12	6.2	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	279.437	2	SHELBY	0.27	2	52	52	3	12	6831	52	68	3	12	0	0	0	50	0	24	7.4	0.02
1	279.709	2	SHELBY	0.07	2	24	44	3	12	7457	48	68	3	12	0	0	0	175	0	35	21.0	0.01
1	279.778	2	SHELBY	0.18	2	24	31	3	12	3090	24	44	3	12	0	0	0	50	0	30	8.0	0.01
1	279.958	2	SHELBY	0.15	2	32	32	3	12	1811	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	321.758	2	CHESTER	0.65	2	46	46	3	12	2280	46	48	3	12	0	0	0	0	0	4	0.4	0.00
1	347.718	2	HINGHAM	0.50	2	32	32	3	12	1240	32	44	3	12	0	0	0	0	0	27	2.7	0.01
1	380.679	2	HAVRE	0.64	3	40	40	2	12	4907	40	56	3	12	0	0	0	167	100	29	29.6	0.18
1	381.318	2	HAVRE	0.18	4	70	70	3	12	4907	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	381.503	2	HAVRE	1.14	4	70	70	3	12	4907	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	382.638	2	HAVRE	0.28	2	48	48	2	8	13625	48	68	3	12	0	0	0	100	100	29	22.9	0.06
1	383.54	2	HAVRE	0.74	2	24	30	3	12	9440	48	68	3	12	0	0	0	175	0	56	23.1	0.17
1	403.595	2	CHINOOK	0.50	2	48	48	3	12	2587	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	424.649	2	HARLEM	0.06	2	40	40	3	12	2277	40	44	3	12	0	0	0	0	0	9	0.9	0.00
1	453.653	3	DODSON	0.37	2	40	40	3	12	1020	40	48	3	12	0	0	0	0	0	17	1.7	0.00
1	454.146	3	DODSON	0.40	2	24	30	2	6	1020	24	44	3	12	0	0	0	167	200	32	39.9	0.16
1	471.689	3	MALTA	0.08	2	24	42	2	12	2344	24	44	3	12	0	0	0	167	100	5	27.2	0.02
1	471.769	3	MALTA	0.11	2	30	30	2	8	3450	30	44	3	12	0	0	0	167	167	32	36.6	0.04
1	471.884	3	MALTA	0.48	2	41	41	3	12	2324	41	44	3	12	0	0	0	0	0	7	0.7	0.00
1	499.130	3	SACO	0.18	2	24	32	3	8	1250	24	44	3	12	0	0	0	133	167	27	32.7	0.05

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
1	499	313	3	SACO	0.74	2	24	28	2	12	1330	24	44	3	12	0	0	0	167	100	36	30.3	0.22
1	540	985	3	GLASGOW	0.11	2	24	26	3	12	5280	24	44	3	12	0	0	0	50	0	41	9.1	0.01
1	541	427	3	GLASGOW	0.21	2	24	32	3	12	6690	48	68	3	12	0	0	0	217	100	53	37.0	0.07
1	541	639	3	GLASGOW	0.08	4	48	68	3	12	7760	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	541	718	3	GLASGOW	0.80	4	48	68	3	12	8380	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	555	152	3	NASHUA	0.75	2	32	32	3	12	1165	32	44	3	12	0	0	0	0	0	27	2.7	0.02
1	555	994	3	NASHUA	0.14	2	32	32	3	12	1481	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	590	383	3	WLF POINT	0.22	4	68	84	3	12	2116	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590	602	3	WLF POINT	0.36	4	68	84	3	12	5970	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590	960	3	WLF POINT	0.45	4	48	68	3	12	3390	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	611	551	3	POPLAR	0.08	2	34	60	3	12	1936	34	60	3	12	0	0	0	0	0	0	0.0	0.00
1	611	636	3	POPLAR	0.29	2	62	62	3	12	5830	62	62	3	12	0	0	0	0	0	0	0.0	0.00
1	625	605	3	BROCKTON	0.53	2	42	42	3	7	1210	42	44	3	12	0	0	0	0	125	5	13.0	0.06
1	644	245	3	CLBERTSON	0.30	2	32	44	3	12	1097	32	44	3	12	0	0	0	0	0	0	0.0	0.00
1	644	550	3	CLBERTSON	0.46	2	32	44	3	12	2788	32	44	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 1	20.51																	8.5	1.74
2	0	908	12	MILES CTY	0.63	2	24	30	3	11	1060	24	44	3	12	0	0	0	50	25	32	10.7	0.06
2	1	985	12	MILES CTY	0.69	2	22	28	3	11	2987	24	44	3	12	0	0	0	147	117	36	30.0	0.20
2	2	230	12	MILES CTY	0.33	2	20	24	3	11	2987	24	44	3	12	0	0	0	161	117	45	32.3	0.10

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
2	2 562	12	MILES CTY	0.19	2	54	54	3	5	5750	54	68	3	12	0	0	0	100	217	21	33.8	0.06
2	2 757	12	MILES CTY	0.44	2	54	54	3	6	8526	54	68	3	12	0	0	0	133	200	21	35.4	0.15
2	3 194	12	MILES CTY	0.55	2	22	36	3	8	5630	48	68	3	12	0	0	0	224	167	47	43.8	0.24
2	3 745	12	MILES CTY	1.08	2	24	32	2	12	6359	24	44	3	12	0	0	0	167	100	27	29.4	0.31
2	70 140	12	PLEVNA	0.35	2	24	30	1	6	665	24	44	3	12	0	0	0	267	200	32	49.9	0.17
2	70 494	12	PLEVNA	0.40	2	22	30	1	6	770	24	44	3	12	0	0	0	269	200	32	50.1	0.20
2	82 616	12	BAKER	0.44	2	43	43	3	12	1106	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 54	12	BAKER	0.71	2	43	43	3	12	5515	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 763	12	BAKER	0.22	2	44	44	3	12	1110	44	44	3	12	0	0	0	100	100	0	20.0	0.04
			TOTAL FAP 2	6.03																	25.4	1.53
3	23 172	6	FAIRFIELD	0.11	2	20	22	3	6	1738	24	44	3	12	0	0	0	133	200	50	38.3	0.04
3	23 283	6	FAIRFIELD	0.19	2	22	40	3	6	1950	24	44	3	12	0	0	0	117	200	9	32.6	0.06
3	23 475	6	FAIRFIELD	0.23	2	72	72	3	6	3530	72	72	3	12	0	0	0	100	200	0	30.0	0.06
3	23 704	6	FAIRFIELD	0.15	2	22	32	3	6	1630	24	44	3	12	0	0	0	117	200	27	34.4	0.05
3	23 856	6	FAIRFIELD	0.18	2	20	22	3	6	915	24	44	3	12	0	0	0	133	200	50	38.3	0.06
3	40 483	6	CHOTEAU	0.61	2	24	36	3	9	2050	24	44	3	12	0	0	0	133	150	18	30.1	0.18
3	41 94	6	CHOTEAU	0.12	2	48	48	3	9	3488	48	48	3	12	0	0	0	133	150	0	28.3	0.03
3	41 214	6	CHOTEAU	0.46	2	70	70	3	3	2483	70	70	3	12	0	0	0	100	250	0	35.0	0.16
3	41 676	6	CHOTEAU	0.28	2	24	30	3	4	2083	24	44	3	12	0	0	0	100	233	32	36.5	0.10

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
				TOTAL FAP 3	2.33																	31.8	0.74
4	25	676	11	BRIOGER	0.07	2	40	40	3	12	2319	40	44	3	12	0	0	0	0	0	9	0.9	0.00
4	25	748	11	BRIOGER	0.47	4	80	80	3	12	2450	80	80	3	12	0	0	0	0	0	0	0.0	0.00
4	26	214	11	BRIDGER	0.07	2	24	30	3	4	1976	24	44	3	12	0	0	0	100	233	32	36.5	0.02
4	32	773	11	FROMBERG	0.20	2	24	32	2	12	1969	24	44	3	12	0	0	0	100	0	27	12.7	0.02
4	32	973	11	FROMBERG	0.23	2	24	44	2	12	1969	24	44	3	12	0	0	0	100	0	0	10.0	0.02
4	54	531	11	LAUREL	0.16	2	24	34	2	5	5380	24	44	3	12	0	0	0	200	217	23	44.0	0.06
4	54	689	11	LAUREL	0.09	2	28	28	3	5	5380	28	44	3	12	0	0	0	100	217	36	35.3	0.03
4	54	784	11	LAUREL	0.52	2	60	83	3	4	6570	60	83	3	12	0	0	0	100	233	0	33.3	0.17
				TOTAL FAP 4	1.81																	17.7	0.32
5	32	613	1	ST IGNATS	0.15	2	32	32	3	12	2726	32	44	3	12	0	0	0	0	0	27	2.7	0.00
5	46	572	1	RONAN	0.77	2	44	44	3	12	4526	44	44	3	12	0	0	39	0	0	0	3.9	0.02
5	59	335	1	POLSON	0.98	2	40	40	3	12	6865	48	68	3	12	0	0	0	50	0	41	9.1	0.08
5	60	330	1	POLSON	0.39	2	40	40	3	12	4990	48	68	3	12	0	0	0	50	0	41	9.1	0.03
5	60	719	1	POLSON	0.29	2	40	40	3	12	3117	40	44	3	12	0	0	0	0	0	9	0.9	0.00
5	109	612	1	KALISPELL	1.37	2	38	38	2	12	6632	48	68	3	12	0	0	0	142	0	44	18.6	0.25
5	110	965	1	KALISPELL	0.61	2	38	38	2	12	9715	48	68	3	12	0	0	0	142	0	44	18.6	0.11
5	111	584	1	KALISPELL	0.41	4	48	60	3	12	12257	48	68	3	12	0	0	0	0	0	12	1.2	0.00
5	112	14	1	KALISPELL	0.67	4	48	60	3	12	11480	48	68	3	12	0	0	0	100	100	12	21.2	0.14

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
5	112 + 687	1	KALISPELL	0.39	4	64	70	3	12	18104	64	70	3	12	0	0	0	100	100	0	20.0	0.07
5	113 + 46	1	KALISPELL	0.78	4	48	64	3	12	12775	48	68	3	12	0	0	0	0	0	6	0.6	0.00
5	114 + 124	1	KALISPELL	0.74	2	80	80	3	12	9571	80	80	3	12	0	0	0	0	0	0	0.0	0.00
5	126 + 948	1	WHITEFISH	0.47	2	24	36	3	12	7035	48	68	3	12	0	0	0	150	0	47	19.7	0.09
5	127 + 433	1	WHITEFISH	0.28	2	40	40	3	12	10180	48	68	3	12	0	0	0	50	0	41	9.1	0.02
5	127 + 710	1	WHITEFISH	0.20	2	46	46	3	5	10941	48	68	3	12	0	0	0	108	217	32	35.7	0.07
5	127 + 909	1	WHITEFISH	0.16	2	22	30	3	5	5186	24	44	3	12	0	0	0	117	217	32	36.6	0.05
5	128 + 78	1	WHITEFISH	0.41	2	22	23	3	6	3906	24	44	3	12	0	0	0	208	250	48	50.6	0.20
5	178 + 89	1	EUREKA	0.48	2	22	24	2	5	1591	24	44	3	12	0	0	0	178	217	45	44.0	0.20
5	178 + 566	1	EUREKA	0.56	2	24	30	3	5	1395	24	44	3	12	0	0	27	133	217	32	40.9	0.23
5	179 + 175	1	EUREKA	0.19	2	24	50	3	6	2547	24	50	3	12	0	0	134	100	200	0	43.4	0.08
5	179 + 361	1	EUREKA	0.33	2	24	30	3	5	3700	24	44	3	12	0	0	15	100	217	32	36.4	0.12
			TOTAL FAP 5	10.63																	16.6	1.76
6	50 + 498	8	THMPSN FL	0.40	2	24	22	2	12	3395	24	44	3	12	0	0	0	167	100	27	29.4	0.11
6	50 + 901	8	THMPSN FL	0.65	2	40	40	3	5	1967	40	44	3	12	0	0	0	133	217	9	35.9	0.23
6	75 + 707	8	PLAINS	0.45	2	40	40	3	5	2750	40	44	3	12	0	0	0	0	175	9	18.4	0.08
6	76 + 158	8	PLAINS	0.10	2	20	30	3	3	3472	24	44	3	12	0	0	0	133	250	32	41.5	0.04
			TOTAL FAP 6	1.60																	28.8	0.46
7	30 + 484	8	DARBY	0.12	2	22	26	2	6	2683	24	44	3	12	0	0	0	208	200	41	44.9	0.05

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
7	30	603	8	DARBY	0.28	2	22	42	3	4	3466	24	44	3	12	0	0	0	117	233	5	35.5	0.10
7	30	887	8	DARBY	0.40	2	22	36	3	4	2566	24	44	3	12	0	0	0	224	267	18	50.9	0.20
7	46	619	8	HAMILTON	0.70	2	24	36	3	12	7860	48	68	3	12	0	0	0	200	100	47	34.7	0.24
7	47	307	8	HAMILTON	0.02	2	60	60	3	6	9776	60	68	3	12	0	0	0	100	200	12	31.2	0.00
7	47	325	8	HAMILTON	0.66	2	24	36	3	10	6654	48	68	3	12	0	0	0	200	133	47	38.0	0.25
7	90	152	8	MISSOULA	0.10	4	48	68	3	12	6423	48	68	3	12	0	0	0	0	0	0	0.0	0.00
7	90	250	8	MISSOULA	0.38	4	88	88	3	12	9934	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	90	627	8	MISSOULA	0.79	4	88	88	3	12	12959	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	91	411	8	MISSOULA	0.50	4	40	54	3	2	13517	48	68	3	12	0	0	0	133	267	21	42.1	0.20
7	91	909	8	MISSOULA	0.66	4	40	54	3	2	15726	48	68	3	12	0	0	0	133	267	21	42.1	0.27
7	92	832	8	MISSOULA	0.40	4	48	56	3	2	20715	48	68	3	12	0	0	0	100	267	18	38.5	0.15
7	93	218	8	MISSOULA	0.65	2	40	40	1	4	15869	48	68	3	12	0	0	0	272	233	41	54.6	0.35
7	93	868	8	MISSOULA	0.08	4	48	55	2	6	14041	48	68	3	12	0	0	0	100	150	19	26.9	0.02
7	94	41	8	MISSOULA	0.07	2	40	40	3	8	14161	40	44	3	12	0	0	0	50	100	9	15.9	0.01
7	94	110	8	MISSOULA	1.14	4	88	88	3	12	14264	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	95	250	8	MISSOULA	0.19	4	56	60	3	12	18572	56	60	3	12	0	0	0	0	0	0	0.0	0.00
7	95	438	8	MISSOULA	0.07	4	56	76	3	12	18572	56	76	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 7		7.21																	25.5	1.84
8	39	654	7	HELENA	0.93	2	20	30	2	2	2875	24	44	3	12	0	0	0	189	267	32	48.8	0.45

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
8	40+550	7	HELENA	0.14	4	72	72	3	12	2875	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	40+690	7	HELENA	1.29	4	72	72	3	12	4804	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	41+429	7	HELENA	1.11	4	72	72	3	12	10944	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	43+57	7	HELENA	0.45	4	74	74	3	12	18528	74	74	3	12	0	0	0	0	0	0	0.0	0.00
8	43+503	7	HELENA	0.53	4	60	60	3	12	18851	60	68	3	12	0	0	0	50	0	12	6.2	0.03
8	44+29	7	HELENA	0.57	4	64	64	3	12	12615	64	68	3	12	0	0	0	50	0	6	5.6	0.03
8	44+597	7	HELENA	1.07	4	48	72	3	12	17147	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	44+1669	7	HELENA	0.34	4	48	72	3	12	20487	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	45+277	7	HELENA	0.30	4	48	80	3	12	21317	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	45+580	7	HELENA	0.55	4	60	76	3	12	13357	60	76	3	12	0	0	0	0	0	0	0.0	0.00
8	46+10	7	HELENA	0.47	4	30	30	3	6	9064	48	68	3	12	0	0	0	196	200	56	45.2	0.21
8	48+571	7	E HELENA	0.31	2	24	30	3	6	7670	48	68	3	12	0	0	0	217	200	56	47.3	0.14
8	48+886	7	E HELENA	0.69	2	59	59	3	6	8128	59	68	3	12	0	0	0	133	200	13	34.6	0.23
8	49+579	7	E HELENA	0.28	2	24	30	3	5	3357	24	44	3	12	0	0	0	133	217	32	38.2	0.10
8	76+982	7	TOWNSEND	0.56	2	32	32	3	10	4785	32	44	3	12	0	0	0	0	50	27	7.7	0.04
8	77+530	7	TOWNSENO	0.55	2	24	32	3	11	3884	24	44	3	12	0	0	0	50	25	27	10.2	0.05
		TOTAL FAP	8	10.14																	12.6	1.28
9	64+41	6	CHOTEAU	0.43	2	22	24	2	4	853	24	44	3	12	0	0	11	208	233	45	49.7	0.21
9	64+476	6	CHOTEAU	0.12	2	24	36	2	4	853	24	44	3	12	0	0	0	200	233	18	45.1	0.05

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
9	64 + 596	6	CHOTEAU	0.16	2	34	34	2	4	1250	34	44	3	12	0	0	0	200	233	23	45.6	0.07
9	64 756	6	CHOTEAU	0.03	2	34	48	2	4	1637	34	48	3	12	0	0	0	200	233	0	43.3	0.01
			TOTAL FAP 9	0.74																	45.9	0.34
10	0 0	6	GT FALLS	2.74	4	70	70	3	8	13167	70	70	3	12	0	0	0	0	100	0	10.0	0.27
10	1 741	6	GT FALLS	0.45	4	88	88	3	12	13167	88	88	3	12	0	0	0	0	0	0	0.0	0.00
10	1 1191	6	GT FALLS	0.24	4	68	68	3	12	11490	68	68	3	12	0	0	0	0	0	0	0.0	0.00
10	1 1647	6	GT FALLS	1.09	4	62	62	3	12	13167	62	68	3	12	0	0	0	0	0	9	0.9	0.00
10	3 276	6	GT FALLS	0.26	4	48	64	3	12	2849	48	68	3	12	0	0	0	0	0	6	0.6	0.00
10	79 360	6	BIG SANDY	0.22	2	22	24	1	5	2108	24	44	3	12	0	0	0	269	217	45	53.1	0.11
10	79 580	6	BIG SANDY	0.42	2	24	26	2	9	1605	24	44	3	12	0	0	0	200	150	41	39.1	0.16
			TOTAL FAP 10	5.42																	10.0	0.54
11	51 812	10	LVNGSTN	1.10	2	32	32	3	12	1904	32	44	3	12	0	0	0	0	0	27	2.7	0.02
11	52 915	10	LVNGSTN	0.14	4	68	68	3	12	1904	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53 68	10	LVNGSTN	0.17	4	68	68	3	12	6239	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53 242	10	LVNGSTN	0.51	2	24	42	3	12	7110	48	68	3	12	0	0	0	150	0	38	18.8	0.09
11	53 757	10	LVNGSTN	0.41	2	44	44	3	12	7110	48	68	3	12	0	0	0	25	0	35	6.0	0.02
11	54 122	10	LVNGSTN	0.26	2	46	46	3	12	8536	48	68	3	12	0	0	0	108	100	32	24.0	0.06
11	54 380	10	LVNGSTN	0.11	2	36	46	3	5	9001	48	68	3	12	0	0	0	150	217	32	39.9	0.04
11	54 495	10	LVNGSTN	0.51	2	36	42	3	6	7358	48	68	3	12	0	0	0	150	200	38	38.8	0.19

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						ND. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
11	55	9	10	LVNGSTN	0.36	2	24	40	3	6	5222	24	44	3	12	0	0	0	100	200	9	30.9	0.11
11	55	366	10	LVNGSTN	0.51	2	20	24	3	3	3088	48	68	3	12	0	0	0	217	250	65	53.2	0.27
				TOTAL FAP 11	4.08																	19.6	0.80
12	8	618	10	W YLWSTN	0.67	2	18	50	3	2	1641	24	50	3	12	0	0	0	238	283	0	52.1	0.35
				TOTAL FAP 12	0.67																	52.2	0.35
13	48	642	9	ENNIS	0.55	2	70	70	2	4	1110	70	70	3	12	0	0	9	200	233	0	44.2	0.24
13	49	180	9	ENNIS	0.07	2	22	30	2	4	2874	24	44	3	12	0	0	0	208	233	32	47.3	0.03
13	95	730	10	TH FORKS	0.36	2	22	34	3	3	527	24	44	3	12	0	0	0	117	250	23	39.0	0.14
13	96	91	10	TH FORKS	0.46	2	72	72	3	5	1401	72	72	3	12	0	0	0	100	217	0	31.7	0.14
				TOTAL FAP 13	1.44																	38.2	0.55
14	0	0	7	TOWNSEND	0.34	2	56	56	3	12	4461	56	68	3	12	0	0	0	0	0	18	1.8	0.00
14	0	338	10	HARLOWTON	0.11	2	45	45	3	12	1178	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	0	346	7	TOWNSEND	0.26	2	51	51	3	12	6898	51	68	3	12	0	0	0	0	0	25	2.5	0.00
14	0	605	7	TOWNSEND	0.28	2	32	32	3	12	2178	32	44	3	12	0	0	0	0	0	27	2.7	0.00
14	41	678	10	W SUL SPG	0.49	2	40	40	3	12	957	40	40	3	12	0	0	0	0	0	0	0.0	0.00
14	42	207	10	W SUL SPG	0.50	2	55	55	3	12	2320	55	55	3	12	0	0	0	0	0	0	0.0	0.00
14	99	450	10	HARLOWTON	0.89	2	45	45	3	12	2748	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	129	506	11	RYEGATE	1.00	2	28	30	1	12	1270	28	44	3	12	0	0	0	230	0	32	26.2	0.26
14	168	500	11	ROUNDUP	0.39	2	45	45	2	6	2883	45	45	3	12	0	0	13	200	200	0	41.3	0.16

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
14	168	895	11	ROUNDUP	0.28	2	66	66	3	6	3790	66	68	3	12	0	0	0	100	200	3	30.3	0.08
14	169	175	11	ROUNDUP	0.28	2	77	77	3	6	5564	77	77	3	12	0	0	18	133	200	0	35.1	0.09
14	169	452	11	ROUNDUP	0.71	2	21	26	3	9	1168	24	44	3	12	0	0	0	154	150	41	34.5	0.24
14	203	707	11	MELSTONE	0.40	2	24	26	2	11	525	24	44	3	12	0	0	0	153	117	41	31.1	0.12
14	204	111	11	MELSTONE	0.50	2	24	40	1	12	525	24	44	3	12	0	0	0	267	100	9	37.6	0.18
14	204	611	11	MELSTONE	0.55	2	24	30	1	12	525	24	44	3	12	0	0	0	267	100	32	39.9	0.22
14	270	502	12	FORSYTH	0.31	2	84	84	1	12	827	84	84	3	12	0	0	0	230	0	0	23.0	0.07
				TOTAL FAP 14	7.29																	19.5	1.42
16	0	144	11	BILLINGS	0.24	4	64	80	3	12	11168	64	80	3	12	0	0	0	0	0	0	0.0	0.00
16	0	245	11	BILLINGS	0.19	2	36	36	3	12	11168	48	68	3	12	0	0	0	75	0	47	12.2	0.02
16	0	440	11	BILLINGS	0.83	2	28	40	2	6	11168	48	68	3	12	0	0	0	222	200	41	46.3	0.38
16	1	255	11	BILLINGS	0.28	4	44	46	3	12	11168	48	68	3	12	0	0	0	117	100	32	24.9	0.06
16	1	534	11	BILLINGS	0.06	4	61	61	3	12	15632	61	68	3	12	0	0	0	0	0	10	1.0	0.00
16	1	593	11	BILLINGS	2.06	4	56	56	3	12	15632	56	68	3	12	0	0	0	0	0	18	1.8	0.03
16	3	659	11	BILLINGS	1.09	2	32	32	2	11	14147	48	68	3	12	0	0	0	167	25	53	24.5	0.26
				TOTAL FAP 16	4.75																	15.8	0.75
17	12	23	3	NASHUA	1.00	2	24	28	2	12	710	24	44	3	12	0	0	0	167	100	36	30.3	0.30
				TOTAL FAP 17	1.00																	30.0	0.30
18	0	0	12	MILES CITY	0.33	2	34	34	3	5	7704	54	68	3	12	0	0	0	100	217	21	33.8	0.11

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
18	0 + 339	12	MILES CITY	0.27	2	48	48	2	30	5753	48	48	3	12	0	0	0	200	0	0	20.0	0.05
18	0 + 611	12	MILES CITY	0.37	2	46	46	1	12	2078	46	46	3	12	0	0	0	230	0	0	23.0	0.08
			TOTAL FAP 18	0.97																	24.7	0.24
19	7 + 0	9	ANACONOA	0.10	4	68	68	3	12	5371	76	76	3	12	0	0	0	32	0	11	4.3	0.00
19	7 + 103	9	ANACONOA	3.63	4	48	68	3	12	7948	48	68	3	12	0	0	0	0	0	0	0.0	0.00
19	9 + 0	9	ANACONDA	0.49	4	72	72	3	12	5199	72	72	3	12	0	0	0	0	0	0	0.0	0.00
19	9 + 495	9	ANACONOA	0.51	4	93	93	2	10	6508	93	93	3	12	0	0	0	100	50	0	15.0	0.07
19	10 + 0	9	ANACONDA	0.11	2	24	28	3	12	6508	48	68	3	12	0	0	0	150	0	59	20.9	0.02
19	63 + 671	8	ORUMMONO	0.29	2	32	32	3	12	732	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	63 + 962	8	ORUMMONO	0.04	2	32	32	3	12	830	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	64 + 0	8	ORUMMONO	0.24	2	28	28	3	12	1240	28	44	3	12	0	0	0	0	0	36	3.6	0.00
19	64 + 236	8	ORUMMONO	0.71	2	24	46	3	5	1298	24	46	3	12	0	0	0	100	217	0	31.7	0.22
19	64 + 943	8	ORUMMONO	0.04	2	32	32	3	12	1097	32	44	3	12	0	0	0	0	0	27	2.7	0.00
			TOTAL FAP 19	6.16																	5.0	0.31
20	0 + 0	4	GLENOIVE	0.60	2	24	40	3	12	2871	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0 + 605	4	GLENOIVE	0.25	2	24	40	3	12	3190	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0 + 857	4	GLENOIVE	0.90	2	40	44	3	12	2484	24	44	3	12	0	0	0	0	0	0	0.0	0.00
20	51 + 761	4	SIDNEY	0.48	4	60	60	3	12	5038	60	68	3	12	0	0	0	0	0	12	1.2	0.00
20	52 + 226	4	SIDNEY	0.21	4	58	58	3	6	7132	58	68	3	12	0	0	0	0	150	15	16.5	0.03

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH			WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
20	52	436	4	SIONEY	0.13	4	44	60	3	6	3463	48	68	3	12	0	0	0	117	200	12	32.9	0.04
20	62	525	4	FAIRVIEW	0.28	2	20	24	3	8	1786	24	44	3	12	0	0	0	161	167	45	37.3	0.10
20	62	807	4	FAIRVIEW	0.36	2	20	26	3	8	2528	24	44	3	12	0	0	0	161	167	41	36.9	0.13
20	63	204	4	FAIRVIEW	0.29	2	20	24	3	6	3726	24	44	3	12	0	0	0	161	200	45	40.6	0.11
20	63	494	4	FAIRVIEW	0.21	2	64	64	3	7	2640	64	64	3	12	0	0	0	50	125	0	17.5	0.03
20	63	709	4	FAIRVIEW	0.21	2	63	63	2	12	2073	63	63	3	12	0	0	0	100	0	0	10.0	0.02
				TOTAL FAP 20	3.92																	11.7	0.46
21	3	789	6	CONRAO	0.33	2	44	44	3	12	5380	48	68	3	12	0	0	0	25	0	35	6.0	0.01
21	4	119	6	CONRAO	0.38	2	56	56	3	12	5933	56	68	3	12	0	0	0	0	0	18	1.8	0.00
21	4	499	6	CONRAO	0.33	2	53	53	3	12	4678	53	53	3	12	0	0	0	0	0	0	0.0	0.00
21	4	833	6	CONRAO	0.16	2	40	40	3	12	5305	40	48	3	12	0	0	0	0	0	17	1.7	0.00
				TOTAL FAP 21	1.20																	0.8	0.01
22	0	0	3	SCOBEY	0.35	2	46	46	3	12	2032	46	46	3	12	0	0	0	0	0	0	0.0	0.00
22	0	348	3	SCOBEY	0.17	2	32	32	3	12	1444	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	41	167	3	PLENTYWO	1.19	2	47	47	3	12	5460	48	68	3	12	0	0	0	6	0	31	3.7	0.04
22	63	746	3	MEOICNE LK	0.06	2	32	36	3	12	842	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	75	3	MEOICNE LK	0.13	2	32	36	3	12	853	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	205	3	MEOICNE LK	0.14	2	32	32	3	12	853	32	32	3	12	0	0	0	0	0	0	0.0	0.00
22	75	857	3	FROIO	0.02	2	32	32	3	12	802	32	44	3	12	0	0	0	0	0	27	2.7	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
				TOTAL FAP 22	2.06																	1.9	0.04
23	0	0	12	MILES CTY	0.48	2	48	48	3	6	6800	48	68	3	12	0	0	0	100	200	29	32.9	0.15
23	0	489	12	MILES CTY	0.28	2	22	26	2	8	5348	24	44	3	12	0	0	0	208	167	41	41.6	0.11
23	1	135	12	MILES CTY	0.59	2	22	25	2	5	5348	24	44	3	12	0	0	51	208	217	43	51.9	0.30
23	1	722	12	MILES CTY	0.25	2	24	26	2	5	1919	24	44	3	12	0	0	0	200	217	41	45.8	0.11
23	1	972	12	MILES CTY	0.14	2	22	25	2	5	1412	24	44	3	12	0	0	0	208	217	43	46.8	0.06
23	79	165	12	BROADUS	0.23	2	20	24	1	2	1914	24	44	3	12	0	0	22	272	267	45	60.6	0.13
23	79	394	12	BROADUS	0.34	2	24	42	3	7	2163	24	44	3	12	0	0	29	100	183	5	31.7	0.10
				TOTAL FAP 23	2.31																	41.6	0.96
25	0	0	4	CIRCLE	0.05	2	30	30	3	12	824	30	44	3	12	0	0	96	0	0	32	12.8	0.00
25	52	376	3	WLF POINT	0.43	2	66	66	3	6	4474	66	66	3	12	0	0	0	133	200	0	33.3	0.14
25	52	806	3	WLF POINT	0.06	4	63	63	3	7	8665	63	68	3	12	0	0	0	133	183	7	32.3	0.01
25	52	865	3	WLF POINT	0.01	2	30	30	3	12	11393	48	68	3	12	0	0	0	113	0	56	16.9	0.00
25	52	877	3	WLF POINT	0.12	4	51	51	3	12	11393	51	68	3	12	0	0	0	0	0	25	2.5	0.00
25	52	996	3	WLF POINT	0.06	4	52	56	3	8	11393	52	68	3	12	0	0	0	0	100	18	11.8	0.00
				TOTAL FAP 25	0.73																	20.5	0.15
27	0	0	12	EKALAKA	0.35	2	22	24	2	12	619	24	44	3	12	0	0	0	178	100	45	32.3	0.11
27	34	643	12	BAKER	0.60	2	24	32	1	4	1530	24	44	3	12	0	0	8	253	233	27	52.1	0.31
27	35	236	12	BAKER	0.14	2	24	30	2	4	2258	24	44	3	12	0	0	69	167	233	32	50.1	0.07

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT OISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
27	35	380	12	BAKER	0.06	2	74	74	3	5	3886	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	445	12	BAKER	0.06	2	74	74	3	5	5515	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	510	12	BAKER	0.24	2	78	78	3	12	1976	78	78	3	12	0	0	0	100	100	0	20.0	0.04
27	79	102	12	WIBAUX	0.66	2	22	26	2	12	1206	24	44	3	12	0	0	8	178	100	41	32.7	0.21
27	79	767	12	WIBAUX	0.31	2	22	40	3	7	2312	24	44	3	12	0	0	16	147	183	9	35.5	0.11
27	80	77	4	WIBAUX	0.40	2	24	30	2	12	862	24	44	3	12	0	0	0	167	100	32	29.9	0.11
27	80	473	4	WIBAUX	0.13	2	24	44	3	12	942	24	44	3	12	0	0	0	0	0	0	0.0	0.00
27	80	601	4	WIBAUX	0.17	2	24	44	3	11	1742	24	44	3	12	0	0	0	133	117	0	25.0	0.04
27	80	774	4	WIBAUX	0.17	2	24	44	3	12	1100	24	44	3	12	0	0	0	50	0	0	5.0	0.00
				TOTAL FAP 27	3.29																	31.6	1.04
28	68	346	11	RED LODGE	0.23	2	22	24	2	5	1295	24	44	3	12	0	0	0	208	217	45	47.0	0.10
28	68	690	11	RED LODGE	0.63	2	22	26	3	4	3330	24	44	3	12	0	0	8	117	233	41	39.9	0.25
28	69	303	11	RED LODGE	0.48	2	50	50	3	5	4568	50	50	3	12	0	0	0	0	175	0	17.5	0.08
28	69	782	11	RED LODGE	0.47	2	22	26	2	8	2090	24	44	3	12	0	0	32	208	167	41	44.8	0.20
28	95	389	11	JOLIET	1.05	2	44	44	3	12	1955	44	44	3	12	0	0	0	50	0	0	5.0	0.05
				TOTAL FAP 28	2.86																	23.8	0.68
29	0	0	9	ENNIS	0.08	2	22	26	2	4	2230	24	44	3	12	0	0	0	208	233	41	48.2	0.04
29	0	104	9	ENNIS	0.14	2	24	26	2	3	1034	24	44	3	12	0	0	71	167	250	41	52.9	0.07
29	13	53	9	VRGNA CY	0.84	2	24	28	2	10	613	24	44	3	12	0	6	6	100	50	36	19.2	0.16

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
29	13 + 890	9	VRGNA CY	0.60	2	24	30	3	8	675	24	44	3	12	0	0	17	133	167	32	34.9	0.20
29	14 495	9	VRGNA CY	0.33	2	20	24	3	8	675	24	44	3	12	0	0	0	161	167	45	37.3	0.12
29	33 97	9	SHERIDAN	0.39	2	78	78	3	11	1608	78	78	3	12	0	0	0	133	117	0	25.0	0.09
29	33 483	9	SHERIDAN	0.72	2	20	24	3	7	1750	24	44	3	12	0	0	0	133	183	45	36.1	0.25
29	42 237	9	TWN BRIDGES	0.21	2	24	44	3	12	834	24	44	3	12	0	0	0	0	0	0	0.0	0.00
29	42 452	9	TWN BRIDGES	0.39	4	52	72	3	12	2220	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	42 844	9	TWN BRIDGES	0.41	4	52	72	3	12	1188	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	83 474	9	BUTTE	0.28	2	28	54	3	6	1640	28	54	3	12	0	0	0	133	200	0	33.3	0.09
29	83 757	9	BUTTE	2.00	2	28	54	2	12	2212	28	54	3	12	0	0	0	167	100	0	26.7	0.53
29	85 757	9	BUTTE	0.40	2	28	54	3	12	10792	28	54	3	12	0	0	0	0	0	0	0.0	0.00
29	86 159	9	BUTTE	0.24	2	70	90	3	12	18176	70	90	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 29	7.03																	22.0	1.55
30	23 396	3	WEST BY	0.47	2	20	26	2	7	500	24	40	3	12	0	0	0	217	183	35	43.5	0.20
30	23 870	3	WEST BY	0.19	2	69	69	2	7	500	69	69	3	12	0	0	0	200	183	0	38.3	0.07
30	24 72	3	WEST BY	0.15	2	22	26	2	6	500	24	44	3	12	0	0	0	208	200	41	44.9	0.06
			TOTAL FAP 30	0.81																	40.7	0.33
31	50 397	3	OPHEIM	0.44	2	28	28	2	12	347	28	44	3	12	0	0	0	60	0	36	9.6	0.04
			TOTAL FAP 31	0.44																	9.1	0.04
32	50 788	3	SCOBEY	0.05	2	44	44	3	8	840	44	44	3	12	0	0	0	0	100	0	10.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
32	50.838	3	SCOBEY	0.34	2	47	47	3	8	2200	47	47	3	12	0	0	0	0	100	0	10.0	0.03
32	51.179	3	SCOBEY	0.13	2	24	44	3	12	3390	24	44	3	12	0	0	0	0	0	0	0.0	0.00
32	51.317	3	SCOBEY	0.07	2	56	56	3	12	3080	56	56	3	12	0	0	0	0	0	0	0.0	0.00
32	51.393	3	SCOBEY	0.13	2	26	30	2	10	2100	26	44	3	12	0	0	0	167	133	32	33.2	0.04
32	51.521	3	SCOBEY	0.22	2	52	52	1	12	1121	52	52	3	12	0	0	0	253	100	0	35.3	0.07
			TOTAL FAP 32	0.94																	14.9	0.14
33	0.0	1	LIBBY	0.44	2	44	44	3	12	4738	48	68	3	12	0	0	0	25	0	35	6.0	0.02
33	0.453	1	LIBBY	0.20	2	37	37	1	12	5530	48	68	3	12	0	0	0	269	100	46	41.5	0.08
			TOTAL FAP 33	0.64																	15.6	0.10
38	6.405	1	CLMBA FLS	0.72	2	24	34	3	7	5890	48	68	3	12	0	0	0	217	183	50	45.0	0.32
38	7.125	1	CLMBA FLS	0.26	2	24	28	3	5	6449	24	44	3	12	0	0	38	133	217	36	42.4	0.11
			TOTAL FAP 38	0.98																	43.9	0.43
40	0.116	4	TERRY	0.03	2	40	40	3	12	1308	40	44	3	12	0	0	0	0	0	9	0.9	0.00
			TOTAL FAP 40	0.03																	0.0	0.00
42	75.417	3	GLASGOW	0.23	2	36	40	3	6	1886	36	44	3	12	0	0	0	100	200	9	30.9	0.07
42	75.646	3	GLASGOW	0.35	4	50	50	3	12	2752	50	68	3	12	0	0	0	133	100	26	25.9	0.09
42	76.0	3	GLASGOW	0.14	2	30	30	3	12	8487	48	68	3	12	0	0	0	175	100	56	33.1	0.04
			TOTAL FAP 42	0.72																	27.8	0.20
43	0.0	5	LEWISTOWN	0.31	4	50	50	3	12	6095	50	68	3	12	0	0	0	0	0	26	2.6	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
43	0	312	5	LEWISTOWN	0.21	4	50	50	3	12	3721	50	50	3	12	0	0	0	0	0	0	0.0	0.00
43	0	529	5	LEWISTOWN	0.10	4	50	50	3	12	2891	50	50	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 43	0.62																	0.0	0.00
44	13	185	6	VALIER	0.55	2	20	20	2	11	707	24	44	3	12	0	0	0	217	117	55	38.9	0.21
44	13	930	6	VALIER	0.35	2	66	66	2	10	2495	66	66	3	12	0	0	0	100	50	0	15.0	0.05
44	14	90	6	VALIER	0.21	2	20	20	2	11	942	24	44	3	12	0	0	0	217	117	55	38.9	0.08
				TOTAL FAP 44	1.11																	30.6	0.34
45	0	0	10	BIG TMBR	0.52	2	20	24	3	4	1157	24	44	3	12	0	0	0	231	267	45	54.3	0.28
45	43	874	10	HARLOWTON	0.06	2	44	44	3	12	672	44	44	3	12	0	0	156	0	0	0	15.6	0.00
				TOTAL FAP 45	0.58																	48.3	0.28
48	0	1191	11	HAROIN	0.22	2	44	44	3	12	2784	44	44	3	12	0	0	0	0	0	0	0.0	0.00
48	0	1409	11	HAROIN	0.51	2	68	68	3	12	5287	68	68	3	12	0	0	0	0	0	0	0.0	0.00
48	0	2471	11	HAROIN	0.04	2	40	40	3	12	3604	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 48	0.77																	0.0	0.00
49	0	0	9	OILLON	0.03	2	40	40	2	10	1239	40	40	3	12	0	0	0	100	50	0	15.0	0.00
49	0	102	9	OILLON	0.14	2	40	40	3	12	1239	40	44	3	12	0	0	0	100	100	9	20.9	0.02
49	26	873	9	TWN BROGS	0.29	2	20	24	3	10	1035	24	44	3	12	0	0	0	133	133	45	31.1	0.09
49	27	161	9	TWN BRDGS	0.31	2	32	32	3	10	1460	32	32	3	12	0	0	0	100	133	0	23.3	0.07
49	27	473	9	TWN BRDGS	0.13	2	46	46	3	10	1460	46	46	3	12	0	0	0	100	133	0	23.3	0.03

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
				TOTAL FAP 49	0.90																	23.3	0.21
50	0	0	10	W YLOWSTON	0.36	4	70	70	3	12	3410	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	0	366	10	W YLOWSTON	0.19	4	70	70	3	12	2780	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	87	95	10	BOZEMAN	0.12	4	52	52	3	12	6348	52	68	3	12	0	0	0	0	0	24	2.4	0.00
50	87	216	10	BOZEMAN	0.56	2	36	36	3	12	13669	48	68	3	12	0	0	0	75	0	47	12.2	0.06
50	87	781	10	BOZEMAN	0.54	4	90	90	3	12	19677	90	90	3	12	0	0	0	0	0	0	0.0	0.00
50	88	315	10	BOZEMAN	0.52	4	59	59	3	12	16721	59	59	3	12	0	0	0	0	0	0	0.0	0.00
50	88	833	10	BOZEMAN	0.70	4	52	72	3	12	15833	52	72	3	12	0	0	0	0	0	0	0.0	0.00
50	89	529	10	BOZEMAN	0.40	4	62	62	3	12	11112	62	68	3	12	0	0	0	0	0	9	0.9	0.00
50	90	101	10	BOZEMAN	0.53	4	68	82	3	12	9590	68	82	3	12	0	0	0	0	0	0	0.0	0.00
50	90	630	10	BOZEMAN	0.19	3	56	76	3	12	8955	56	76	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 50	4.11																	1.5	0.06
51	27	212	4	RICHEY	0.31	2	28	28	3	7	265	28	44	3	12	0	0	0	0	125	36	16.1	0.05
				TOTAL FAP 51	0.31																	16.1	0.05
53	0	0	11	BILLINGS	0.60	4	72	72	3	12	7268	72	72	3	12	0	0	0	0	0	0	0.0	0.00
53	0	600	11	BILLINGS	1.68	4	72	72	3	12	9757	72	73	3	12	0	0	0	0	0	1	0.1	0.00
53	0	2278	11	BILLINGS	0.46	4	50	50	3	5	12246	50	68	3	12	0	0	0	100	217	26	34.3	0.15
53	0	2736	11	BILLINGS	1.16	4	50	50	5	5	8440	50	68	3	12	0	0	0	0	217	26	24.3	0.28
53	1	1158	11	BILLINGS	1.14	4	50	50	2	8	15513	50	68	3	12	0	0	0	167	167	26	36.0	0.41

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+ .					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
53	2 . 238	11	BILLINGS	0.84	4	48	64	3	12	8047	48	68	3	12	0	0	0	0	0	6	0.6	0.00
53	3 . 78	11	BILLINGS	1.31	2	32	32	3	12	3479	32	44	3	12	0	0	0	0	0	27	2.7	0.03
53	31 . 558	11	BROADVIEW	0.48	2	22	24	2	8	1160	24	44	3	12	0	0	21	208	167	45	44.1	0.21
53	45 . 389	11	LAVINA	0.87	2	26	30	1	12	912	26	44	3	12	0	0	0	253	100	32	38.5	0.33
			TOTAL FAP 53	8.54																	16.5	1.41
55	12 . 176	7	WHITEHALL	0.35	4	62	62	3	12	1831	62	68	3	12	0	0	0	0	0	9	0.9	0.00
55	12 . 523	7	WHITEHALL	0.42	2	40	40	3	12	2771	40	44	3	12	0	0	0	0	0	9	0.9	0.00
55	12 . 948	7	WHITEHALL	0.05	2	32	32	3	12	2238	32	44	3	12	0	0	0	0	0	27	2.7	0.00
			TOTAL FAP 55	0.82																	0.0	0.00
57	80 . 823	5	LEWISTOWN	0.13	2	24	32	3	12	1606	24	44	3	12	0	0	0	50	0	27	7.7	0.01
57	80 . 956	5	LEWISTOWN	1.11	2	53	53	3	12	4585	53	53	3	12	0	0	0	0	0	0	0.0	0.00
57	82 . 55	5	LEWISTOWN	0.13	2	33	33	3	12	6310	48	68	3	12	0	0	0	94	0	51	14.5	0.01
57	82 . 187	5	LEWISTOWN	0.73	2	49	49	3	9	4306	49	68	3	12	0	0	27	0	75	28	13.0	0.09
57	135 . 594	5	WINNETT	0.18	2	21	24	3	3	306	24	44	3	12	0	0	0	125	250	45	42.0	0.07
57	135 . 776	5	WINNETT	0.71	2	22	24	3	3	415	24	44	3	12	0	0	0	117	250	45	41.2	0.29
57	212 . 448	5	JORDAN	0.48	2	52	52	3	5	2043	52	52	3	12	0	0	0	100	217	0	31.7	0.15
57	212 . 932	5	JORDAN	0.15	2	22	24	3	5	570	24	44	3	12	0	0	34	117	217	45	41.3	0.06
57	278 . 394	4	CIRCLE	0.33	2	24	24	2	6	756	24	44	3	12	0	0	0	187	200	45	43.2	0.14
57	278 . 726	4	CIRCLE	0.27	2	24	46	3	12	1055	24	46	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
57	278 + 998	4	CIRCLE	0.54	2	24	44	3	12	2007	24	44	3	12	0	0	0	0	0	0	0.0	0.00
57	279 534	4	CIRCLE	0.26	2	24	40	3	12	1930	24	44	3	12	0	0	39	0	0	9	4.8	0.01
57	324 644	4	GLENOIVE	1.33	2	32	36	3	12	4330	32	44	3	12	0	0	0	0	0	18	1.8	0.02
57	325 992	4	GLENOIVE	0.68	4	72	72	3	12	7066	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326 665	4	GLENOIVE	0.05	4	72	72	3	12	8373	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326 720	4	GLENOIVE	0.38	4	72	72	3	12	9244	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	327 100	4	GLENDIVE	0.67	2	56	56	3	12	9337	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	327 766	4	GLENOIVE	0.65	4	60	60	3	6	8839	60	68	3	12	0	0	0	0	150	12	16.2	0.10
57	328 439	4	GLENOIVE	0.90	4	56	56	3	12	3211	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	329 339	4	GLENOIVE	0.85	4	72	88	3	12	4324	72	88	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 57	10.53																	9.2	0.97
59	14 905	10	CLYO PARK	0.17	2	20	30	2	5	719	24	44	3	12	0	0	0	217	217	32	46.6	0.07
59	15 24	10	CLYO PARK	0.27	2	20	40	2	5	719	24	44	3	12	0	0	18	217	217	9	46.1	0.12
59	15 296	10	CLYD PARK	0.04	2	20	24	3	6	719	24	44	3	12	0	0	0	161	200	45	40.6	0.01
			TOTAL FAP 59	0.48																	41.7	0.20
60	35 842	6	NEIHART	0.64	2	28	28	1	12	519	28	44	3	12	0	0	0	230	0	36	26.6	0.17
60	36 480	6	NEIHART	0.98	2	20	24	2	5	735	24	44	3	12	0	0	0	217	217	45	47.9	0.46
60	37 460	6	NEIHART	1.53	2	22	26	2	4	521	24	44	3	12	0	0	13	117	200	41	37.1	0.56
60	90 366	6	GT FALLS	0.08	2	48	62	3	12	6284	48	68	3	12	0	0	66	50	0	9	12.5	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
60	90 + 442	6	GT FALLS	1.15	4	48	62	3	12	7612	48	68	3	12	0	0	0	0	0	9	0.9	0.01
60	91 597	6	GT FALLS	1.37	4	48	62	3	12	14742	48	68	3	12	0	0	0	0	0	9	0.9	0.01
60	92 966	6	GT FALLS	0.50	4	61	76	3	12	19063	61	76	3	12	0	0	0	50	0	0	5.0	0.02
60	93 464	6	GT FALLS	0.82	4	64	80	3	12	29196	64	80	3	12	0	0	0	50	0	0	5.0	0.04
60	94 280	6	GT FALLS	0.18	4	48	70	2	12	27306	48	70	3	12	0	0	113	100	0	0	21.3	0.03
60	94 457	6	GT FALLS	0.40	2	28	28	2	12	18893	48	68	3	12	0	0	0	183	0	59	24.2	0.09
60	94 853	6	GT FALLS	0.45	4	48	68	2	12	20740	48	68	3	12	0	0	0	100	0	0	10.0	0.04
60	95 301	6	GT FALLS	0.22	4	48	68	2	12	20740	48	68	3	12	0	0	0	100	0	0	10.0	0.02
60	95 525	6	GT FALLS	0.10	4	48	70	2	12	20740	48	70	3	12	0	0	0	100	0	0	10.0	0.00
60	95 625	6	GT FALLS	0.09	4	48	68	2	12	9701	48	68	3	12	0	0	0	100	0	0	10.0	0.00
			TOTAL FAP 60	8.51																	17.0	1.45
61	0 0	11	ROUNOUP	0.25	2	69	69	3	7	1215	69	69	3	12	0	0	40	133	183	0	35.6	0.08
61	0 250	11	ROUNOUP	0.26	2	22	36	3	7	1215	24	44	3	12	0	0	0	147	183	18	34.8	0.09
61	0 512	11	ROUNDUP	0.15	2	24	30	3	12	1146	24	44	3	12	0	0	0	133	100	32	26.5	0.04
61	156 919	3	MALTA	0.43	4	48	48	2	7	2503	48	48	3	12	0	0	0	167	183	0	35.0	0.15
61	157 360	3	MALTA	0.16	4	54	54	1	3	4560	54	54	3	12	0	0	0	267	250	0	51.7	0.08
61	157 522	3	MALTA	0.09	2	30	30	2	12	4779	30	44	3	12	0	0	0	100	0	32	13.2	0.01
			TOTAL FAP 61	1.34																	33.6	0.45
62	0 0	3	CL8ERTSON	0.55	2	44	44	3	12	1909	44	44	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH			WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	.					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
62	1	200	3	CLEARTSON	0.32	2	32	32	3	12	1873	32	44	3	12	0	0	0	0	0	27	2.7	0.00
62	37	0	4	SIDNEY	0.68	2	24	36	3	6	3690	24	44	3	12	0	0	0	120	200	18	33.8	0.23
62	37	685	4	SIDNEY	0.35	2	48	48	3	11	6144	48	68	3	12	0	0	14	120	117	29	28.0	0.09
				TOTAL FAP 62	1.90																	16.8	0.32
63	17	860	10	JUDTH GAP	0.62	2	24	36	3	12	1007	24	44	3	12	0	0	8	50	0	18	7.6	0.04
				TOTAL FAP 63	0.62																	6.5	0.04
67	0	0	2	SHELBY	0.46	2	24	30	3	7	3820	24	44	3	12	0	0	0	133	183	32	34.8	0.16
67	0	466	2	SHELBY	0.25	2	22	30	3	5	3460	24	44	3	12	0	0	0	147	217	32	39.6	0.09
				TOTAL FAP 67	0.71																	35.2	0.25
68	0	174	6	CASCADE	0.47	2	20	24	3	3	588	24	44	3	12	0	0	0	133	250	45	42.8	0.20
68	0	646	6	CASCADE	0.19	2	34	34	3	3	615	34	44	3	12	0	0	0	100	250	23	37.3	0.06
68	0	833	6	CASCADE	0.10	2	50	50	3	3	1320	50	50	3	12	0	0	0	100	250	0	35.0	0.03
68	0	933	6	CASCADE	0.25	2	34	34	3	3	1677	34	44	3	12	0	0	0	100	250	23	37.3	0.09
68	1	180	6	CASCADE	0.08	2	24	24	3	12	1038	24	44	3	12	0	0	0	0	0	45	4.5	0.00
				TOTAL FAP 68	1.09																	34.9	0.38
69	0	0	7	WHITEHALL	0.67	4	62	62	3	12	2889	62	68	3	12	0	0	0	0	0	9	0.9	0.00
69	37	30	7	BOULDER	0.28	2	24	24	1	9	1138	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37	351	7	BOULDER	0.28	2	24	24	1	9	1300	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37	636	7	BOULDER	0.23	2	24	24	3	6	1084	24	44	3	12	0	0	0	100	200	45	34.5	0.08

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
69	37 + 868	7	BOULDER	0.23	2	40	40	3	12	1084	40	44	3	12	0	0	0	0	0	9	0.9	0.00
			TOTAL FAP 69	1.69																	18.9	0.32
70	1 235	8	SUPERIOR	0.27	2	22	24	2	5	215	24	44	3	12	0	0	0	254	258	45	55.7	0.15
70	1 568	8	SUPERIOR	0.84	2	22	24	3	5	265	24	44	3	12	0	0	0	224	258	45	52.7	0.44
70	2 405	8	SUPERIOR	0.16	2	30	30	3	12	2884	30	44	3	12	0	0	0	0	0	32	3.2	0.00
70	2 564	8	SUPERIOR	0.20	2	48	48	3	12	2891	48	48	3	12	0	0	0	0	0	0	0.0	0.00
70	2 765	8	SUPERIOR	0.03	2	24	24	3	12	2585	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TOTAL FAP 70	1.50																	39.3	0.59
71	0 0	8	MISSOULA	0.95	2	42	42	3	12	2520	42	44	3	12	0	0	0	0	0	5	0.5	0.00
71	0 951	8	MISSOULA	0.07	2	30	30	3	12	2520	30	44	3	12	0	0	0	0	0	32	3.2	0.00
71	1 17	8	MISSOULA	1.19	4	72	88	3	12	11510	72	88	3	12	0	0	0	0	0	0	0.0	0.00
71	2 208	8	MISSOULA	0.76	4	68	72	3	12	14039	68	72	3	12	0	0	0	0	0	0	0.0	0.00
71	2 968	8	MISSOULA	0.86	4	62	62	3	8	15749	62	68	3	12	0	0	0	50	100	9	15.9	0.13
71	3 827	8	MISSOULA	0.59	4	62	62	3	8	14234	62	68	3	12	0	0	0	50	100	9	15.9	0.09
71	4 417	8	MISSOULA	0.21	4	72	72	3	12	12720	72	72	3	12	0	0	0	0	0	0	0.0	0.00
71	4 632	8	MISSOULA	0.14	4	48	68	3	12	12123	48	68	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 71	4.77																	4.6	0.22
75	1 680	5	LEWISTOWN	0.50	2	24	28	3	12	886	24	44	3	12	0	0	0	0	0	36	3.6	0.01
75	2 184	5	LEWISTOWN	0.25	2	24	30	3	12	2873	24	44	3	12	0	0	0	0	0	32	3.2	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
75	2 434	5	LEWISTOWN	0.26	2	24	28	3	12	3118	24	44	3	12	0	0	0	100	100	36	23.6	0.06
75	2 695	5	LEWISTOWN	0.25	2	24	36	3	12	2990	24	44	3	12	0	0	0	100	100	18	21.8	0.05
			TOTAL FAP 75	1.26																	9.5	0.12
76	0 0	9	BUTTE	0.20	4	66	72	3	12	4076	66	72	3	12	0	0	0	0	0	0	0.0	0.00
76	0 201	9	BUTTE	0.33	4	66	72	3	12	4076	66	72	3	12	0	0	0	0	0	0	0.0	0.00
76	0 533	9	BUTTE	0.61	4	70	70	3	12	14400	70	70	3	12	0	0	0	50	0	0	5.0	0.03
76	1 142	9	BUTTE	0.69	4	56	56	3	5	11837	56	68	3	12	0	0	0	100	217	18	33.5	0.23
76	1 832	9	BUTTE	0.41	4	56	56	3	5	6135	56	68	3	12	0	0	0	100	217	18	33.5	0.13
76	2 246	9	BUTTE	0.54	2	48	48	3	6	9210	48	68	3	12	0	0	0	0	150	29	17.9	0.09
76	2 785	9	BUTTE	0.61	2	24	24	2	9	7287	48	68	3	12	0	0	0	250	150	65	46.5	0.28
76	3 392	9	BUTTE	0.49	2	24	24	2	9	7575	48	68	3	12	0	0	0	250	150	65	46.5	0.22
76	3 878	9	BUTTE	0.54	2	24	30	2	6	2824	24	44	3	12	0	0	0	100	150	32	28.2	0.15
76	4 415	9	BUTTE	2.43	2	24	42	2	6	1405	24	44	3	12	0	0	0	100	150	5	25.5	0.62
			TOTAL FAP 76	6.85																	25.5	1.75
77	1 746	8	HOT SPRGS	0.25	2	24	46	1	9	854	24	44	3	12	0	0	0	250	75	0	32.5	0.08
			TOTAL FAP 77	0.25																	32.0	0.08
78	0 0	11	RED LODGE	0.47	2	24	24	2	10	653	24	44	3	12	0	0	0	167	133	45	34.5	0.16
78	46 446	11	COLUMBUS	0.36	2	28	28	2	6	1708	28	44	3	12	0	0	0	233	250	36	51.9	0.18
78	46 446	11	COLUMBUS	0.30	2	28	28	2	6	1708	28	44	3	12	0	0	0	167	200	36	40.3	0.12

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
78	46 + 744	11	COLUMBUS	0.21	2	42	52	2	8	2684	42	52	3	12	0	0	0	167	167	0	33.4	0.07
78	46 808	11	COLUMBUS	0.15	2	28	40	3	8	2840	28	44	3	12	0	0	0	100	167	9	27.6	0.04
78	46 959	11	COLUMBUS	0.29	2	44	44	3	12	2370	44	44	3	12	0	0	0	0	0	0	0.0	0.00
78	46 959	11	COLUMBUS	0.29	2	44	44	3	12	1708	44	44	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 78	2.07																	27.5	0.57
80	1 594	6	FT BENTON	0.10	2	24	24	2	11	586	24	44	3	12	0	0	0	167	117	45	32.9	0.03
80	1 694	6	FT BENTON	0.30	2	20	20	2	4	2461	24	44	3	12	0	0	0	217	233	55	50.5	0.15
80	1 996	6	FT BENTON	0.37	2	48	48	2	7	1355	48	48	3	12	0	0	0	167	183	0	35.0	0.12
80	28 186	6	GERALDINE	0.95	2	30	30	3	12	378	30	44	3	12	0	0	0	0	0	32	3.2	0.03
80	66 59	6	STANFORD	0.55	2	24	24	3	12	438	24	44	3	12	0	0	0	100	100	45	24.5	0.13
80	66 614	6	STANFORD	0.44	2	24	26	1	7	453	24	44	3	12	0	0	0	277	242	41	56.0	0.24
			TOTAL FAP 80	2.71																	25.8	0.70
81	12 943	5	DENTON	0.90	2	76	76	3	12	854	76	76	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 81	0.90																	0.0	0.00
86	0 0	10	BOZEMAN	0.15	2	40	40	2	6	3007	40	44	3	12	0	0	0	167	200	9	37.6	0.05
86	0 150	10	BOZEMAN	0.78	2	28	28	2	12	3007	28	44	3	12	0	0	0	167	100	36	30.3	0.23
86	0 932	10	BOZEMAN	0.03	2	24	24	3	12	3007	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TOTAL FAP 86	0.96																	29.2	0.28
	GRAND TOTAL FAP			186.64																		32.44

Sufficiency Ratings by Section - Statewide

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RTE	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SUF SRF	PDY	TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P070	0+0.000	EJT W SUPERIOR INT	MINERAL	8	.200	NON EXISTENT													
P008	46+0.475	HELENA	LEWIS AND CLARK	7 36 36	2.094	24	30	PMS	8367	1004	463	0	12	3	3	0	18	8	1.7
P052	83+0.584	JCT FAP RTE 83	FLATHEAD	1 35 57	.344	22	22	RMS	2801	414	132	0	12	5	0	0	17	12	.3
P005	0+0.622	0.2 N FAI 90	MISSOULA	8 34 55	3.088	20	24	RMS	4354	635	237	0	15	7	1	0	23	15	2.4
P024	22+0.634	6.6 E POTOMAC	MISSOULA	8 41 59	4.023	25	28	RMS	1619	267	126	0	12	7	1	0	20	17	3.2
P038	8+0.078	0.6 E COL FALLS	FLATHEAD	1 37 55	.577	22	24	RMS	3329	466	249	0	11	6	6	2	25	18	.4
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1 34 66	1.705	24	30	RMS	4390	838	365	0	13	8	9	0	30	20	1.2
P001	124+0.633	0.7 E KALISPELL	FLATHEAD	1 40 64	3.634	30	30	PMS	3855	616	327	2	13	8	4	2	29	20	2.6
P001	221+1.600	BROWNING	GLACIER	2 35 53	.888	24	24	RMS	4316	841	379	3	16	9	1	0	29	20	.6
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8 48 54	1.536	24	32	RMS	4235	618	220	0	13	7	10	0	30	21	1.1
P052	0+0.000	JCT FAP RTE 5	LAKE	1 40 50	7.134	21	24	BST	2037	301	184	0	12	7	1	5	25	21	5.4
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8 34 59	2.036	22	24	RMS	4176	542	627	0	8	4	3	17	32	22	1.4
P024	12+0.237	11.3 E BONNER	MISSOULA	8 41 63	3.821	24	24	RMS	1899	313	179	0	14	6	2	4	26	22	2.8
P038	4+0.134	0.3 W FAS 206	FLATHEAD	1 39 53	2.274	24	24	RMS	5021	702	759	0	8	8	2	16	34	23	1.5
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1 29 65	2.443	24	24	RMS	4111	785	469	3	14	10	1	5	33	23	1.6
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1 56 56	1.975	24	28	RMS	2233	330	177	0	14	10	3	2	29	24	1.4
P052	28+0.294	FLATHEAD CO	FLATHEAD	1 36 64	2.004	24	24	RMS	1890	279	187	0	13	5	2	8	28	24	1.4
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1 31 34	10.727	20	24	RMS	2527	482	415	0	12	5	1	13	31	25	7.4
P001	221+2.488	0.8 S BROWNING	GLACIER	2 32 70	1.926	22	24	RMS	3233	623	225	4	18	9	2	0	33	25	1.3
P007	48+0.000	HAMILTON	RAVALLI	8 40 40	1.731	24	30	PMS	4655	605	780	0	10	4	5	18	37	26	1.1
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1 36 59	1.995	24	24	RMS	1808	267	174	0	13	5	5	7	30	26	1.4
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6 39 71	.996	32	32	RMS	3831	498	302	3	16	10	2	5	36	26	.6
P004	52+0.255	1.4 N YELLOWST CO	YELLOWSTONE	11 22 39	1.598	24	30	RMS	5780	751	652	3	15	7	2	13	40	27	1.0
P001	16+0.932	JCT FAP 56	LINCOLN	1 34 38	4.574	20	24	PMS	1604	208	182	0	12	3	3	13	31	27	3.2
P005	128+0.492	WHITEFISH	FLATHEAD	1 34 54	6.201	22	23	RMS	1584	205	230	0	10	4	1	17	32	28	4.2
P003	0+0.000	I 15 VAUGHN	CASCADE	6 55 71	1.402	28	32	RMS	3693	480	264	5	17	10	4	3	39	29	.9
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1 37 55	.372	22	24	PMS	3329	466	216	0	11	7	20	0	38	29	.2
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12 28 36	1.305	20	22	BST	1708	247	250	0	13	4	1	15	33	29	.9
P024	7+0.551	6.7 E BONNER	MISSOULA	8 40 42	4.668	20	24	RMS	1979	326	322	0	13	5	2	15	35	30	3.0
P024	0+1.845	BONNER	MISSOULA	8 36 37	4.039	30	30	RMS	2215	365	299	3	16	4	1	12	36	30	2.6
P005	24+0.366	9.3 N LAKE CO	LAKE	1 55 60	3.147	32	32	PMS	3638	531	302	5	17	10	4	4	40	30	1.9
P005	15+0.054	LAKE CO	LAKE	1 40 40	3.437	24	30	RMS	3485	508	507	0	11	8	5	15	39	30	2.1
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11 23 68	.593	55	55	RMS	2719	353	257	3	16	8	1	9	37	30	.4
P062	33+0.331	3.6 N SIDNEY	RICHLAND	4 37 49	3.663	24	26	RMS	2382	357	308	0	11	9	3	13	36	30	2.3
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1 22 49	1.347	24	24	RMS	2316	342	374	0	12	6	2	16	36	30	.9
P007	31+0.292	DARBY	RAVALLI	8 34 35	11.755	18	24	RMS	2376	308	414	0	10	6	2	19	37	31	7.4
P001	25+0.405	6.4 W LIBBY	LINCOLN	1 38 52	4.437	24	24	RMS	1879	244	469	0	10	3	1	22	36	31	2.8
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1 32 52	6.932	22	24	RMS	1452	196	341	0	9	4	1	21	35	32	4.5
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11 33 56	.969	26	30	RMS	2872	373	780	0	10	6	1	23	40	32	.6
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2 28 40	8.213	20	24	RMS	1086	211	302	0	9	4	0	20	33	32	5.5
R086	16+0.328	15.3 N BOZEMAN	GALLATIN	10 48 48	2.465	20	20	GRV	686	137	345	0	0	3	3	24	30	32	1.7
P005	86+0.330	2.0 S ROLLINS	LAKE	1 33 65	6.417	24	24	RMS	1565	211	374	0	10	4	1	22	37	33	4.0
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1 50 50	5.797	24	30	RMS	3327	485	491	0	15	8	4	15	42	33	3.4
P006	76+0.641	JCT FAP 36	SANDERS	8 31 34	2.278	18	24	RMS	1150	171	270	0	11	3	0	21	35	33	1.5
P001	220+0.489	1.3 W BROWNING	GLACIER	2 45 45	1.390	24	24	RMS	1438	280	278	0	13	7	1	15	36	33	.9
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1 33 35	3.632	18	20	RMS	810	154	199	0	11	3	0	18	32	33	2.5
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1 34 51	10.056	22	24	RMS	2616	499	716	0	9	8	4	20	41	34	5.9
P007	43+0.041	3.5 S HAMILTON	RAVALLI	8 49 49	1.525	30	30	BST	2753	357	345	4	14	9	1	14	42	34	.9
P016	46+0.202	KLEIN	MUSSELSHELL	11 37 37	1.838	20	24	RMS	1919	249	283	0	13	8	1	17	39	34	1.1
P020	58+0.614	6.1 N SIDNEY	RICHLAND	4 35 35	3.906	20	24	RMS	1622	210	302	0	11	5	2	20	38	34	2.4
P020	52+0.570	SIDNEY	RICHLAND	4 35 35	6.066	20	24	RMS	2330	302	453	0	11	5	5	20	41	34	3.6
P052	7+0.124	7.1 N FAP 5	LAKE	1 47 47	3.214	24	24	BST	1146	169	187	0	13	6	1	16	36	34	2.1
P058	12+0.053	KIOWA JCT	GLACIER	2 28 40	5.269	20	24	RMS	989	192	302	0	12	4	0	20	36	35	3.4
P016	11+0.879	7.0 N BILLINGS	YELLOWSTONE	11 34 51	9.659	20	24	RMS	1256	163	255	0	11	5	1	20	37	35	6.1
P011	55+0.874	LIVINGSTON	PARK	10 34 34	2.078	20	24	PMS	3023	392	610	0	13	7	4	20	44	35	1.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RTE-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	SUF ROY	TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	CERTIFIC MILES
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	1803	234	453	0	10	6	2	22	40	35	2.4
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	1910	248	357	0	11	8	1	20	40	35	.8
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	4.563	20	24	RMS	1572	234	255	0	15	6	3	16	40	36	2.7
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	1610	239	294	0	11	3	8	18	40	36	.2
P008	34+0.187	5.4 W HELENA	LEWIS AND CLARK	7	33	33	5.427	20	24	RMS	1690	245	299	0	13	8	2	18	41	36	3.2
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1475	218	301	0	12	7	1	19	39	36	3.4
P086	0+0.962	BOZEMAN	GALLATIN	10	61	61	2.865	30	30	PMS	2685	537	786	3	15	4	2	20	44	36	1.6
P078	29+0.991	3.0 S ABSAROKEE	STILLWATER	11	35	45	15.864	20	24	RMS	1049	173	450	0	8	5	1	24	38	37	9.8
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	1249	162	185	0	13	8	1	17	39	37	5.8
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1465	216	390	0	13	4	1	22	40	37	4.6
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	1852	259	134	7	23	10	1	1	42	37	.2
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1655	244	390	0	13	4	3	21	41	37	2.3
P008	49+0.860	EAST HELENA	LEWIS AND CLARK	7	36	36	2.962	24	30	PMS	2965	453	500	3	15	7	4	16	45	37	1.6
P005	98+0.643	5.2 NE FLATHEAD OCO	FLATHEAD	1	63	63	5.548	32	32	PMS	2468	333	213	5	19	10	3	7	44	37	3.1
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	4878	712	403	6	18	10	12	3	49	37	.6
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	1882	244	365	0	10	5	7	20	42	37	1.0
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11	37	37	3.979	20	24	RMS	1205	156	283	0	10	6	1	22	39	37	2.4
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3302	429	397	5	16	10	1	14	46	37	.3
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12	51	67	8.725	24	24	RMS	1068	160	335	0	10	5	1	23	39	38	5.3
P021	0+0.825	3.0 S CONRAD	PONDERA	6	64	64	2.835	24	26	RMS	1355	176	264	0	11	8	2	20	41	38	1.7
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1437	229	324	0	12	8	2	19	41	38	2.9
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1351	216	478	0	12	5	1	23	41	38	1.3
P005	61+0.600	0.6 N POLSON	HILL	2	52	52	1.516	40	40	RMS	4489	480	654	0	13	10	8	19	50	38	.8
P005	168+0.284	FORTINE	LAKE	1	54	54	2.852	24	32	PMS	2956	399	584	0	12	10	4	20	46	38	1.5
P003	20+0.191	TETON CO	LINCOLN	1	33	51	9.654	22	22	RMS	1295	168	396	0	10	5	1	24	40	38	5.8
P050	81+0.910	JCT FAP 84 85	TETON	6	21	32	2.966	20	22	BST	1503	195	397	0	13	4	2	23	42	38	1.7
P060	81+0.469	7.0 N FAS 331	GALLATIN	10	60	60	5.208	36	36	PMS	4638	695	283	8	26	10	6	0	50	38	2.6
P042	73+0.246	JCT FAP RTE 31	CASCADE	6	42	52	5.894	26	31	RMS	2594	337	384	2	14	10	3	17	46	38	3.2
P004	26+0.285	BRIDGER	VALLEY	3	34	58	2.174	22	26	RMS	1655	264	367	0	13	9	2	19	43	39	1.2
P005	114+0.862	KALISPELL	CARBON	11	23	51	6.413	22	24	RMS	1972	256	486	0	13	6	4	22	45	39	3.5
P006	108+0.148	DIXON	FLATHEAD	1	57	60	5.799	36	36	PMS	3953	474	309	5	22	10	6	7	50	39	2.9
P008	0+0.000	JCT FAI 90	SANDERS	8	27	50	7.086	20	24	RMS	1056	157	470	0	10	4	1	25	40	39	4.3
P006	103+0.023	7.4 E PERMA	POWELL	8	31	53	3.913	24	24	RMS	1339	174	468	0	10	6	2	24	42	39	2.3
P001	106+0.450	12.9 W KALISPELL	SANDERS	8	22	57	1.701	20	24	RMS	758	112	325	0	10	3	0	25	38	39	1.1
P016	25+0.140	MUSSELSHELL CO	FLATHEAD	1	49	63	6.886	24	27	RMS	1363	177	223	0	12	8	4	18	42	39	4.0
P025	44+0.762	1.8 S ROOSEVELT	MUSSELSHELL	11	34	34	4.505	20	24	RMS	1238	160	470	0	9	6	1	25	41	39	2.7
P029	49+0.920	6.6 N TWIN BRIDGES	MCCONE	4	30	36	1.745	20	24	BST	802	104	126	0	13	6	1	18	38	39	1.1
P037	46+0.552	4.2 E LAME DEER	MADISON	9	36	36	7.354	22	24	RMS	1034	155	225	0	14	6	1	20	41	40	4.3
P039	31+0.745	9.0 NO COLSTRIP	ROSEBUD	12	54	54	7.110	24	24	PMS	825	111	90	3	15	8	1	12	39	40	4.3
P016	23+0.243	1.8 S MUSSEL CO	ROSEBUD	12	49	70	4.830	24	24	RMS	1002	150	275	0	13	5	1	22	41	40	2.8
P001	21+0.505	4.6 E FAP 56	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1238	160	272	0	13	7	1	21	42	40	1.1
P001	541+0.099	0.3 W GLASGOW	LINCOLN	1	37	70	3.927	24	26	RMS	1749	227	470	0	9	4	9	23	45	40	2.2
P006	68+0.701	WEEKSVILLE	VALLEY	3	48	48	.328	24	26	RMS	5989	808	638	0	15	8	20	11	54	40	.2
P006	115+0.193	LAKE CO	SANDERS	8	38	52	3.890	20	24	RMS	915	136	233	0	12	4	3	21	40	40	2.3
P006	105+0.123	1.4 W DIXON	LAKE	1	34	52	.936	20	24	RMS	1143	170	448	0	9	8	1	24	42	40	.5
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	22	34	1.062	22	24	RMS	767	114	423	0	9	3	1	26	39	40	.6
P007	23+0.549	2.9 S FAS 473	SANDERS	8	31	51	6.095	20	24	RMS	1060	157	470	0	11	5	1	25	42	41	3.5
P001	153+0.269	JCT FAP 65	RAVALLI	8	36	36	2.932	22	25	RMS	987	128	273	0	11	6	2	23	42	41	1.7
P001	49+0.289	13.5 E FAS 482	FLATHEAD	1	48	49	3.364	24	28	PMS	1035	197	129	6	19	7	3	7	42	41	2.0
P023	2+0.172	JCT FAI RTE 94	LINCOLN	1	35	39	6.869	20	24	RMS	919	119	228	0	12	4	3	22	41	41	4.1
P010	51+0.544	0.6 S LOMA	CUSTER	12	20	36	3.282	22	25	RMS	1166	151	324	0	11	8	1	23	43	41	1.9
P057	88+0.245	5.1 E LEWISTOWN	CHOUTEAU	6	36	36	.676	24	24	RMS	1233	160	335	0	12	8	0	23	43	41	.4
P064	7+0.180	MADISON CO LINE	FERGUS	5	37	56	6.022	24	30	PMS	1009	131	133	2	16	8	1	15	42	41	3.5
P064	3+0.000	3.0 W FAP RTE 50	MADISON	9	73	73	2.450	24	24	GRV	420		212	0	0	5	1	30	36	41	1.6
			GALLATIN	10	73	73	4.180	24	24	GRV	420		250	0	0	5	1	30	36	41	2.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ET	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P050	80+0.057	1.9 S FAP 84 85	GALLATIN	10	64	64	1.857	32	32	PMS	2959	500	264	8	26	10	5	2	51	42	.9
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	46	62	3.798	24	26	RMS	1141	148	319	0	11	8	2	23	44	42	2.1
P010	52+0.380	LOMA	CHOUTEAU	6	34	63	2.764	22	24	RMS	1261	163	380	0	10	8	2	24	44	42	1.5
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	24	24	RMS	1606	370	739	0	10	3	11	22	46	42	.3
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	682	98	471	0	9	3	1	27	40	42	3.0
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1296	168	377	0	11	8	3	23	45	42	5.0
P028	64+0.237	4.5 S RED LODGE	CARBON	11	34	57	4.147	22	22	RMS	782	175	591	0	6	8	1	26	41	42	2.4
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.292	24	24	RMS	1209	181	575	0	12	4	3	25	44	42	3.5
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	729	108	356	0	11	4	0	25	40	42	1.1
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	852	110	235	0	11	7	1	23	42	42	2.0
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1251	186	408	0	11	6	4	23	44	42	1.8
P003	23+1.038	FAIRFIELD	TETON	6	21	32	1.492	20	22	BST	840	109	420	0	12	3	0	26	41	42	.9
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.843	32	32	PMS	3462	505	544	4	13	10	9	16	52	42	.9
P003	41+0.952	CHOTEAU	TETON	6	21	61	12.944	20	22	RMS	778	187	427	0	13	5	1	23	42	43	7.5
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	745	111	470	0	10	4	2	26	42	43	1.7
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	750	111	453	0	11	4	1	26	42	43	2.1
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1053	156	184	0	13	5	9	17	44	43	1.0
P001	218+0.905	2.9 W BROWNING	GLACIER	2	39	54	1.576	26	30	RMS	1314	250	572	0	10	7	6	23	46	43	.9
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1262	241	400	0	14	9	1	21	45	43	.7
P024	116+0.833	CASCADE CO	CASCADE	6	52	52	10.632	24	26	RMS	1173	175	277	0	15	7	2	21	45	43	5.8
P024	109+0.055	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.786	24	26	RMS	963	144	277	0	11	8	2	22	43	43	4.4
P025	46+0.911	JCT FAP 32	ROOSEVELT	3	30	56	5.474	24	24	RMS	1140	148	371	0	12	7	2	24	45	43	3.0
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.505	24	25	RMS	1143	171	237	0	15	8	3	19	45	43	1.9
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12	53	67	5.855	24	24	RMS	1048	157	468	0	10	8	1	25	44	43	3.3
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.277	24	30	RMS	1211	157	876	0	9	8	1	27	45	43	1.8
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.172	20	24	RMS	1045	135	220	0	15	7	1	21	44	43	1.2
P053	23+0.140	COMANCHE	YELLOWSTONE	11	48	48	8.421	20	24	RMS	1069	138	354	0	11	7	2	24	44	43	4.7
P044	21+0.954	7.6 E VALIER	PONDERA	6	48	48	5.911	20	20	RMS	671	95	374	0	6	6	3	26	41	43	3.5
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.368	22	24	RMS	962	187	386	0	10	8	2	23	43	43	3.6
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11	48	57	6.295	22	28	RMS	1034	134	258	0	14	8	1	22	45	44	3.5
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3	33	57	1.859	20	24	RMS	684	102	338	0	9	7	1	25	42	44	1.1
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	1021	132	258	0	12	9	2	22	45	44	2.1
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.188	25	25	BST	1453	239	492	0	8	8	8	23	47	44	2.7
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	70	5.819	24	25	RMS	1149	172	240	2	14	8	3	19	46	44	3.1
P019	10+0.110	ANACONDA	DEER LODGE	9	51	59	6.813	24	28	PMS	2815	408	454	3	15	8	9	17	52	44	3.3
P001	537+0.631	3.7 W GLASGOW	VALLEY	3	48	48	3.338	24	26	RMS	2214	298	695	0	10	10	6	24	50	44	1.7
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	690	102	233	0	15	3	1	23	42	44	.7
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	762	99	329	0	13	5	0	25	43	44	.1
P008	11+0.267	AVON	POWELL	8	33	58	11.942	22	24	RMS	1234	160	573	0	9	8	3	26	46	44	6.4
P007	82+0.746	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	5157	670	232	10	30	10	6	0	56	44	.3
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	772	100	329	0	13	5	1	25	44	45	4.2
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.550	44	44	PMS	3088	450	578	5	18	10	3	18	54	45	1.2
P003	68+0.264	PONDERA CO	PONDERA	6	32	32	6.905	20	24	BST	423	101	445	0	8	4	1	27	40	45	4.1
P003	59+0.625	4.6 N BYNUM	TETON	6	32	53	8.589	20	24	RMS	464	111	280	0	9	6	1	24	40	45	5.2
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	5632	675	383	7	22	10	15	4	58	45	2.2
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	857	111	234	0	13	7	2	23	45	45	3.7
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	883	114	187	0	12	7	5	21	45	45	5.0
P023	5+0.439	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	PMS	765	110	285	0	12	7	1	24	44	45	5.1
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	616	89	224	0	12	6	0	24	42	45	1.8
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6	34	55	8.767	22	24	RMS	1167	151	750	0	8	8	4	27	47	45	4.6
P025	0+0.055	CIRCLE	MCCONE	4	36	56	7.600	20	24	RMS	590	76	126	0	12	8	1	21	42	45	4.4
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	30	56	.412	20	24	RMS	1030	133	374	0	10	10	1	25	46	45	.2
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.149	44	44	PMS	3031	421	191	10	30	10	4	0	54	45	1.9
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	454	68	115	0	12	6	1	21	40	45	3.8
P067	0+0.715	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	1320	171	334	3	15	7	1	22	48	45	.5

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.371	22	24	RMS	1644	320	748	0	10	8	7	24	49	45	1.7
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6	36	56	12.442	22	24	RMS	1311	156	392	0	13	6	5	24	48	45	6.5
P058	9+0.786	9.9 W BRDWNING	GLACIER	2	29	35	2.247	20	24	PMS	827	161	480	0	10	8	1	25	44	45	1.3
P057	33+0.205	11.3 E GEYSER	JUDITH BASIN	6	37	37	3.438	24	30	RMS	1377	163	842	0	9	9	4	27	49	46	1.8
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6	36	50	6.610	24	25	RMS	1296	154	469	0	10	6	8	25	49	46	3.4
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1636	242	431	0	13	6	9	22	50	46	1.3
P044	14+0.299	VALIER	PONDERA	6	48	48	7.655	20	20	RMS	776	110	585	0	7	6	5	27	45	46	4.2
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	631	82	380	0	8	5	3	27	43	46	3.9
P068	0+0.000	JCT FAP RTE 15	CASCADE	6	33	53	.174	24	28	RMS	588	178	368	0	12	8	0	23	43	46	.1
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	63	12.634	24	24	RMS	730	128	496	0	10	6	2	26	44	46	7.1
P078	0+0.472	REO LODGE	CARBON	11	52	52	5.580	24	24	RMS	533	87	493	0	7	7	1	27	42	46	3.2
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2069	300	243	5	16	10	10	11	52	46	.7
P086	18+0.793	12.7 S PARK CO	GALLATIN	10	45	45	3.599	18	18	GRV	134	20	259	0	0	2	3	29	34	46	2.4
P039	22+0.745	COLSTRIP	ROSEBUD	12	49	67	3.309	24	24	RMS	1378	206	249	5	17	8	1	18	49	46	1.7
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1460	189	349	2	14	8	3	22	49	46	4.2
P028	70+0.311	REO LODGE	CARBON	11	21	54	11.712	22	24	RMS	1175	235	544	0	11	8	5	24	48	46	6.1
P028	82+0.066	ROBERTS	CARBON	11	36	36	8.931	21	24	RMS	1167	233	486	0	13	8	4	23	48	46	4.6
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1139	187	147	6	19	10	2	11	48	46	5.1
P025	7+0.759	7.6 N CIRCLE	MCCONE	4	36	55	13.141	20	25	RMS	576	74	315	0	9	6	2	26	43	46	7.5
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	489	70	683	0	9	3	2	28	42	46	5.3
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12	31	56	2.448	20	24	RMS	682	98	203	0	12	7	2	23	44	46	1.4
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	969	125	522	0	10	6	4	26	46	46	5.3
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	818	106	243	0	15	5	2	23	45	46	3.7
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	938	121	159	0	11	7	9	19	46	46	2.7
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1116	145	515	0	10	7	4	26	47	46	3.4
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1256	239	703	0	10	8	5	25	48	46	1.0
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1164	186	508	0	13	7	3	25	48	46	3.7
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1271	165	278	0	13	8	6	21	48	46	1.7
P001	435+0.143	5.8 E FAP 66	BLAINE	2	25	71	4.686	22	24	RMS	930	120	324	2	15	4	1	24	46	46	2.5
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	4806	701	308	7	23	10	18	0	58	46	.4
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	64	9.496	36	36	PMS	3850	562	239	9	28	10	9	0	56	46	4.2
P003	75+0.208	OUPUYER	PONDERA	6	28	52	8.382	22	24	RMS	474	114	716	0	9	4	1	28	42	47	4.9
P004	42+0.765	JCT FAP 28	CARBON	11	68	68	.159	40	40	PMS	4432	576	432	9	27	10	2	10	58	47	.1
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	3531	459	1016	0	9	10	15	23	57	47	1.0
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	853	110	235	0	13	7	3	23	46	47	1.9
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	2827	367	648	3	13	10	7	22	55	47	3.2
P006	57+0.808	1.7 E FAS 556	SANDERS	8	34	49	6.899	20	24	RMS	885	131	233	0	11	5	9	22	47	47	3.7
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	891	115	278	0	11	6	6	24	47	47	4.6
P024	31+0.869	JCT FAP 83	MISSOULA	8	54	54	3.799	24	30	RMS	1264	208	550	0	10	10	5	24	49	47	1.9
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12	54	54	4.469	24	24	PMS	1038	140	237	0	12	9	6	21	48	47	2.3
P061	13+0.090	12.0 N ROUNDUP	MUSSELSHELL	11	35	65	8.811	20	24	RMS	631	82	277	0	12	5	1	26	44	47	4.9
P060	71+0.018	JCT FAP RTE 57	CASCADE	6	55	55	3.606	40	40	RMS	2141	278	396	2	16	10	6	19	53	47	1.7
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	72	3.000	34	34	GRV	469		535	D	0	10	3	30	43	48	1.7
P062	20+0.286	4.6 N FAS 201	RICHLAND	4	40	49	4.651	24	26	RMS	720	108	499	0	8	8	3	27	46	48	2.5
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	BST	854	128	800	0	9	6	5	28	48	48	.9
P072	11+0.754	0.5 N BELFRY	CARBON	11	49	49	2.812	20	24	RMS	825	132	486	D	14	4	3	26	47	48	1.5
P086	22+0.392	9.1 S PARK	GALLATIN	10	45	45	9.100	20	20	GRV	120	18	453	0	0	3	3	29	35	48	5.9
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	725	127	316	0	12	7	3	24	46	48	4.5
P045	8+0.031	5.3 N FAS 479	SWEET GRASS	10	42	42	7.744	20	24	RMS	407	52	448	0	9	4	1	28	42	48	4.5
P057	54+0.311	MOCCASIN	JUDITH BASIN	6	33	71	2.337	22	24	RMS	1373	163	352	3	17	7	1	23	51	48	1.1
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	582	87	283	0	9	7	4	25	45	48	2.0
P042	70+0.530	2.7 S FAP RTE 31	VALLEY	3	34	34	2.725	22	26	RMS	861	137	442	0	11	9	3	25	48	48	1.4
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	866	116	393	0	9	8	5	26	48	48	4.1
PD24	138+0.485	SUN RIVER	CASCADE	6	36	71	1.322	25	31	RMS	1867	261	522	3	16	9	2	23	53	48	.6
PD29	19+0.904	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	865	181	390	D	13	8	4	23	48	48	2.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

PT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SUF SRF	ROY TYP	ADT	CHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNC	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4 36 36	.771	22	25 BST	1213	157	420	0	15	10	1	24	50	48	.4
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9 34 54	3.379	22	24 RMS	809	117	197	3	14	7	2	21	47	48	1.8
P022	42+0.348	PLENTYWOOD	SHERIDAN	3 33 40	1.033	20	24 RMS	1826	273	526	0	14	10	7	22	53	48	.5
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22 BST	1031	134	420	0	12	4	8	25	49	48	1.1
P009	30+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7 35 35	4.584	20	24 RMS	758	121	364	0	13	7	2	25	47	48	2.4
P003	54+0.948	BYNUM	TETON	6 32 53	4.648	20	24 RMS	533	128	390	0	11	6	2	25	44	48	2.6
P005	61+0.013	POLSON	LAKE	1 66 66	.587	40	40 PMS	3117	420	326	9	26	10	1	11	57	48	.3
P004	42+0.924	0.2 N FAP 28	CARBON	11 49 65	7.960	24	32 RMS	4479	582	580	4	17	10	13	15	59	48	3.3
P005	159+0.617	STRYKER	LINCOLN	1 31 64	8.683	24	24 RMS	732	95	431	0	15	4	1	27	47	49	4.6
P005	47+0.372	ROMAN	LAKE	1 70 70	6.021	40	40 PMS	4608	672	288	10	27	10	13	0	60	49	2.4
P006	64+0.701	9.6 E FAS 556	SANDERS	8 39 39	3.997	26	26 BST	864	128	330	2	15	6	2	24	49	49	2.0
P009	43+0.145	TETON CO	TETON	6 35 35	2.846	20	24 PMS	541	86	270	0	11	8	1	25	45	49	1.6
P024	0+0.000	JCT FAI 90	MISSOULA	8 74 74	.975	44	44 PMS	3273	540	392	10	28	10	1	9	58	49	.4
P022	43+0.383	JCT FAP 30	SHERIDAN	3 33 40	9.226	20	24 RMS	975	146	352	0	14	9	2	24	49	49	4.7
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11 37 37	9.103	20	24 RMS	1119	145	515	0	10	8	6	26	50	49	4.6
P013	65+0.316	JCT FAP 84	MADISON	9 34 34	9.543	20	24 RMS	441	68	220	0	11	7	1	25	44	49	5.3
P024	86+0.129	3.1 E FAS 279	LEWIS AND CLARK	7 57 64	5.094	28	30 PMS	1149	172	139	7	22	10	1	11	51	49	2.5
P029	34+0.188	SHERIDAN	MADISON	9 39 39	8.029	22	24 RMS	917	192	518	0	11	8	6	24	49	49	4.1
P029	57+0.250	JCT FAP 55	MADISON	9 36 63	1.155	22	24 RMS	332	49	390	0	10	4	0	28	42	49	.7
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5 50 50	6.474	24	28 RMS	1246	161	371	0	14	10	4	23	51	49	3.2
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11 54 54	9.343	24	24 PMS	830	112	418	0	12	8	2	26	48	49	4.9
P057	330+0.553	0.3 W GLENDIVE	DAWSON	4 48 50	.222	24	34 PMS	4318	518	336	6	19	8	20	7	60	49	.1
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6 56 56	10.688	25	25 BST	446	67	280	0	13	4	1	26	44	49	6.0
P061	155+0.524	JCT FAS RTE 363	PHILLIPS	3 38 42	1.399	24	26 RMS	1240	208	467	0	14	8	6	23	51	49	.7
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6 39 71	2.019	32	32 RMS	4037	524	365	4	17	10	20	8	59	49	.8
P072	10+0.384	BELFRY	CARBON	11 49 49	1.126	24	24 BST	871	139	724	2	14	5	1	27	49	49	.6
P063	36+0.345	FERGUS CO	FERGUS	5 46 60	3.235	24	24 RMS	959	124	278	3	13	9	2	23	50	50	1.6
P057	36+0.650	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30 PMS	1473	175	518	0	8	9	11	25	53	50	2.4
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10 55 55	12.950	28	28 PMS	1621	254	348	5	19	9	2	19	54	50	6.0
P036	3+0.657	3.7 N FAP 6	SANDERS	8 41 47	3.802	20	24 BST	520	78	206	0	13	6	3	24	46	50	2.1
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12 49 70	5.691	24	24 RMS	1058	158	301	4	18	6	1	22	51	50	2.8
P025	28+0.107	4.2 N FAS 254	MCCONE	4 40 40	7.404	20	24 RMS	618	80	357	0	10	7	3	27	47	50	3.9
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7 31 62	6.155	22	26 RMS	411	53	296	0	8	7	2	27	44	50	3.4
P024	100+0.526	JCT FAS RTE 434	LEWIS AND CLARK	7 52 52	8.525	24	26 RMS	880	132	233	0	11	8	9	22	50	50	4.3
P014	33+0.493	JCT FAP 59	MEAGHER	10 33 66	8.182	21	24 RMS	752	112	453	0	11	8	4	26	49	50	4.2
P023	55+0.758	COALWOOD	POWDER RIVER	12 49 55	8.797	24	24 RMS	496	71	217	0	11	9	1	25	46	50	4.8
P023	79+0.733	BROADUS	POWDER RIVER	12 40 40	3.380	24	24 RMS	1165	168	297	0	13	9	8	22	52	50	1.6
P023	33+0.182	17.2 N POWDER R CO	CUSTER	12 31 47	10.962	20	24 BST	408	59	530	0	7	4	5	28	44	50	6.1
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 51	6.871	22	24 RMS	1114	144	390	0	15	8	4	24	51	50	3.4
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6 34 51	8.464	22	24 RMS	1101	143	360	2	15	8	2	24	51	50	4.1
P007	20+0.475	7.7 N SULA	RAVALLI	8 37 39	3.081	24	24 BST	855	111	220	0	12	7	9	22	50	50	1.5
P005	125+0.445	JCT FAP 38	FLATHEAD	1 60 60	1.488	36	36 PMS	6511	781	937	6	20	10	10	17	63	50	.6
P004	55+0.309	LAUREL	YELLOWSTONE	11 23 68	2.084	55	55 RMS	2935	381	806	5	18	8	4	23	58	50	.9
P001	383+0.799	HAVRE	HILL	2 46 54	7.206	24	30 PMS	2905	377	565	6	18	10	4	20	59	50	3.0
P001	6+0.982	3.2 E FAS 508	LINCOLN	1 49 51	6.959	22	28 PMS	1392	180	508	0	14	8	6	25	53	50	3.3
P001	99+0.410	MARION	FLATHEAD	1 47 61	3.779	24	30 RMS	1208	157	331	0	15	7	8	23	53	51	1.8
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1 49 51	6.278	24	31 RMS	1864	242	481	3	14	8	9	22	56	51	2.8
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1 49 51	4.352	22	28 PMS	1006	130	338	4	14	8	2	24	52	51	2.1
P002	70+0.897	PLEVNA	FALLON	12 39 39	11.725	24	30 RMS	791	102	518	0	8	10	5	27	50	51	5.9
P003	1+0.866	1.4 W VAUGHN	CASCADE	6 36 48	6.230	24	31 RMS	3283	426	631	3	18	8	11	20	60	51	2.5
P001	413+0.431	0.4 E ZURICH	BLAINE	2 49 56	.591	32	32 RMS	1882	244	629	5	16	10	1	24	56	51	.3
P003	8+0.105	JCT FAP 24	CASCADE	6 36 61	7.139	24	31 RMS	1107	143	469	0	13	8	6	25	52	51	3.4
P001	429+0.077	0.6 E FAP 66	BLAINE	2 36 62	5.241	28	30 RMS	1146	148	453	3	13	10	2	25	53	51	2.5
P005	0+0.000	JCT FAI 90	MISSOULA	8 34 39	.622	20	28 RMS	4450	649	248	10	30	10	12	0	62	51	.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RTE	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	59+0.004	JCT FAP 52	LAKE	1 58 58	.331	40	40	PMS	6474	945	526	9	25	10	20	0	64	51	.1
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1233	160	442	0	11	7	10	25	53	51	1.6
P010	97+0.042	7.6 N HILL CO	HILL	2 28 41	7.369	22	24	RMS	1350	175	476	0	15	7	8	24	54	51	3.4
P022	29+0.335	ARCHER FAS 374	SHERIDAN	3 37 62	11.850	20	24	RMS	689	103	406	0	11	9	3	26	49	51	6.0
P022	7+0.586	7.1 E SCOBEY	DANIELS	3 35 36	10.261	20	24	BST	450	67	184	0	12	8	1	25	46	51	5.5
P023	85+0.568	2.4 S JCT FAP 54	POWDER RIVER	12 53 53	10.017	24	28	RMS	723	104	266	0	12	10	3	24	49	51	5.1
P013	47+0.144	9.3 N CAMERON	MADISON	9 36 58	1.492	22	25	RMS	1110	222	601	0	12	9	7	24	52	51	.7
P013	56+0.524	MCALLISTER	MADISON	9 36 57	5.162	22	24	RMS	651	100	256	2	15	7	1	24	49	51	2.6
P027	29+0.146	JCT FAS RTE 522	FALLON	12 48 48	5.510	25	25	BST	644	63	393	0	10	9	2	27	48	51	2.9
P029	14+0.527	VIRGINIA CITY	MADISON	9 45 45	5.116	20	24	RMS	872	183	315	4	16	5	3	21	51	51	2.5
P025	35+0.506	11.05 ROOSEVELT CO	MCCONE	4 37 37	9.235	20	25	RMS	642	83	195	0	16	6	3	23	48	51	4.8
P025	20+0.909	20.7 N CIRCLE	MCCONE	4 35 40	7.203	20	24	RMS	600	78	392	0	10	7	4	27	48	51	3.7
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3 34 34	11.343	22	26	RMS	573	91	324	0	14	7	1	26	48	51	5.9
P052	10+0.345	10.3 N FAP 5	LAKE	1 48 65	7.657	24	25	RMS	1250	185	468	0	14	8	7	24	53	51	3.6
P059	15+0.395	CLYDE PARK	PARK	10 38 38	5.039	20	24	RMS	623	93	608	0	9	8	3	28	48	51	2.6
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7 59 59	6.004	24	24	BST	784	117	276	2	14	7	3	24	50	51	3.0
P062	3+0.986	RICHLAND CO	RICHLAND	4 34 36	1.650	20	24	RMS	654	98	582	0	8	10	4	27	49	51	.8
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10 49 54	4.288	24	24	PMS	857	111	479	0	10	10	4	27	51	51	2.1
P083	0+0.000	JCT FAP 24	MISSOULA	8 52 52	14.761	24	24	RMS	773	136	727	0	13	7	3	27	50	51	7.4
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11 35 35	2.579	20	20	RMS	372	61	391	0	10	6	1	28	45	51	1.4
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8 64 64	6.815	30	30	PMS	727	116	236	4	14	8	1	23	50	52	3.4
P086	3+0.827	2.8 N BOZEMAN	GALLATIN	10 61 61	5.755	30	30	PMS	1668	333	738	5	17	10	1	23	56	52	2.5
P061	38+0.688	6.5 S FAP RTE 57	FERGUS	5 41 67	4.893	24	30	RMS	651	84	333	0	13	9	2	26	50	52	2.4
P037	24+0.493	BUSBY	BIG HORN	11 54 54	2.712	24	24	PMS	1091	147	593	0	10	10	7	26	53	52	1.3
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3 33 45	4.599	20	24	RMS	295	41	220	0	11	5	1	27	44	52	2.6
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9 36 63	1.486	22	24	RMS	332	49	540	0	10	5	1	29	45	52	.8
P029	59+0.892	JEFFERSON CO LINE	JEFFERSON	7 36 36	5.791	22	24	RMS	334	50	567	0	10	5	1	29	45	52	3.2
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9 34 62	2.823	24	30	RMS	522	67	302	0	14	7	0	27	48	52	1.5
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4 33 55	6.762	20	24	RMS	450	58	237	0	15	5	1	26	47	52	3.6
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9 28 60	2.337	24	30	RMS	690	89	627	0	14	7	1	28	50	52	1.2
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9 40 40	7.930	20	24	RMS	782	164	435	0	12	8	7	24	51	52	3.9
P013	37+0.869	CAMERON	MADISON	9 34 34	9.243	20	24	RMS	765	153	486	0	12	8	6	25	51	52	4.5
P013	61+0.592	3.7 S NORRIS	MADISON	9 34 34	3.713	20	24	RMS	599	92	182	3	15	8	1	22	49	52	1.9
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11 39 39	5.582	20	24	RMS	468	60	210	0	12	8	1	26	47	52	3.0
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11 37 37	3.424	20	24	RMS	348	45	233	0	13	4	1	27	45	52	1.9
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10 36 52	4.875	22	24	RMS	395	51	280	0	11	7	1	27	46	52	2.6
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11 37 37	5.631	20	24	RMS	348	45	233	0	13	4	1	27	45	52	3.1
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7 32 36	9.091	20	24	BST	362	57	211	0	11	7	1	26	45	52	5.0
P009	53+0.840	7.8 N FAS 408	TETON	6 36 36	6.133	22	25	RMS	444	71	286	0	12	8	1	26	47	52	3.3
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1 72 72	.388	32	32	PMS	3409	497	432	7	23	10	8	13	61	52	.2
P005	18+0.483	3.4 N LAKE CO	LAKE	1 55 60	5.661	32	32	PMS	3673	536	580	6	19	10	11	16	62	52	2.2
P001	526+0.524	14.1 W GLASGOW	VALLEY	3 50 55	11.121	24	27	PMS	1049	141	277	3	16	10	2	22	53	52	5.2
P001	454+0.550	DODSON	PHILLIPS	3 49 49	3.137	24	26	RMS	1127	146	500	3	14	8	3	26	54	52	1.4
P001	278+0.459	JCT FAI 15	TOOLE	2 60 60	.350	68	68	PMS	3558	498	3400	3	13	10	7	28	61	52	.1
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1 37 53	2.143	22	24	RMS	807	104	187	0	15	6	9	22	52	53	1.0
P002	6+0.886	0.7 E JCT FAI 94	CUSTER	12 50 50	6.326	20	24	RMS	587	76	228	0	15	9	1	25	50	53	3.2
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1 60 60	4.785	36	36	PMS	3810	457	662	4	17	10	12	20	63	53	1.8
P005	64+0.489	3.5 N POLSON	LAKE	1 54 54	2.938	24	32	PMS	2450	330	411	4	16	10	12	18	60	53	1.2
P005	93+0.536	FLATHEAD CO	FLATHEAD	1 64 64	5.181	32	32	PMS	1726	233	307	4	16	10	9	19	58	53	2.2
P005	32+0.761	ST IGNATIUS	LAKE	1 69 69	.340	44	44	RMS	3256	475	336	5	18	10	20	9	62	53	.1
P007	76+0.872	MISSOULA CO	MISSOULA	8 74 76	6.047	38	38	PMS	4690	609	344	10	30	10	11	3	64	53	2.2
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7 32 36	8.470	20	24	BST	322	51	470	0	8	7	2	28	45	53	4.7
P013	49+0.247	ENNIS	MADISON	9 34 34	7.247	20	24	RMS	790	122	400	0	15	8	4	25	52	53	3.5
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7 32 61	4.247	20	24	RMS	377	49	396	0	10	7	2	28	47	53	2.3
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10 38 38	1.106	24	28	RMS	542	70	399	0	13	8	1	27	49	53	.6

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	---SUFFICIENCY RATINGS--- ENG	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P032	+8+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	411	57	220	0	12	8	1	26	47	53	1.4
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11	48	48	6.987	24	24	RMS	911	145	492	3	17	6	2	25	53	53	3.3
P062	24+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	916	137	308	2	17	8	3	23	53	53	2.2
P061	1+0.020	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	1060	137	384	0	13	10	6	25	54	53	2.7
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6	47	62	.581	24	24	PMS	845	109	360	3	13	10	1	25	52	53	.3
P057	131+0.060	7.8 E PETROLEUM CO	MISSOULA	8	59	59	11.071	24	24	PMS	468	82	367	0	12	6	3	27	48	53	5.6
P057	94+0.353	11.1 E LEWISTOWN	PETROLEUM	5	31	58	4.553	20	24	RMS	294	44	406	0	9	7	1	28	45	53	2.5
P059	4+0.559	4.1 N FAI 90	FERGUS	5	37	57	8.960	24	30	RMS	712	92	367	0	15	9	1	26	51	53	4.4
P057	206+0.821	5.3 W FA RTE 16	PARK	10	41	41	10.238	20	24	RMS	827	124	400	0	13	9	5	25	52	53	4.9
P049	0+0.000	DILLON	GARFIELD	5	36	57	5.344	22	26	RMS	365	55	240	0	11	7	1	27	46	53	2.9
P055	2+0.411	SIL BOW-JEFFERSON	BEAVERHEAD	9	46	74	.102	40	40	PMS	1235	161	896	4	17	6	1	27	55	53	
P045	53+0.365	5.1 N WHEATLAND CO	JEFFERSON	7	53	53	9.717	24	24	RMS	1167	192	289	4	15	8	9	20	56	54	4.3
P049	0+0.604	6.8 E FAI RTE 15	WHEATLAND	10	35	39	4.535	20	24	RMS	431	56	431	0	12	7	2	28	49	54	2.2
P059	39+0.819	BABB	BEAVERHEAD	9	59	59	6.880	24	24	PMS	1010	131	249	2	17	10	4	22	55	54	3.1
P057	148+0.698	9.6 W GARFIELD CO	GLACIER	2	56	56	3.787	24	28	RMS	1133	220	523	3	17	9	3	24	56	54	1.7
P057	192+0.200	3.6 E EDWARDS	PETROLEUM	5	51	51	7.983	24	24	BST	335	51	299	0	11	8	1	27	47	54	4.2
P083	23+0.113	8.3 N SEELEY LAKE	GARFIELD	5	36	53	6.889	24	24	PMS	371	56	499	0	9	9	1	28	47	54	2.7
P093	16+0.115	JCT CO RD	MISSOULA	8	52	52	7.694	22	26	PMS	476	83	459	0	13	7	2	27	49	54	3.9
P078	6+0.052	5.5 W RED LODGE	MISSOULA	8	64	64	4.982	30	30	PMS	925	148	364	4	15	9	2	24	54	54	2.3
P030	0+0.000	JCT FAP RTE 22	CARBON	11	53	53	7.264	24	24	RMS	298	49	278	0	12	6	1	27	46	54	3.9
P036	31+0.138	LAKE CO	SHERIDAN	3	38	40	10.149	20	24	PMS	379	53	255	0	11	7	3	27	48	54	5.3
P014	160+0.456	7.1 W FAP RTE 16	LAKE	1	40	40	.511	20	25	BST	419	62	350	0	13	7	1	27	48	54	.3
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	36	50	7.063	20	24	PMS	485	63	655	0	10	6	4	29	49	54	3.6
P014	63+0.148	18.1 E FAP 60	MUSSELSHELL	11	39	39	4.478	20	24	RMS	455	59	354	0	11	8	2	28	49	54	2.2
P014	77+0.214	WHEATLAND CO	MEAGHER	10	37	48	5.333	20	25	RMS	378	49	290	0	11	8	2	27	48	54	2.8
P023	72+0.957	3.4 N FAP 37	WHEATLAND	10	34	34	10.825	20	24	BST	445	57	599	0	9	7	4	29	49	54	5.5
P007	7+0.530	7.4 N JCT FAP 46	POWDER RIVER	12	28	41	3.380	24	24	BST	569	82	221	2	15	8	2	24	51	54	1.7
P007	74+0.821	FLORENCE	RAVALLI	8	40	40	6.016	24	24	BST	802	104	289	0	12	6	10	25	53	54	2.6
P006	106+0.153	2.0 W DIXON	RAVALLI	8	74	76	2.051	38	38	PMS	4266	554	320	10	30	10	10	4	64	54	.7
P005	53+0.399	6.0 N RONAN	SANDERS	8	44	44	1.991	24	24	BST	773	115	608	0	10	8	8	27	53	54	.9
P004	50+0.813	YELLOWSTONE CO	LAKE	1	58	58	3.432	32	32	PMS	4659	680	640	8	23	10	10	14	65	54	1.2
P002	4+0.822	MILES CITY	YELLOWSTONE	11	49	65	1.390	68	32	PMS	4923	639	616	4	18	9	20	14	65	54	.5
P001	629+0.422	3.2 E BROCKTON	CUSTER	12	50	50	1.527	20	24	RMS	1245	161	551	3	15	10	2	26	56	54	.7
P001	391+0.007	BLAINE CO	ROOSEVELT	3	46	50	5.366	24	32	RMS	811	105	302	0	17	9	2	25	53	54	2.5
P005	30+0.048	2.5 N JCT FAP 6	BLAINE	2	46	54	2.849	24	31	PMS	2277	296	565	5	18	10	6	22	61	55	1.1
P009	46+0.003	JCT FAS 408	LAKE	1	56	60	2.564	32	32	PMS	2645	415	544	4	17	10	13	19	63	55	.9
P010	90+0.926	1.5 N HILL CO	TETON	6	35	35	7.848	20	24	RMS	371	59	325	0	12	8	1	27	48	55	4.1
P018	38+0.093	GARFIELD CO	HILL	2	30	73	6.098	22	26	PMS	1158	150	501	0	14	7	10	26	57	55	2.6
P018	23+0.937	3.9 N ROSEBUD CO	GARFIELD	5	31	53	10.392	20	24	RMS	172	22	448	0	6	7	1	29	43	55	5.9
P018	48+0.498	10.4 N GARFIELD CO	ROSEBUD	12	31	35	10.946	60	24	BST	216	28	448	0	8	7	1	29	45	55	6.0
P014	170+0.161	ROUNDUP	GARFIELD	5	31	53	4.900	20	24	RMS	163	21	470	0	8	5	1	29	43	55	2.8
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	11.871	20	24	RMS	595	77	333	0	14	10	1	27	52	55	5.7
P036	31+0.649	FLATHEAD CO	MUSSELSHELL	11	39	39	3.283	20	24	RMS	450	58	357	0	9	8	5	28	50	55	1.6
P036	13+0.871	13.9 N FAP 6	FLATHEAD	1	40	51	4.443	20	26	RMS	412	61	353	0	11	6	5	27	49	55	2.3
P032	7+0.507	3.8 N FAP 1	SANDERS	8	41	41	2.385	20	26	BST	427	64	138	0	12	6	8	23	49	55	1.2
P030	20+0.630	JCT FAS RTE 316	ROOSEVELT	3	33	45	6.626	20	24	RMS	335	46	387	0	10	9	1	28	48	55	3.4
P060	74+0.514	JCT FAS RTE 331	SHERIDAN	3	40	40	2.757	20	24	RMS	404	56	277	0	13	8	1	27	49	55	1.4
P063	18+0.463	JUDITH GAP	CASCADE	6	52	55	6.955	24	32	PMS	2528	328	428	4	15	10	14	19	62	55	2.6
P081	32+0.645	9.8 NW JCT FAP 43	WHEATLAND	10	49	54	.733	24	24	PMS	950	123	258	5	16	10	1	23	55	55	.3
P059	49+0.499	JCT FAS RTE 294	FERGUS	5	51	51	9.827	24	24	BST	465	72	243	2	13	8	1	26	50	55	4.9
P057	199+0.094	10.5 E EDWARDS	MEAGHER	10	36	63	8.034	22	24	RMS	328	49	302	0	11	8	1	28	48	55	4.2
P057	226+0.736	8.7 E FAS 341	GARFIELD	5	36	53	7.662	24	24	RMS	339	51	275	0	11	9	1	27	48	55	4.0
P050	60+0.889	14.7 S FAS RTE 345	GARFIELD	5	37	54	12.201	24	24	RMS	307	46	275	0	11	8	1	27	47	55	6.5
P049	0+0.244	DILLON	GALLATIN	10	67	67	9.312	28	28	PMS	1940	304	249	9	28	10	1	12	60	55	3.7
			BEAVERHEAD	9	46	62	2.421	24	26	RMS	1211	157	567	3	18	7	4	26	58	56	1.0

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5 48 52	8.146	22	24	RMS	297	45	264	0	13	7	1	27	48	56	4.2
P057	123+0.198	PETROLEUM CO	PETROLEUM	5 31 58	7.790	20	24	RMS	282	43	634	0	10	4	4	29	47	56	4.1
P057	103+0.269	9.6 W FAP 81	FERGUS	5 40 55	9.667	24	32	PMS	725	110	599	0	15	9	3	27	54	56	4.4
P057	73+0.550	8.5 E FAP 83	FERGUS	5 47 54	3.349	24	31	PMS	1541	183	384	6	19	9	3	23	60	56	1.3
P057	262+0.331	13.9 E FAP 42	MCCONE	4 47 47	5.189	24	24	BST	377	57	556	0	10	8	4	28	50	56	2.6
P057	248+0.831	JCT FAP 42	MCCONE	4 40 54	8.010	24	24	RMS	332	50	499	0	10	9	2	28	49	56	4.1
P085	0+0.000	JCT FAP 80 FAP 84	GALLATIN	10 53 53	6.708	24	24	PMS	1491	246	534	4	15	8	9	23	59	56	2.8
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4 38 49	3.628	24	26	RMS	1057	158	442	2	17	8	5	25	57	56	1.6
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10 49 54	9.470	24	24	PMS	916	119	408	0	14	10	6	26	56	56	4.2
P027	22+0.502	JCT FAS RTE 494	FALLON	12 48 48	6.612	25	25	BST	371	48	237	0	11	9	2	27	49	56	3.4
P028	68+0.573	RED LODGE	CARBON	11 34 59	.120	20	22	RMS	1404	315	528	0	10	8	20	21	59	56	
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12 54 54	8.693	24	24	PMS	893	120	258	4	17	9	3	23	56	56	3.8
P039	21+0.410	1.3 SO COLSTRIP	ROSEBUD	12 49 67	1.335	24	24	RMS	676	101	218	5	17	8	1	23	54	56	.6
P030	26+0.128	7.1 N FAP 77	SANDERS	8 40 40	4.999	20	25	BST	402	60	610	0	9	7	5	29	50	56	2.5
P035	0+0.000	ST REGIS	MINERAL	8 60 60	3.581	24	24	PMS	603	99	338	3	15	7	2	26	53	56	1.6
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7 34 52	.908	22	24	PMS	354	54	277	0	13	8	1	27	49	56	.5
P014	13+0.545	11.2 E FAS 284	BROADWATER	7 51 51	9.901	20	26	RMS	359	53	297	0	14	5	3	27	49	56	5.0
P014	6+0.411	4.0 E FAS 284	BROADWATER	7 37 52	7.187	20	25	PMS	367	55	448	0	12	7	2	28	49	56	3.7
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7 60 60	5.887	24	24	PMS	1387	208	295	7	21	10	2	19	59	56	2.4
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12 52 52	2.704	22	28	PMS	383	55	220	0	11	10	3	26	50	56	1.4
P001	626+0.151	BROCKTON	ROOSEVELT	3 43 57	3.243	24	30	RMS	915	118	414	0	17	10	3	26	56	56	1.4
P001	209+0.252	EAST GLACIER	GLACIER	2 63 63	.874	32	32	PMS	1262	241	428	6	19	10	1	22	58	56	.4
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2 63 63	4.884	32	32	PMS	1030	196	441	4	15	10	5	23	57	56	2.1
P001	197+0.816	GLACIER CO LINE	GLACIER	2 52 70	6.390	26	26	PMS	978	186	264	5	19	10	3	19	56	56	2.8
P001	123+0.228	KALISPELL U L	FLATHEAD	1 67 67	1.404	44	44	PMS	4385	613	680	9	25	10	6	16	66	56	.5
P001	354+0.598	1.0 E GILDFORD	HILL	2 36 59	8.956	26	31	RMS	1133	147	564	5	17	10	1	26	59	57	3.7
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2 55 55	.402	42	42	PMS	2285	274	817	4	16	10	8	25	63	57	.1
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1 57 59	2.834	26	26	PMS	799	152	384	5	16	10	1	24	56	57	1.2
P001	278+0.091	0.4 W FAI 15	TOOLE	2 60 60	.368	68	68	PMS	1343	201	3400	3	14	10	4	29	60	57	.1
P008	76+0.114	TOWNSEND	BROADWATER	7 39 39	9.673	24	32	RMS	1769	229	680	0	11	10	16	25	62	57	3.7
P004	53+0.641	3.0 N YELLOWST CO	YELLOWSTONE	11 64 64	.432	68	68	PMS	6361	826	1408	7	22	10	9	21	69	57	.1
P022	17+0.900	SHERIDAN CO	SHERIDAN	3 36 36	3.028	22	28	BST	299	44	249	0	12	8	2	27	49	57	1.5
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7 60 60	3.867	24	24	PMS	1678	251	450	6	18	10	5	22	61	57	1.5
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12 31 56	3.183	20	24	BST	191	24	422	0	8	7	2	29	46	57	1.7
P018	20+0.059	ROSEBUD CO	ROSEBUD	12 28 35	3.899	20	24	BST	240	31	627	0	7	8	3	29	47	57	2.1
P024	35+0.684	POWELL CO	POWELL	8 61 61	7.494	24	26	PMS	1323	218	308	6	20	10	5	19	60	57	3.0
P012	0+0.000	I0440 LINE	GALLATIN	10 61 61	2.272	34	34	PMS	1079	249	354	5	18	10	6	19	58	57	1.0
P013	24+0.369	13.3 S CAMERON	MADISON	9 34 34	2.648	20	24	RMS	440	88	792	0	10	7	7	28	52	57	1.3
P013	82+0.240	1.4 N GALLITIN CO	GALLATIN	10 50 50	.830	22	24	RMS	330	51	239	0	13	8	2	27	50	57	.4
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.296	24	24	PMS	879	118	196	0	12	8	16	21	57	57	3.1
P045	15+0.771	13.0 N FAS 479	SWEET GRASS	10 48 48	7.041	24	31	BST	324	42	414	0	11	9	1	28	49	57	3.6
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7 31 40	2.000	24	31	RMS	386	50	248	0	13	10	1	27	51	57	1.0
P031	0+0.000	JCT FAP 42	VALLEY	3 62 62	1.443	28	28	PMS	569	85	396	2	14	9	2	27	54	57	.7
P063	19+0.218	FERGUS CO	FERGUS	5 47 73	3.002	24	24	PMS	905	117	384	3	15	10	4	25	57	57	1.3
P061	147+0.379	9.5 S MALTA	PHILLIPS	3 38 42	8.114	24	26	RMS	513	86	398	0	12	8	6	27	53	57	3.8
P057	79+0.285	JCT FAP RTE 75	FERGUS	5 47 54	1.761	24	31	RMS	1864	216	780	7	17	0	3	26	62	57	.7
P057	256+0.590	8.0 E FAP 42	MCCONE	4 40 54	5.800	24	24	RMS	349	53	530	0	10	9	2	29	50	57	2.9
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5 36 49	8.693	24	25	BST	319	48	301	0	11	8	2	28	49	57	4.4
P057	213+0.087	JORDAN	GARFIELD	5 37 52	4.996	24	26	RMS	384	58	539	0	12	8	3	28	51	57	2.4
P057	112+0.981	JCT FAP RTE 61	FERGUS	5 51 51	8.723	24	24	BST	392	59	396	0	13	9	1	28	51	57	4.3
P053	15+0.901	ACTON	YELLOWSTONE	11 48 48	7.281	20	24	RMS	1061	137	372	0	13	9	12	24	59	57	3.1
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9 49 49	5.992	20	26	RMS	1399	195	535	2	15	7	16	25	61	58	1.8
P057	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6 55 55	1.138	24	32	RMS	1401	166	503	4	14	8	11	25	61	58	2.3
P048	1+0.344	0.8 N HARDIN	BIG HORN	11 41 63	5.459	21	24	RMS	1331	186	421	3	17	10	8	25	61	58	.4
												3	17	8	10	23	61	58	2.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	LM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	376	56	382	3	14	6	1	28	52	58	4.0
P057	238+0.925	JCT FAS 462	GARFIELD	5	38	54	2.537	24	24	RMS	326	49	353	0	12	9	2	28	51	58	1.2
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	464	70	582	0	8	10	7	28	53	58	5.1
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	332	50	275	0	14	9	1	27	51	58	3.0
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7	57	57	2.840	24	24	BST	445	66	266	2	15	7	3	26	53	58	1.3
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	465	72	243	4	14	8	1	26	53	58	1.5
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	2247	325	514	8	23	8	4	21	64	58	2.0
P032	3+0.751	JCT FAP RTE 1	ROOSEVELT	3	33	45	3.750	20	24	RMS	396	55	421	0	12	9	3	28	52	58	1.8
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.042	20	24	RMS	244	34	387	0	10	7	2	29	48	58	3.7
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.634	20	24	RMS	1139	170	420	0	12	5	19	24	60	58	2.7
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	347	53	323	0	14	8	1	28	51	58	2.6
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3	38	63	5.422	20	24	RMS	492	74	390	0	15	7	5	27	54	58	2.5
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	496	64	354	0	12	9	6	27	54	58	3.E
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11	37	37	2.478	20	24	RMS	1252	162	333	0	11	6	20	23	60	58	1.0
P023	64+0.575	8.8 S COALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	491	71	258	0	14	10	3	26	53	58	3.9
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.224	68	68	PMS	5380	699	1408	8	24	10	4	23	69	58	.1
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	710	103	536	0	13	9	7	27	56	58	3.8
P010	3+0.534	GREAT FALLS	CASCADE	6	40	71	3.633	28	28	PMS	2463	320	562	6	27	9	2	21	65	58	1.3
P001	246+0.564	11.1 E FAS 444	GLACIER	2	61	61	.492	32	35	RMS	1286	192	731	5	14	10	5	26	60	58	.2
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1311	176	631	0	15	10	10	26	61	58	3.3
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1618	218	616	5	19	10	3	25	62	58	.9
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.117	24	27	PMS	1021	137	413	3	18	10	4	25	60	59	2.0
P004	57+0.986	2.7 E LAUREL	YELLOWSTONE	11	64	64	.213	30	30	PMS	2655	345	448	10	28	10	0	18	66	59	3.1
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	763	111	569	4	13	9	5	27	58	59	3.5
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	5.018	40	40	PMS	3884	567	648	6	18	10	17	17	68	59	1.6
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1443	209	501	3	16	10	9	24	62	59	1.9
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	243	38	203	0	11	10	1	27	49	59	2.4
P032	35+0.228	DANIELS CO	ROOSEVELT	3	33	45	4.666	20	24	RMS	269	37	201	0	11	10	1	28	50	59	5.2
P028	101+0.121	0.6 S FAP 4	CARBON	11	68	68	.587	40	40	PMS	1937	387	309	7	24	10	12	11	64	59	.2
P029	0+0.245	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	684	143	420	5	18	7	2	25	57	59	2.3
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	56	4.429	24	26	RMS	271	35	561	0	9	9	3	29	50	59	2.2
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6	54	54	10.425	24	24	RMS	392	55	530	2	15	7	1	28	53	59	4.9
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	496	87	623	2	14	7	4	28	55	59	2.6
P084	20+0.309	ANCEVEY	GALLATIN	10	55	55	8.744	24	24	RMS	833	141	365	6	19	8	1	24	58	59	3.7
P078	13+0.316	12.8 W RED LODGE	CARBON	11	57	57	6.370	24	24	PMS	253	41	591	0	13	6	2	29	50	59	3.2
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11	57	57	.591	28	28	RMS	1604	264	425	8	24	10	0	21	63	59	.2
P058	25+0.515	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	1113	217	273	7	23	10	2	18	60	59	2.4
P060	53+0.694	4.2 N MONARCH	CASCADE	6	40	40	6.667	26	26	BST	584	87	571	0	14	9	5	28	56	59	2.9
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	700	115	333	4	16	8	4	25	57	59	.9
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	256	33	289	0	11	10	2	28	51	60	4.5
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	249	37	469	0	12	8	2	29	51	60	2.1
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10	36	47	4.600	24	24	RMS	219	32	515	0	10	6	5	29	50	60	2.3
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	61	1.680	24	28	PMS	886	105	469	3	14	8	8	27	60	60	.7
P072	5+0.604	4.8 S BELFRY	CARBON	11	61	61	4.864	30	30	PMS	716	114	434	4	17	7	4	26	58	60	2.0
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	830	107	429	2	13	10	8	26	59	60	.8
P069	0+0.673	WHITEHALL	JEFFERSON	7	33	55	2.318	32	32	RMS	1043	156	629	2	11	10	12	26	61	60	.9
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	64	9.281	30	30	PMS	811	129	549	5	15	10	3	26	59	60	3.8
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	PMS	456	68	403	0	13	7	8	27	55	60	2.9
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	335	43	398	0	11	10	4	28	53	60	2.4
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.966	24	28	PMS	828	111	435	4	16	10	3	26	59	60	.8
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	285	39	255	0	14	8	2	28	52	60	5.0
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	342	76	253	4	18	6	0	25	53	60	4.1
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	294	38	220	0	14	10	1	27	52	60	2.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	RT	IM	SECTION LENGTH	WIDTH SUF	SUF	ROY TYP	ADT	OHV	SERVICE VOLUME	---SUFFICIENCY RATINGS--- ENG	SFF	CRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	RMS	362	50	243	0	13	10	4	27	54	60	.4
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10	36	52	1.779	22	24	RMS	407	52	544	0	12	7	6	29	54	60	.8
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.763	20	24	RMS	546	75	265	4	17	8	1	26	56	60	.8
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	PMS	1406	182	280	0	15	8	20	20	63	60	
P024	82+0.009	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.104	28	30	PMS	1155	173	333	7	18	10	5	22	62	60	1.6
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1870	252	469	6	22	9	6	22	65	60	1.3
P010	80+0.000	BIG SANDY	CHOUTEAU	6	33	63	4.793	24	26	RMS	1341	174	526	0	11	7	20	25	63	60	1.8
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	839	109	414	0	12	10	11	26	59	60	1.4
P003	28+0.226	4.2 N FAIRFIELD	TETON	6	40	40	12.297	24	30	RMS	832	108	600	0	16	7	9	27	59	60	5.0
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	704	169	454	5	17	10	2	24	58	60	.9
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2524	328	281	9	26	10	10	12	67	60	1.3
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	953	123	469	2	16	6	11	26	61	61	2.5
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	3179	429	2160	6	21	10	5	27	69	61	.4
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	780	101	442	0	13	10	10	27	60	61	1.8
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2303	299	696	4	18	10	11	24	67	61	2.3
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	970	185	378	7	21	10	0	23	61	61	.2
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	799	152	357	6	17	10	3	24	60	61	.6
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1312	209	530	6	17	10	6	24	63	61	.4
P005	180+0.908	JCT FAP 35	LINCOLN	1	50	50	6.546	24	24	RMS	427	55	382	0	15	9	4	28	56	61	2.9
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1237	204	333	6	19	10	7	21	63	61	4.6
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	386	57	435	0	14	9	4	28	55	61	3.8
P023	50+0.581	POWDER RIVER CO	POWDER RIVER	12	52	60	5.178	24	28	RMS	435	63	378	0	11	10	7	28	56	61	2.3
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	253	40	333	0	12	10	2	28	52	61	2.5
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	26	28	PMS	1036	134	486	3	16	10	7	26	62	61	1.7
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	499	99	762	0	10	9	10	28	57	61	4.6
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	33	45	3.765	20	24	RMS	297	41	584	0	9	10	5	29	53	61	1.6
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	45	4.759	20	24	RMS	242	33	239	0	14	8	1	28	51	61	2.3
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.711	20	24	PMS	321	44	421	0	12	8	5	28	53	61	1.7
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	45	9.277	20	24	RMS	279	39	220	0	17	7	1	27	52	61	4.5
P039	4+0.230	NO CHEYENNE IND R	ROSEBUD	12	64	64	9.049	24	24	PMS	336	50	327	0	13	8	5	28	54	61	4.2
P043	9+0.492	JCT FAP RTE 31	FERGUS	5	50	50	5.334	24	28	RMS	834	108	318	2	14	10	9	25	60	61	2.1
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	548	96	428	2	14	7	7	27	57	61	4.6
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.676	24	24	PMS	845	109	450	3	14	10	7	26	60	61	.3
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.252	22	22	BST	193	32	277	0	13	7	2	28	50	61	3.1
P080	45+0.006	0.5 N FERGUS CO	CHOUTEAU	6	62	62	.497	24	24	PMS	140	21	561	0	12	5	1	29	47	61	.3
P057	130+0.507	WINNETT	PETROLEUM	5	31	69	1.123	22	24	PMS	409	62	476	0	11	10	6	28	55	61	.5
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.563	28	28	PMS	307	51	749	0	9	10	5	29	53	61	2.2
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	1582	188	565	7	20	9	4	25	65	61	.8
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	990	151	263	0	13	8	20	21	62	61	.1
P057	83+0.163	LEWISTOWN	FERGUS	5	42	42	5.079	24	30	PMS	1270	165	415	4	18	10	8	24	64	62	1.8
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	583	88	249	5	17	9	3	25	59	62	2.8
P072	0+0.000	MONT-WYOMING LINE	CARBON	11	61	61	5.184	30	30	PMS	560	89	469	0	15	8	9	27	59	62	2.1
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	702	91	289	0	13	10	12	25	60	62	3.5
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1626	325	344	9	28	10	3	16	66	62	1.6
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	64	64	1.171	32	32	PMS	2077	270	504	6	21	10	8	22	67	62	.4
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	535	80	365	4	17	6	4	27	58	62	1.5
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	379	56	297	4	15	9	1	27	56	62	4.4
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	590	76	75	8	25	10	1	15	59	62	.1
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7	60	60	6.788	24	24	PMS	1416	233	368	6	23	10	5	21	65	62	2.4
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	494	72	356	6	15	8	2	27	58	62	.9
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	633	92	283	6	15	10	3	25	59	62	.4
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.667	44	44	PMS	4199	545	320	9	28	10	20	4	71	62	.2
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1784	231	536	4	16	10	12	24	66	62	.6
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1949	253	612	6	16	10	11	24	67	62	1.7
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	2173	282	663	6	17	10	11	24	68	62	1.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	363+0.532	KREMLIN FAS 450	HILL	2	36	70	8.591	28	32	RMS	1351	175	696	7	18	10	4	26	65	62	3.0
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	907	117	438	6	17	10	3	26	62	62	2.2
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1753	262	272	9	28	10	3	16	66	62	.7
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	770	187	485	4	19	10	4	24	61	62	2.8
P001	25+0.541	1.5 N FAIRFIELD	TETON	6	21	32	2.698	20	22	BST	760	98	429	0	12	3	20	27	62	63	1.0
P005	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	921	175	154	6	17	7	20	13	63	63	.9
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	975	126	616	3	15	10	8	27	63	63	4.1
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1606	217	278	5	19	10	15	18	67	63	.2
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1821	236	222	8	24	10	11	14	67	63	1.4
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	1091	158	456	0	16	8	15	25	64	63	.8
P027	44+0.455	8.6 N BAKER	FALLON	12	58	58	10.261	30	30	BST	423	54	333	0	11	10	9	28	58	63	4.3
P029	5+0.897	5.5 W ENNIS	MADISON	0	51	51	5.030	26	32	RMS	550	115	243	5	18	8	5	23	59	63	2.1
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12	64	64	4.230	24	24	PMS	359	53	431	4	17	7	0	28	56	63	1.9
P062	5+0.586	1.7 S RICHLAND CO	RICHLAND	4	37	41	3.258	20	24	RMS	660	99	406	0	8	7	20	26	61	63	1.3
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7	61	61	8.498	26	26	PMS	450	67	259	4	18	9	1	26	58	63	3.6
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	368	55	289	3	17	7	2	27	56	63	2.6
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	1007	158	220	9	25	10	1	19	64	63	.7
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	2951	382	565	9	24	10	7	20	70	63	.6
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.856	24	28	RMS	492	63	333	3	14	10	5	27	59	63	2.0
P060	38+0.999	NEIHART	CASCADE	6	52	52	10.527	22	26	PMS	537	80	492	5	16	8	2	28	59	63	4.3
P048	0+2.507	HARDIN	BIG HORN	11	70	70	.192	40	40	PMS	2745	384	340	7	21	10	20	13	71	64	.1
P061	142+0.098	14.7 S MALTA	PHILLIPS	3	42	42	5.278	20	24	PMS	241	40	255	0	15	9	2	28	54	64	2.4
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8	64	64	11.466	30	30	PMS	1228	196	442	7	19	10	7	23	66	64	3.9
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	245	41	276	0	12	10	4	28	54	64	2.9
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	322	41	377	0	15	10	4	28	57	64	3.0
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	1544	200	896	8	21	10	1	27	67	64	.1
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	859	111	434	0	18	10	10	26	64	64	1.5
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	991	128	301	2	16	10	13	24	65	64	2.0
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	277	44	290	0	15	9	3	28	55	64	5.8
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	790	115	616	3	17	10	6	27	63	64	2.3
P008	87+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1395	181	507	4	16	10	12	25	67	64	3.7
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3558	498	1700	3	14	9	20	26	72	64	.1
P004	13+0.436	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	1063	138	599	0	15	10	13	27	65	64	2.0
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	1121	145	569	3	17	10	10	26	66	65	4.4
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1334	180	510	0	12	10	20	25	67	65	.5
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1789	232	612	6	16	10	13	24	69	65	.6
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	941	179	324	8	25	10	0	22	65	65	.2
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	1904	409	748	8	25	10	5	22	70	65	.6
P008	98+0.993	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.748	24	28	PMS	1821	236	427	2	15	10	20	22	69	65	2.7
P008	65+0.436	0.7 S WINSTON	BROADWATER	7	56	65	11.541	32	32	PMS	1980	257	696	7	23	10	6	24	70	65	3.5
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	532	77	316	5	17	9	4	26	61	65	1.4
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	630	81	319	3	16	9	8	26	62	65	1.0
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	2175	358	504	7	24	10	10	19	70	65	.8
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	347	58	307	4	17	9	1	27	58	65	3.7
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	884	114	311	7	21	10	2	25	65	65	2.4
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.843	30	30	BST	1042	135	355	0	12	10	20	24	66	65	1.6
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	300	45	289	3	17	8	1	28	57	65	3.5
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3	47	47	5.924	25	25	BST	194	32	353	0	14	8	3	29	54	65	2.7
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.280	32	32	PMS	1354	264	597	7	23	10	5	23	68	65	1.4
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.657	30	30	PMS	284	47	485	0	12	10	6	29	57	65	4.2
P057	279+0.793	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1510	231	592	7	24	10	4	24	69	66	.3
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	1153	172	421	0	15	9	20	24	68	66	.7
P061	130+0.393	25.0 S FAS RTE 363	PHILLIPS	3	42	42	6.398	20	24	RMS	204	34	683	0	8	8	10	29	55	66	2.9
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	726	108	627	7	16	10	5	27	65	66	.2
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	PMS	1394	165	352	5	18	10	13	23	69	66	2.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	RT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	CPN	SAF	CAP	TOT	ADJ	DEFIC MILES
P050	40+0.132	8.9 N PARK BDY	GALLATIN	10	60	60	7.823	28	28	PMS	1161	182	495	7	22	10	5	24	68	66	2.5
P080	67+0.052	STANFORD	JUDITH BASIN	6	27	27	.122	24	26	BST	698	105	614	2	12	3	20	27	64	66	
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7	64	64	3.662	28	28	PMS	436	65	275	4	18	10	3	26	61	66	1.4
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	871	113	237	2	12	9	20	23	66	66	.4
P024	0+0.975	MILLTOWN	MISSOULA	9	74	74	.870	44	44	PMS	2204	363	503	10	30	10	2	19	71	66	.3
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	244	38	258	0	15	10	4	28	57	66	2.2
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	350	45	342	0	12	9	10	28	59	66	1.2
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	PMS	1401	182	808	2	12	8	20	27	69	66	.2
P014	108+0.042	7.1 E FAP 45	WHEATLAND	10	53	53	8.427	24	28	RMS	934	121	486	4	16	10	10	26	66	66	2.9
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	40	1.975	20	24	RMS	632	82	448	0	9	8	20	27	64	66	.7
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	510	74	349	5	14	9	7	27	62	66	.9
P009	107+0.893	JCT FAI 90	BROADWATER	7	68	68	.308	40	40	PMS	868	112	447	6	20	10	10	23	69	66	1.9
P008	108+0.855	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	868	112	128	10	28	10	1	17	66	66	.1
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1280	295	680	6	17	10	12	23	68	66	1.8
P001	194+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	67	12.259	32	32	PMS	874	166	575	6	19	10	5	26	66	66	4.2
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1340	201	503	3	17	10	14	24	68	66	2.3
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	1536	184	680	5	18	10	10	26	69	66	3.0
P002	84+0.000	BAKER	FALLON	12	68	68	5.056	40	40	PMS	813	105	599	4	18	10	6	27	65	66	1.8
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	1935	232	648	6	19	10	11	25	71	66	1.7
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	1004	130	428	0	13	10	20	25	68	67	.5
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	819	156	357	5	18	8	12	23	66	67	1.8
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7	69	69	1.670	40	40	PMS	2884	441	344	8	25	10	20	11	74	67	.4
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1286	187	271	6	18	9	16	20	69	67	.2
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	181	30	515	0	8	10	8	29	55	67	2.4
P024	133+0.232	5.7 E SIMMS	CASCADE	6	64	64	5.275	32	32	PMS	1856	259	653	5	23	10	9	24	71	67	1.9
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	4112	534	1760	9	26	10	5	25	75	67	.4
P081	26+0.723	12.6 SE DENTON	FERGUS	5	73	73	2.835	24	24	RMS	465	72	469	5	17	10	2	28	62	67	1.1
P062	12+0.176	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.089	24	26	RMS	648	97	499	0	10	8	20	27	65	67	2.8
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3	61	61	10.621	28	28	PMS	252	40	427	0	13	10	6	29	58	67	4.5
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9	52	52	5.052	24	24	RMS	371	63	394	5	17	10	1	28	61	67	2.0
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	26	28	PMS	968	151	495	7	21	10	4	25	67	67	2.9
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	1121	175	320	9	26	10	1	22	68	67	
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	1002	130	377	0	16	8	20	25	69	68	.8
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1246	242	630	8	24	10	4	24	70	68	1.2
P059	15+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	719	107	582	0	11	8	20	27	66	68	
P061	88+0.067	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	295	49	477	0	13	10	9	28	60	68	2.2
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	632	126	469	5	22	10	3	26	66	68	2.3
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	240	31	716	0	5	5	20	29	59	68	
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6	46	59	.876	24	24	RMS	850	110	450	2	14	8	18	26	68	68	.3
P014	252+0.337	VANADA	ROSEBUD	12	54	54	7.161	24	24	RMS	241	38	258	3	16	10	2	28	59	68	2.9
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	3329	466	705	7	18	10	20	20	75	68	.1
P028	47+0.309	2.3 N WYO BDRY	CARBON	11	65	65	6.415	28	28	PMS	424	95	394	7	20	10	0	26	63	68	2.4
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	763	113	302	8	24	10	1	24	67	68	.1
P006	47+0.219	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	857	125	378	8	22	10	3	25	68	68	.8
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	654	85	319	2	15	9	14	26	66	68	3.8
P008	3+0.914	JCT FAS 407	POWELL	8	57	64	7.362	32	32	PMS	1231	160	504	7	22	10	6	25	70	68	2.2
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3062	367	817	5	17	10	20	23	75	68	.1
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	61	4.950	24	24	RMS	1413	211	617	9	28	7	2	25	71	68	1.4
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	875	118	352	8	18	10	7	25	68	68	1.8
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	813	109	536	8	19	10	4	27	68	69	1.7
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2232	290	663	5	17	10	19	23	74	69	2.5
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	1503	195	222	10	30	10	5	17	72	69	.1
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1081	145	435	0	16	9	20	25	70	69	2.0
P001	457+0.675	3.1 E DODSON	PHILLIPS	3	63	63	9.025	32	32	PMS	1120	145	569	5	20	10	9	26	70	69	2.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	PT	IM	SECTION LENGTH	WIDTH SRF	WIDTH POV	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS---- ENG	SFF	CRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1038	140	461	5	18	10	12	25	70	69	1.7
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	806	104	552	4	17	10	10	27	68	69	.3
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	6423	834	1920	10	28	10	8	23	79	69	1.4
P037	82+0.471	CUSTER FOR BDRY	POWDER RIVER	12	67	67	2.271	28	28	PMS	534	72	289	5	20	10	4	26	65	69	.8
P046	59+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	252	37	371	4	16	8	3	29	60	69	2.4
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	725	105	732	0	10	10	20	28	68	69	1.9
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.727	24	24	PMS	146	22	353	3	16	5	3	29	56	69	1.6
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41	70	2.021	24	24	RMS	850	110	360	6	18	10	10	25	69	69	.6
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.305	40	40	RMS	1570	317	614	7	16	7	20	22	72	69	.1
P069	5+0.046	4.3 S WHITEHALL	JEFFERSON	7	68	68	1.060	30	30	PMS	641	96	604	4	24	8	3	28	67	69	.3
P057	330+0.775	0.5 W GLENDIVE	DAWSON	4	69	69	.172	32	32	PMS	4315	517	432	9	26	10	20	12	77	69	
P060	49+0.470	MONARCH	CASCADE	6	52	52	4.234	22	26	PMS	569	85	441	7	19	8	5	27	66	69	1.4
P057	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6	61	61	3.343	32	32	PMS	1483	176	448	6	22	10	10	24	72	69	.9
P046	76+0.492	0.6 W DIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	425	63	737	5	17	10	3	29	64	69	.2
P057	121+0.739	8.7 E FAP 61	FERGUS	5	29	58	1.467	18	24	RMS	307	46	414	0	9	5	20	28	62	69	.6
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.417	30	30	BST	1029	133	535	2	13	10	20	26	71	70	.1
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.119	30	30	PMS	424	55	333	7	19	10	1	28	65	70	.4
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	337	53	401	4	17	9	5	28	63	70	4.7
P084	0+0.000	JCT FAP 13	MADISON	9	53	53	6.427	24	24	RMS	422	71	522	6	21	9	1	28	65	70	2.2
P023	108+0.475	HAMMOND	CARTER	12	55	73	11.000	28	28	PMS	604	87	486	0	13	10	17	27	67	70	3.6
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	PMS	353	45	629	2	15	10	8	29	64	70	.9
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	425	55	748	0	10	6	20	29	65	70	.7
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	230	34	413	4	14	10	3	29	60	70	2.2
P028	53+0.726	8.7 N WYO BDRY	CARBON	11	65	65	6.274	28	28	PMS	472	106	591	7	21	10	1	27	66	70	2.1
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.513	40	40	PMS	2422	370	264	0	27	10	20	9	75	70	.4
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.014	22	25	PMS	561	94	518	0	12	8	20	27	67	70	1.3
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1837	238	580	5	20	10	15	24	74	70	2.5
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	639	93	342	8	19	10	5	26	68	70	.3
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	RMS	2074	269	896	4	16	10	20	25	75	70	.1
P001	564+0.658	8.8 E NASHUA	VALLEY	3	61	61	8.184	32	32	PMS	1187	160	720	6	21	10	8	27	72	70	2.3
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	2241	428	432	8	23	10	20	15	76	71	
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	1285	167	264	9	28	10	5	21	73	71	2.5
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1446	187	554	2	17	10	20	25	74	71	1.3
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1353	182	722	7	21	10	9	26	73	71	.5
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.156	28	28	RMS	554	80	415	8	18	10	5	27	68	71	.7
P008	108+0.202	0.3 S FAI 90	BROADWATER	7	52	52	.653	24	28	PMS	868	112	599	4	17	10	13	27	71	71	.2
P011	40+0.712	3.5 N FAS 476	PARK	10	65	65	9.177	32	32	PMS	1348	289	748	8	25	10	6	24	73	71	2.5
P011	0+0.000	YELL PARK BDRY	PARK	10	75	75	1.016	48	48	PMS	1173	252	568	10	30	10	0	23	73	71	.3
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.490	30	30	PMS	2021	262	414	4	20	10	20	21	75	71	1.6
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	400	60	965	0	10	7	20	29	66	71	1.4
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	533	74	353	8	21	9	3	27	68	71	2.2
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1228	165	150	10	30	10	9	14	73	71	.2
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	343	51	301	4	17	10	7	27	65	71	2.4
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	143	22	724	0	8	10	10	30	58	71	2.6
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	547	73	252	5	20	10	7	26	68	71	1.0
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	265	39	401	6	17	9	2	29	63	71	3.5
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1379	179	720	6	22	10	9	26	73	71	2.2
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	768	115	406	0	14	10	20	26	70	71	2.1
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	812	105	184	6	24	10	9	21	70	71	1.7
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1197	155	266	10	30	10	2	21	73	71	.4
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	313	47	592	5	17	10	3	29	64	71	2.4
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	401	67	414	3	16	10	9	28	66	71	1.3
P058	43+0.621	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	745	145	485	6	19	10	9	26	70	71	.3
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40	PMS	1565	344	266	8	25	10	20	11	74	71	1.9
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	53	10.659	24	28	RMS	1031	134	629	2	15	8	20	27	72	71	3.0

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	358	54	442	0	12	10	15	28	65	71	3.9
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	253	38	187	6	19	8	2	27	62	71	2.1
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.570	28	28	PMS	262	39	280	7	18	8	2	28	63	71	3.1
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	213	35	902	0	10	10	13	29	62	72	3.3
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	827	138	500	4	16	10	16	26	72	72	.4
P060	20+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	300	45	331	7	19	10	1	28	65	72	2.5
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26	PMS	296	44	622	6	19	10	1	29	65	72	1.2
P081	13+0.840	DENTON	FERGUS	5	73	73	12.883	24	24	PMS	467	72	394	7	23	10	1	27	68	72	4.1
P060	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	603	91	463	7	24	10	2	27	70	72	.5
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7	68	68	2.055	30	30	PMS	808	121	367	7	27	10	2	25	71	72	.6
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	450	97	235	8	25	10	1	24	68	72	1.1
P014	259+0.489	7.2 E VANADA	ROSEBUD	12	54	54	5.580	24	24	RMS	227	36	450	2	17	10	5	29	63	72	2.1
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	200	30	427	5	16	10	2	29	62	72	.4
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	677	91	289	0	15	10	20	25	70	72	1.6
P028	45+0.000	MONT WYO BDRY	CARBON	11	65	65	2.331	28	28	PMS	391	87	408	8	21	10	1	27	67	72	.8
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	1193	180	662	5	18	10	15	26	74	72	3.9
P007	59+0.036	VICTOR FAS 370	RAVALLI	8	56	61	7.721	32	32	PMS	2791	362	720	9	25	10	12	22	78	72	1.7
P007	60+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3643	473	720	9	25	10	15	20	79	72	1.4
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1124	151	234	7	22	10	14	20	73	72	2.7
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1534	230	244	7	22	10	20	16	75	72	1.7
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	925	120	323	4	18	9	17	24	72	72	.7
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	831	108	569	0	16	10	20	27	73	73	2.0
P001	223+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1357	217	680	4	16	10	20	25	75	73	.3
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	879	118	629	7	17	10	12	27	73	73	.8
P002	6+0.197	1 94 E MILES CITY	CUSTER	12	62	62	.689	32	32	PMS	600	78	302	7	23	10	5	26	71	73	.2
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1299	175	616	3	17	10	19	26	75	73	2.3
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	646	94	264	7	17	10	12	25	71	73	.4
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	691	100	428	6	22	10	7	26	71	73	2.5
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	63	63	3.833	32	32	PMS	1801	234	580	4	19	10	20	24	77	73	.9
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	838	180	546	9	27	10	2	25	73	73	1.6
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	260	39	154	7	21	10	1	26	65	73	1.0
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	310	40	600	5	16	10	6	29	66	73	2.1
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	158	26	235	5	16	10	2	28	61	73	1.2
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	255	33	600	3	16	10	6	29	64	73	2.7
P014	0+0.888	TOWNSEND	BROADWATER	7	64	64	1.513	32	32	PMS	1285	192	616	9	25	10	6	25	75	73	.4
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	420	66	538	0	10	10	20	28	68	73	.6
P018	2+0.159	JCT FAS RTE 489	CUSTER	12	64	64	10.901	32	32	PMS	434	56	616	5	16	10	8	29	68	73	3.5
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.876	24	28	RMS	585	84	462	2	11	10	20	27	70	73	2.1
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	214	32	592	6	17	9	2	29	63	73	3.1
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	193	32	401	0	15	10	8	29	62	73	3.0
P057	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1343	159	592	7	21	10	11	26	75	73	1.0
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9	53	53	.288	24	24	RMS	700	115	312	4	16	8	20	24	72	73	.1
P057	0+0.000	JCT FAP RTE 60	CASCADE	6	60	60	5.418	32	32	PMS	1680	199	2116	4	22	10	12	29	77	74	1.2
P050	15+0.000	6.7 N FAP RTE 87	GALLATIN	10	63	63	1.642	32	32	PMS	865	135	220	6	17	10	20	21	74	74	.4
P048	11+0.644	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	376	52	494	4	18	10	9	28	69	74	2.1
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	228	34	774	0	10	8	18	29	65	74	1.0
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	510	89	558	2	15	6	20	28	71	74	2.0
P081	0+0.000	JCT FAP RTE 81	FERGUS	5	59	59	12.943	24	24	PMS	415	64	487	7	22	10	2	28	69	74	4.0
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	124	16	544	0	5	5	20	30	60	74	.4
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	59	59	14.057	28	28	PMS	420	67	401	5	17	10	10	27	69	74	4.4
P024	127+0.465	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	1838	257	565	8	26	10	11	23	78	74	1.3
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	248	32	655	0	8	8	20	29	65	74	.7
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1218	158	548	8	24	10	8	26	76	74	2.0
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12	67	67	9.659	28	28	PMS	581	78	435	6	17	10	11	27	71	74	2.8
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11	74	74	5.621	40	40	PMS	1201	162	135	10	30	10	14	12	76	74	1.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	FIN YEARS RT	FIN YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P029	10+0.757	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	597	125	194	5	17	10	20	20	72	74	.7
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	373	56	414	5	18	10	7	28	68	74	2.6
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	1818	236	281	8	23	10	20	17	78	74	1.1
P005	46+0.161	0.4 S RONAN	LAKE	1	70	70	.411	40	40	PMS	4463	654	848	8	25	10	20	18	81	74	.1
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1209	157	569	3	18	10	19	26	76	74	2.8
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	PMS	1045	135	600	4	17	8	20	27	76	75	.4
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1471	176	648	6	18	10	18	26	78	75	1.0
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	250	35	353	8	21	8	1	29	67	75	2.8
P028	90+0.985	BOYD	CARBON	11	74	74	4.433	40	40	PMS	1340	266	309	10	30	10	10	17	77	75	1.0
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.634	30	33	PMS	205	30	535	6	18	10	2	29	65	75	.3
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	67	8.131	24	24	PMS	380	57	301	5	23	10	5	27	70	75	2.4
P048	0+1.916	HARDIN	BIG HORN	11	76	76	.555	48	48	PMS	1413	197	806	10	30	10	1	26	77	75	.1
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	65	7.654	30	30	BST	156	26	259	5	15	10	5	28	63	75	2.E
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	116	18	705	0	6	10	15	30	61	75	4.5
P043	14+0.838	JCT FAS RTE 230	FERGUS	5	63	63	10.462	28	30	PMS	297	38	414	3	18	10	8	29	68	75	3.3
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	2.514	30	30	PMS	746		664	6	24	10	4	30	74	75	.7
P080	0+0.000	JCT FAP 10	CHOUTEAU	6	53	53	1.596	24	24	PMS	586	88	332	9	25	10	3	26	73	75	.4
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	454	98	697	7	23	10	3	28	71	75	.6
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	429	92	496	6	22	10	6	27	71	75	3.0
P057	330+0.190	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	4323	518	2840	7	18	10	20	27	82	75	.1
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	307	51	629	0	11	10	18	29	68	75	4.1
P061	27+0.704	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	447	58	392	7	21	10	5	28	71	75	1.8
P050	70+0.197	5.6 S FAS 345	GALLATIN	10	58	60	6.250	32	32	PMS	2042	357	696	9	25	10	13	22	79	75	1.3
P055	12+0.997	WHITEHALL	JEFFERSON	7	66	66	.090	32	32	PMS	2238	369	340	9	26	10	20	14	79	75	
P057	5+0.302	5.3 E FAP 60	CASCADE	6	61	61	1.770	32	32	PMS	1549	184	448	5	21	10	18	24	78	75	.4
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	182	25	371	3	16	10	8	29	66	76	3.3
P061	136+0.795	18.9 S FAS 363	PHILLIPS	3	42	42	5.281	20	24	RMS	222	37	711	0	10	8	20	29	67	76	1.7
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	974	126	585	4	23	10	12	27	76	76	1.9
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	320	69	400	7	25	10	1	27	70	76	.9
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	298	44	522	8	21	10	1	29	69	76	.1
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	313	46	569	8	19	10	4	29	70	76	1.6
P044	0+0.000	JCT FAP 3	PONDERA	6	54	54	2.760	24	24	RMS	325	46	534	0	14	7	20	29	70	76	.8
P036	16+0.265	JCT FAS RTE 382	SANDERS	8	63	63	2.732	28	28	PMS	652	97	599	5	20	10	11	28	74	76	.7
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	611	91	680	6	18	10	12	28	74	76	1.9
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	832	108	688	9	26	10	3	26	76	76	1.1
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	55	10.845	28	28	BST	627	90	510	2	15	10	20	27	74	76	2.8
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	950	123	616	9	28	10	2	27	76	76	.2
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	1799	233	281	10	27	10	14	18	79	76	1.7
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	523	67	448	8	26	10	1	28	73	76	2.1
P002	89+0.045	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	505	65	629	4	18	10	13	28	73	76	1.7
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.442	68	68	PMS	3356	436	2064	10	30	10	5	27	82	76	.6
P001	29+0.963	2.0 W LIBBY	LINCOLN	1	71	76	2.036	66	68	PMS	3944	512	1700	9	30	10	8	25	82	76	.4
P008	23+0.218	2.3 E ELLISTON	POWELL	6	73	73	2.363	56	56	PMS	1260	163	2160	9	28	10	2	29	78	76	.5
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1247	162	666	8	27	10	7	26	78	76	.3
P008	57+0.135	1.1 E BROADWATER	BROADWATER	7	72	72	8.303	34	34	PMS	1819	236	504	7	23	10	17	23	80	77	1.7
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1061	143	260	6	23	10	17	22	78	77	1.7
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1248	168	696	7	25	10	11	26	79	77	1.8
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	1032	134	616	4	17	10	20	27	78	77	.3
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	512	66	312	9	26	10	2	27	74	77	.5
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	528	76	428	5	17	10	15	27	74	77	2.5
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	988	128	643	8	24	10	9	27	78	77	1.5
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	242	38	354	2	17	9	13	28	69	77	3.1
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	365	55	353	4	17	9	14	28	72	77	1.9
P076	6+0.848	BUTTE	SILVER BOW	9	50	50	.292	24	36	PMS	443	57	264	3	15	8	20	27	73	77	.1
P058	44+0.487	4.7 N BABB	GLACIER	2	56	56	5.857	22	22	RMS	466	90	420	3	13	10	20	27	73	77	1.6

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	RT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1381	207	536	7	18	10	20	24	79	77	.4
P057	66+0.996	2.0 E FAP 63	FERGUS	5	47	54	6.539	24	31	PMS	1433	170	565	6	20	9	19	25	79	77	1.4
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32	PMS	865	135	648	5	16	10	20	27	78	78	3.2
P050	76+0.436	0.7 N FAS 345	GALLATIN	10	64	64	3.598	32	32	PMS	2490	473	720	8	26	10	18	20	82	78	.6
P061	54+0.637	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	274	46	510	0	12	10	20	29	71	78	3.4
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	529	79	520	9	27	10	1	28	75	78	.5
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	597	95	648	7	21	10	10	28	76	78	.1
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7	57	71	6.000	24	24	PMS	459	68	512	7	22	10	7	28	74	78	1.6
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12	48	63	7.269	25	25	RMS	246	39	408	0	11	10	20	29	70	78	2.2
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40	PMS	1036	134	247	8	25	10	14	22	79	78	1.5
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.278	28	28	PMS	351	45	415	3	17	10	15	28	73	78	2.0
P014	2+0.398	JCT FAS RTE 284	BROADWATER	7	64	64	3.999	32	32	PMS	519	77	548	8	23	10	6	28	75	78	1.0
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	645	96	326	8	22	10	10	26	76	78	.6
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	701	168	504	10	28	10	4	25	77	78	1.4
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1222	183	296	7	22	10	20	21	80	78	.1
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	6.023	32	32	PMS	980	127	599	3	18	10	20	27	78	78	1.8
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	2061	267	281	9	27	10	20	16	82	78	.1
P009	12+0.411	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	240	38	447	4	19	10	8	29	70	78	2.3
P007	74+0.242	0.4 S FLORENCE	RAVALLI	8	74	76	.579	64	64	PMS	4254	553	2160	9	27	10	12	26	84	78	.1
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	PMS	574	74	629	3	16	10	20	28	77	79	.3
P001	611+0.926	POPLAR	ROOSEVELT	3	70	70	13.687	40	40	PMS	1365	177	304	7	23	10	20	21	81	79	2.6
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	803	153	365	6	19	10	20	24	79	79	1.4
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	768	103	629	5	15	10	20	28	78	79	1.8
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	8.920	40	40	PMS	2317	301	696	8	25	10	16	24	83	79	1.5
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	370	48	569	6	18	10	11	29	74	79	3.1
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1446	187	872	9	25	10	10	27	81	79	.1
P024	16+0.029	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1796	296	470	8	23	10	20	21	82	79	1.2
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	460	59	504	8	24	10	5	28	75	79	1.3
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.908	28	28	PMS	602	81	368	8	27	10	5	27	77	79	1.8
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	449	58	365	9	27	10	1	28	75	79	2.6
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	306	46	332	8	26	10	1	28	73	79	3.0
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	492	81	512	8	25	10	5	28	76	79	1.0
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	PMS	551	77	377	3	17	9	20	27	76	79	1.2
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	213	35	237	6	20	10	6	28	70	79	1.5
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	131	20	642	0	6	10	20	30	66	79	2.1
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	737	129	550	5	17	10	20	26	78	79	1.1
P083	86+0.290	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	936	157	442	6	18	10	20	25	79	79	1.0
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	346	51	471	8	22	10	6	28	74	79	1.9
P057	330+0.947	0.6 W GLENDIVE	DAWSON	4	69	69	.233	24	24	PMS	4314	517	805	9	26	10	20	20	85	79	
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	191	26	342	2	17	10	12	29	70	79	2.5
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	661	99	403	8	24	10	11	26	79	80	.7
P080	39+0.544	1.5 N SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	145	21	427	3	17	10	9	29	68	80	1.9
P087	3+0.037	6.7 E FAP 13	MADISON	9	63	63	3.728	30	30	PMS	391	84	408	7	26	10	5	27	75	80	.9
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	137	21	976	0	8	10	20	30	68	80	.6
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1239	167	272	10	30	10	11	21	82	80	.2
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.885	24	24	PMS	70	9	384	4	17	10	2	30	63	80	1.8
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	516	67	365	10	28	10	2	27	77	80	.8
P014	88+0.033	JCT FAS RTE 296	WHEATLAND	10	66	66	4.784	40	40	PMS	561	72	320	8	23	10	10	27	78	80	1.1
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5371	698	2256	10	26	10	15	25	86	80	.2
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1220	158	403	8	27	10	12	24	81	80	.3
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	1094	142	672	8	22	10	14	27	81	80	1.2
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	773	112	510	5	17	10	20	27	79	80	.2
P008	25+0.581	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1270	165	2160	9	28	10	7	29	83	81	.3
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1181	153	304	8	25	10	17	22	82	81	1.4
P002	0+0.000	194 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	1075	121	567	7	18	10	20	27	82	81	.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	WIDTH POV	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P014	116+0.455	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	769	99	247	8	24	10	14	24	80	81	1.2
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	533	69	480	8	25	10	8	28	79	81	1.2
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	65	9.551	40	40	PMS	753	112	552	3	20	10	20	27	80	81	1.9
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	109	17	428	0	13	10	16	29	68	81	1.7
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	409	61	529	9	28	10	2	28	77	81	.3
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	395	59	515	8	27	10	4	28	77	81	.3
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	271	44	348	9	27	9	1	28	74	81	.6
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	571	95	266	6	18	10	20	25	79	81	.8
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	130	19	534	5	17	10	8	29	69	81	2.1
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	315	51	440	8	26	9	4	28	75	81	1.1
P057	57+0.339	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	1416	168	666	8	26	10	13	26	83	81	1.1
P051	0+0.000	JCT FAP RTE 87	MCCONE	4	60	61	3.326	30	30	PMS	366	51	655	7	24	10	8	29	78	82	.7
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	4.378	32	32	PMS	866	135	485	7	19	10	20	26	82	82	.8
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	103	32	569	0	14	10	20	29	73	82	2.2
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.714	30	30	PMS	420	54	504	7	21	10	12	28	78	82	1.0
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	431	71	488	10	28	10	3	28	79	82	.3
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	434	71	622	10	28	10	2	28	78	82	.7
P032	51+0.736	SCOBEY	DANIELS	3	58	68	9.191	24	26	PMS	176	24	520	8	23	10	2	29	72	82	2.6
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	431	71	463	10	27	10	3	28	78	82	.8
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	264	34	472	6	24	10	7	29	76	82	2.3
P003	84+0.363	JCT FAP 4+	PONDERA	6	66	66	4.863	34	34	PMS	678	163	640	9	28	10	8	26	81	82	.9
P008	55+0.994	BROADWATER CO	JEFFERSON	7	69	69	1.140	40	40	PMS	1844	239	320	9	27	10	20	19	85	82	.2
P008	107+0.697	0.2 N FAI 90	BROADWATER	7	68	68	.196	40	40	PMS	2021	262	320	10	28	10	20	18	86	83	
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.834	32	32	PMS	2072	269	666	7	25	10	20	24	86	83	1.4
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	306	48	697	9	27	10	3	29	78	83	.5
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	697	167	529	9	27	10	11	25	82	83	1.1
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1505	195	288	9	26	10	20	20	85	83	1.3
P001	573+0.032	FRAZER	VALLEY	3	58	76	8.057	24	32	PMS	1252	169	720	4	24	10	20	26	84	83	1.3
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	219	28	702	7	24	10	6	29	76	83	2.5
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2449	318	2256	9	26	10	14	28	87	83	.4
P019	13+0.047	7.0 S ROSEBUD CO	CUSTER	12	63	63	5.000	30	30	PMS	261	33	663	3	14	10	20	29	76	83	1.2
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	821	119	240	10	27	10	13	23	83	83	.1
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	348	45	522	7	22	10	10	29	78	83	2.5
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	639	95	532	10	25	10	10	27	82	83	.4
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	1518	229	722	7	23	10	20	25	85	83	.1
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	513	84	414	10	28	10	5	27	80	83	1.1
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1398	307	666	8	24	10	20	23	85	83	.2
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	102	16	705	0	10	10	20	30	70	83	2.6
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	256	38	498	10	28	10	0	29	77	83	
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	172	27	501	6	24	10	5	29	74	83	1.1
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	375	52	353	9	27	10	5	28	79	83	.9
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	218	32	643	7	23	10	6	29	75	83	1.3
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2	59	59	12.714	28	28	PMS	476	76	427	5	18	10	20	27	80	83	2.5
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7	70	70	3.920	32	32	PMS	429	64	406	5	17	10	20	28	80	83	.8
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	638	82	585	10	30	10	5	28	83	84	1.6
P057	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	1461	173	621	10	30	10	10	26	86	84	.1
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	0	65	65	5.283	26	26	PMS	281	42	595	8	20	10	11	29	78	84	1.2
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	2784	361	589	9	28	10	20	21	88	84	
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1346	195	276	9	28	10	20	19	86	84	.2
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	764	110	720	10	26	10	9	28	83	84	.1
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	4294	558	2256	9	26	10	18	26	89	84	.3
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1319	171	244	9	28	10	20	19	86	84	.1
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	998	129	281	7	25	10	20	23	85	84	1.1
P013	75+0.403	HARRISON	MADISON	9	76	76	.512	32	32	PMS	477	73	281	10	30	10	5	26	81	84	.1
P010	7+0.159	3.6 N GREAT FALLS	CASCADE	6	40	71	2.469	28	28	PMS	2257	293	666	8	28	9	20	23	88	85	.3

SUFFICIENCY PATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	POV	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY PATINGS END	SPF	ORN	SAF	CAP	TOT	ADJ	OEFIC MILES
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	63	63	12.038	32	32	PMS	1272	165	621	10	28	10	12	26	86	85	1.7
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	32	32	PMS	1047	136	448	6	25	10	20	25	86	85	.6
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	1125	146	648	8	21	10	20	27	86	85	.1
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	PMS	537	81	415	7	19	10	20	27	83	85	.2
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	754	113	621	6	25	10	16	27	84	85	1.8
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	389	54	399	10	30	10	3	28	81	85	.1
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	24	24	PMS	1133	152	201	10	30	10	17	19	86	85	.8
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	218	28	138	10	30	10	1	27	78	85	.1
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	279	36	307	10	30	10	2	28	80	85	2.5
P037	84+0.754	2.1 E FOR BOPY	POWDER RIVER	12	58	69	10.979	28	28	PMS	543	73	435	6	20	10	20	27	83	85	1.9
P057	30o+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	746	96	260	7	23	10	20	24	84	85	1.6
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.017	32	32	PMS	1450	172	672	10	28	10	13	26	87	85	.3
P059	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	8.993	32	32	PMS	396	59	643	8	26	10	9	29	82	85	1.6
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	367	55	554	9	27	10	6	29	81	85	1.8
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	588	76	400	7	23	10	18	27	85	86	1.1
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	581	75	360	6	21	10	20	27	84	86	.3
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	278	41	448	9	26	10	7	29	81	86	1.8
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	714	107	592	10	24	10	14	27	85	86	.8
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	666	96	504	10	28	10	10	27	85	86	1.2
P014	265+0.115	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	306	48	546	10	30	10	3	29	82	86	1.0
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	454	59	431	7	18	10	20	28	83	86	1.0
P002	45+0.880	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	385	50	406	6	18	10	20	28	82	86	1.1
P011	30+0.977	JCT FAS RTE 302	PARK	10	61	61	9.708	32	32	PMS	1054	226	748	9	27	10	16	25	87	86	1.3
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	32	32	BST	199	39	568	7	24	10	9	29	79	86	1.8
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	PMS	1223	158	648	7	24	10	20	26	87	86	
P013	75+0.915	0.5 N HARRISON	MADISON	9	76	76	4.857	32	32	PMS	373	57	470	10	30	10	4	28	82	86	.9
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	PMS	653	95	501	8	20	10	20	27	85	86	.2
P002	57+0.771	JCT. FAS RTE. 320	FALLON	12	58	72	12.363	32	32	PMS	516	67	592	8	27	10	12	28	85	87	1.9
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1196	155	266	9	28	10	20	21	88	87	.2
P001	341+0.907	RUDYARD FAS 231	HILL	2	60	60	5.813	32	32	PMS	1293	168	720	8	23	10	20	27	88	87	.7
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	752	97	320	8	24	10	20	25	87	87	.8
P039	51+0.155	0.1 SO JCT I 94	ROSEBUD	12	67	67	.157	28	28	PMS	1077	161	318	10	26	10	20	22	88	87	
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	737	95	546	7	23	10	20	27	87	87	.9
P057	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	292	44	476	5	19	10	20	29	83	87	1.6
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	295	38	470	8	26	10	9	29	82	87	1.6
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	542	81	568	9	27	10	11	28	85	87	1.4
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	294	48	522	10	28	10	5	29	82	87	.1
P080	49+0.808	3.7 S CHOUTEAU CO	FERGUS	5	53	53	1.042	24	24	PMS	202	30	534	6	17	9	20	29	81	88	.2
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	161	20	243	10	30	10	1	29	80	88	2.2
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	275	41	440	7	21	10	17	29	84	88	.8
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.893	30	36	RMS	256	40	688	9	27	10	8	29	83	88	.5
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	430	64	381	10	30	10	8	27	85	88	.1
P022	63+0.803	JCT FAS 515	SHERIDAN	3	63	63	.265	32	32	PMS	836	125	828	7	23	10	20	28	88	88	
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	719	93	260	8	24	10	20	25	87	88	.3
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1481	199	528	9	27	10	20	24	90	88	
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	435	56	255	7	21	10	20	27	85	88	.6
P011	1+0.362	1.3 N GARDINER	PARK	10	71	71	4.311	34	34	PMS	855	183	511	9	27	10	17	25	88	88	.5
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1267	164	666	8	26	10	20	26	90	89	.1
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	472	94	596	9	27	10	13	28	87	89	1.0
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	753	112	781	7	24	10	20	28	89	89	.1
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	5875	705	1720	9	30	10	20	24	93	89	
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1232	184	666	10	24	10	20	26	90	89	.7
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	816	155	456	9	25	10	20	25	89	89	.3
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1173	158	544	8	26	10	20	26	90	89	.1
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	799	152	478	8	26	10	20	25	89	89	.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P018	58+0.974	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	185	24	678	10	30	10	4	29	83	89	.7
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1125	146	296	10	30	10	17	23	90	89	.3
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.738	28	30	PMS	260	33	442	5	20	10	20	29	84	89	.6
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	268	40	501	7	19	10	20	29	85	89	.6
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	221	33	501	7	18	10	20	29	84	89	
P044	27+0.865	0.5 W JCT I15	PONDERA	6	72	72	.523	34	34	PMS	553	78	720	10	30	10	10	28	88	89	.1
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	26	28	PMS	75	11	448	7	21	8	10	30	76	89	2.4
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	160	20	266	10	30	10	2	29	81	89	2.4
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	160	24	666	5	21	10	17	29	82	89	.9
P057	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	378	57	648	10	30	10	7	29	86	89	.2
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	RMS	327	50	239	7	23	10	20	27	87	90	.1
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	1038	155	772	9	25	10	20	27	91	90	
P037	41+0.208	0.8 N LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1250	168	272	10	30	10	20	21	91	90	.1
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	608	91	672	8	23	10	20	28	89	90	.8
P028	60+0.000	8.7 S RED LODGE	CARBON	11	69	69	4.227	34	34	PMS	553	124	522	8	25	10	20	26	89	90	.5
P004	24+0.736	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2319	301	896	9	28	10	20	25	92	90	.1
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	708	105	529	8	25	10	20	27	90	90	.4
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	1399	181	457	9	28	10	20	24	91	90	
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	252	40	365	8	19	10	20	28	85	90	.1
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	RMS	379	49	96	9	26	10	20	22	87	90	
P009	1+0.950	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	312	49	482	7	23	10	20	28	88	91	1.3
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	858	184	596	9	27	10	20	25	91	91	.5
P002	20+0.911	10.6 W LOCATE	CUSTER	12	75	75	6.533	34	34	PMS	430	55	425	10	30	10	11	28	89	91	.7
P001	326+0.441	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1006	130	234	10	30	10	20	22	92	91	.5
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	288	43	655	7	21	10	20	29	87	91	1.2
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	113	18	439	4	24	10	16	29	83	91	2.0
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	319	47	471	7	22	10	20	29	88	91	1.0
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	250	35	463	7	22	10	20	29	88	92	.6
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	434	56	672	8	23	10	20	29	90	92	.6
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	76	76	.897	44	44	PMS	2784	361	937	10	30	10	20	24	94	92	.1
P045	7+0.339	4.6 N FAS 479	SWEET GRASS	10	69	69	.695	30	30	RMS	447	58	549	8	25	10	20	28	91	92	.1
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1806	234	666	9	30	10	20	25	94	92	.4
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	463	92	568	8	25	10	20	28	91	92	.4
P006	95+0.631	PERMA FAS 382	SANDERS	8	57	76	3.633	30	30	PMS	727	108	488	9	28	8	20	27	92	92	.3
P013	21+0.332	9.3 S FAS 527	MADISON	9	71	71	2.992	40	40	PMS	450	90	511	8	27	10	20	27	92	93	.2
P011	19+0.339	11.6 S FAS 362	PARK	10	61	61	11.618	32	32	PMS	813	174	748	9	27	10	20	27	93	93	.8
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	470	113	544	9	26	10	20	27	92	93	.1
P023	14+0.654	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	433	62	600	10	30	10	14	28	92	93	1.1
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	367	55	624	7	25	10	20	29	91	93	.4
P060	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	331	49	463	8	25	10	20	28	91	93	.9
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	301	65	441	8	25	10	20	28	91	93	.1
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	380	62	394	9	26	10	20	28	93	94	
P057	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	371	56	648	10	30	10	13	29	92	94	.3
P011	16+0.633	14.3 S FAS 362	PARK	10	61	61	2.712	32	32	PMS	827	177	748	10	28	10	20	26	94	94	.2
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.280	34	34	PMS	412	53	448	10	30	10	16	28	94	95	.4
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	370	51	332	9	27	10	20	28	94	95	.2
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	180	25	702	8	24	10	20	29	91	95	.1
P040	0+0.150	TERRY	PRAIRIE	4	72	72	.253	40	40	PMS	1308		528	9	27	10	20	30	96	95	
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1308		289	9	27	10	20	30	96	95	
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	319	41	469	10	30	10	15	29	94	95	.4
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	329	50	448	9	28	10	20	28	95	96	.6
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	243	36	643	10	30	10	15	29	94	96	.5
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1533		795	9	28	10	20	30	97	96	
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1084	162	795	10	30	10	20	27	97	96	
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	RMS	287	37	329	10	26	10	20	28	94	96	.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SRF	DRN	SAF	CAP	TOT	ADJ	EFFIC MILES
P011	1+0.019	GARDINER NO	PARK	10	75	75	.343	34	34	PMS	848	182	774	10	30	10	20	26	96	96	
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.935	36	36	PMS	355	46	255	10	30	10	20	27	97	97	.2
P001	36+0.780	4.0 E LIBBY	LINCOLN	1	76	76	.593	68	68	PMS	1970	256	1608	10	30	10	20	28	98	97	
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	374	52	579	10	27	10	20	29	96	97	.1
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1250	168	1416	10	30	10	20	28	98	97	
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	688	103	562	10	30	10	20	27	97	97	.2
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	559	83	621	10	30	10	20	28	98	98	
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	.539	32	32	PMS	436	67	643	10	30	10	20	28	98	98	
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	330	51	420	10	30	10	20	28	98	98	
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	363	47	453	10	30	10	20	28	98	98	.1
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11			6.000	UNDER CONSTRUCTION													
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7			2.262	UNDER CONSTRUCTION													
P008	30+0.034	2.2E LEW & CL CO	LEWIS AND CLARK	7			4.151	UNDER CONSTRUCTION													
P008	27+0.319	0.3 W L & C CO	LEWIS AND CLARK	7			.308	UNDER CONSTRUCTION													
P001	322+0.605	CHESTER	LIBERTY	2			3.787	UNDER CONSTRUCTION													
P001	213+0.183	3.9 E EAST GLAC	GLACIER	2			5.712	UNDER CONSTRUCTION													
P001	321+0.077	0.6 W CHESTER	LIBERTY	2			.700	UNDER CONSTRUCTION													
P021	4+0.997	CONRAD	PONDERA	6	63	63	.172	44	44	PMS	1359		289	10	30	10	20	30	100	100	
P018	53+0.388	5.4 S COHAGEN	GARFIELD	5			5.433	UNDER CONSTRUCTION													
P016	4+0.656	BILLINGS	YELLOWSTONE	11			7.049	UNDER CONSTRUCTION													
P023	27+0.819	22.7 N POWDER R CO	CUSTER	12			5.366	UNDER CONSTRUCTION													
P014	270+0.817	FORSYTH	ROSEBUD	12			.070	UNDER CONSTRUCTION													
P041	11+0.754	11.7 N FAP 8	POWELL	8			5.121	UNDER CONSTRUCTION													
P038	7+0.759	0.3 E COL FALLS	FLATHEAD	1			.303	UNDER CONSTRUCTION													
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4			11.197	UNDER CONSTRUCTION													
P051	49+0.250	LAMBERT	RICHLAND	4			10.645	UNDER CONSTRUCTION													
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4			10.781	UNDER CONSTRUCTION													
P043	0+0.626	LEWISTOWN LIMITS	FERGUS	5			2.400	UNDER CONSTRUCTION													
P051	32+0.582	RICHLAND CO	RICHLAND	4			5.840	UNDER CONSTRUCTION													
P051	27+0.527	PICHEY	DAWSON	4			5.039	UNDER CONSTRUCTION													
		SYSTEM TOTAL					5265.735														382009.8